ADDENDUM NO. 1

ITB-CD-NSP-14-04 - NSP 3 Home 117 63 Round Thorn Drive

5. **Please** return this addendum with your bid submittal.

Acknowledgment:

Signature and Date

Company Name

Printed Name and Title

ISSUE DATE: BID DATE: SUBJECT:		December 13, 2013		
		December 20, 2013 @ 2:00pm		
		Revised Bid Form and Second Walk-Through		
INTENT:		This addendum is issued prior to the date bids are due in order to incorporate the following clarifications, additions, omissions, deletions, or changes into the Contrac Documents.		
		Except as hereinafter specified, the work shall be in accordance with the drawings and specifications.		
		If applicable, Bidders are to use the changed quantities of the items listed in this addendum in their proposals, and it shall become a part of the Contract Documents when construction is executed.		
1.	line 2c). The r	The Bid Form/SOW for this home has been revised (the changes are highlighted in yellow or evised Bid Form is included in this addendum and is marked "REVISED PER ADDENDUM page one. Please use the revised Bid Form when you submit your bid or your bid will no		
2.		A second (voluntary) walk-through of 63 Round Thorn Drive has been scheduled for ember 17, 2013 from 2:00 – 3:00pm .		
3.	 Please note: A second (voluntary) walk-through of 5 Renworth Place has been scheduled for Tues December 17, 2013 from 3:00 – 4:00pm. 			
permits would be required then he/she could enter \$0. The City does charge permit fees required, just like when a building permit is pulled for any project. If the contractor required he/she can include an amount in this line item. The NSP Program does not re plans outside of those that would be required as part of the permitting process.		e Item 1 is asking about survey, plans and permit fees. Could you please advise on this For each NSP bid the City requires that contractors itemize the bid. If a contractor feels not be required then he/she could enter \$0. The City does charge permit fees when permits are ike when a building permit is pulled for any project. If the contractor feels permits are can include an amount in this line item. The NSP Program does not require as-builds o of those that would be required as part of the permitting process. Contractors should city with the building department to determine any permit fees in order to estimate the job.		

END OF ADDENDUM NO. 1 *Nine pages to follow.

CITY OF PALM COAST NSP3 HOUSING REHABILITATION PROGRAM SCOPE OF SERVICES WRITE-UP/BID FORM

REVISED PER ADDENDUM 1

OWNER: To be provided at a later time.

ADDRESS: 63 Round Thorn Drive, Palm Coast, FL 32164

PHONE #: To be provided at a later time.

DUE DATE: December 20, 2013

The work write-up/bid form is a general outline of the work to be performed. Please refer to the project specification booklet product and/or NOA recommendations included in scope of work for detailed instructions for each item noted below. <u>Take Notice of any attachment pertaining to any Regulated Asbestos Containing Material (RACM) and follow all recommended actions for prevention and/or Disposal. If there are not attachments pertaining to RACM it is reasonable to assume that the RACM was found during testing.</u>

Home Built in 2004. No Lead Based Paint (LBP) action required.

Note	System	Description of Work	Location	Price	Contractor Initials
A.	REHABILITATION	Special attention: Contractor responsible for procuring, and providing reports regarding Lead Base Paint and Asbestos. Any recommendations included in the reports regarding such material shall become part of the Work.	Unit	\$ N/A	
B.	SITEWORK	Rehabilitation of unit shall include demolition removal of all construction and replacement debris. All required fill, Re- connects to all existing TV & Phone Jacks. Install 911 addressing as required per local code. Disconnect and re-connect existing system or to community water/sewer systems if available.	All	\$ N/A	

THIS PAGE MUST BE INCLUDED WITH THE BID FOR IT TO BE VALID

All work to be performed in a workmanlike manner, in accordance with the CDBG/NSP3 Program Specifications, Florida Building Code, local codes, and manufacturer's specifications. The contractor shall be responsible for the repairs and/or reinstallation of materials/equipment/fixtures damaged or removed due to any work item contained herein. Contractors shall properly dispose of all fixtures, materials and other items removed from the dwelling unless otherwise specified herein. Bid will be accepted on the **TOTAL BID** submitted, and all items must be cost itemized in the space provided or the bid will be rejected.

Work must be completed and approved within 21 days of the issuance of the Notice to Proceed.

This unit may or may not require the homeowner to vacate the premises during the construction period. In the case of a demo/replacement unit the program requires that the subject unit will be vacant and shall remain so for the duration of the demolition and reconstruction process.

This document may not be altered in any manner. The scope of work set forth in this document may not be changed without the written consent of and under direct authorization from the City of Palm Coast NSP3 Administrator and/or its official representatives.

I hereby certify that I am licensed by the State of Florida, Department of Business and Professional Regulation, and that I am eligible to participate in the NSP3 program. I also agree that change orders above the original contract amount shall only be paid for with NSP3 funds to correct documented code violations or to meet Section 8 Housing Quality Standards. Change orders must be approved by the homeowner or his/her representative, the contractor, and local government prior to any initiation of work based on that change order.

Firm:
Contractor's Name (Print Name):
Contractor's Signature:
Contractor's Address:
Contractor's E-Mail & Phone Number:

EXHIBIT "A" SCOPE OF WORK (Work Listed Below)

NOTICE TO BIDDING CONTRACTORS:

The bidding contractor must consider the following when estimating the value of each line item: measurements, sizes, materials, labor, permits, plans, all fees, surveys, engineering/Architecture, regulations, demolition and clean-up.

All material, components, and labor that will be needed to complete each task thoroughly and to each items primary operational function.

ALL work must be in compliance with all applicable Federal, State, and Local Codes. Please fill in every line item in each section of this bid. Thanks for your cooperation!!

Please fill in every line item in each section of this bid. Thanks for your cooperation!!

Contractor Signature:

		Contractor Signature:	
1. General con	struction	and operational:	
1a. Rehabilitat	ion of stru	ucture:	
>	To inclu	de all: Plans (Surveying & Engineering where required), Fees and Permitting.	\$
1b. Electrical v	viring net	work:	
>	wired fo current l complia licensed NSP ad	and test the housing unit electrical systems and wiring network to ensure that the hor optimal operation, is free from any immediate fire, health & safety threats and is in NEC. Inspect wiring and circuit breakers for added fluorescent lighting throughout honce. Provide a new Electrical Panel Schedule to reflect correct circuit breakers per to delectrician must complete inspection and the electrical report must be submitted to ministrator. A report showing the findings at the time of inspection will be provided to any payment is made or change order granted.	compliance with the ome for Code esting, as required. A City of Palm Coast
	0	Electrical and wiring network (existing network).	
1c. Plumbing I	network:		
	ensure the in the mo	nd test the housing unit plumbing lines (taking care to locate the master shut off value hat they are free of leaks and are in optimal operating order and are able to see the ost efficient manner in accordance with the current UPC & Florida Building Connected to the performed by a certified licensed and or registered plumbing firm. A 3 rd part the time of inspection will be provided to the City of Palm Coast before any payment at the time of inspection will be provided to the City of Palm Coast before any payment.	rvice the housing unit ode - Plumbing. ty report showing the
	0	Plumbing Network.	
1d. Mechanica	I HVAC ne	etwork:	
>	package and test using ac flow and Departn value).	e existing and install new, sized per code, 13 seer minimum HVAC/Heat pump syste (condensing unit and air handler). Remove and replace thermostat with new digital all ductwork for leaks, and repair ducts as needed. Clean A/C ducting, grilles, and receptable procedures. Inspect and test coolant lines for leaks and proper insulation. It balance system to provide for a total operational system with service to all habitable ment permit will be required for this work. (Recommended product: Trane, Carrier or	thermostat; inspect registers thoroughly Measure for correct air e rooms. A Building
	0	Mechanical/HVAC Network.	

2. Exterior rehabilitation:

2a. Pressure wash

>	procedures. Caulk/Seal all holes and cracks in slabs. Apply a commercial stain remover to remover to slabs, including garage floor. (Recommended product: Pour-N-Restore Oil Stain Remover to the Hardware).	ove stains from		
	Pressure wash and seal slabs and other surfaces	\$		
2b. Roofing/Atti	'c:			
>	Inspect roof and repair or replace any damaged or missing shingles and flashing. Inspect roof penetrations and attic for water leaks and correct as necessary. Inspect roofing trusses and attic space. Ensure roof is water-tight. Repair and replace fascia and soffit as required and install or repair vents as needed. Match existing materials and provide roofing material submittals at time of permit, if required. Any new shingles required are to match existing in color, size and material. If 1 square or more of shingles are removed/replaced/repaired, a Building Department permit will be required. All roofing work to be performed by a licensed roofer registered or certified to perform this work. Roofer to provide a report certifying that the roof envelope is sealed and free from leaks and water penetration. Roofer shall warranty his work for two (2) years.			
	 Inspect roof, shingles, and attic. Make additional repairs as needed. Provide certification and warranty. 	\$		
2c. Windows an	d doors:			
>	Inspect and lubricate all windows. Repair and replace hardware for any inoperable windows as required. Clean Great room and Family Room sliding door tracks and adjust sliding screen doors. Replace Front and Garage/Utility door weather-stripping around door. Replace Threshold at front entrance doorway. On garage side exterior entry door, remove existing door, door frame and trim. Furnish and install a new UL listed exterior rated 6-Panel Primed White Steel Entry Door, new frame and trim, and new hardware. Door to be painted on outside same as house front door. All trim to be painted white. New locking handle same color as existing and to be keyed same as front door. Door size to match existing and to be determined by Contractor. (Recommended Door Product: Jeldwen or equal in value and quality. 5 year minimum warranty required			
	Inspect/lubricate all windows. Repair inoperable windows and replace hardware as necessary. (Approx. 13 Units).	\$		
	Clean and adjust sliding screen doors (2 Units)	\$		
	Replace Front & Rear door weather stripping (2 Units)	\$		
	o Replace Front door threshold.	\$		
	Replace garage side entry exterior door and hardware	\$		
2d. Exterior hou	ise:			
>	On exterior house finish, clean stains from exterior walls using green procedures. Seal stuccook hose bibbs on right side and rear of house, and touch-up paint treated areas to match existing confidence (Recommended Paint Product: Sherwin Williams or equal in value and quality. 5 year warranty	olor as necessary.		
	o Clean stains from exterior walls.	\$		
	Seal stucco around hose bibs and touch-up paint (2 Units)	\$		

3a. Smoke detectors:				
Replace all smoke detector batteries with new.				
o Replace all smoke detector batteries (5 units).	\$			
3b. Light fixtures:				
Replace all non-working indoor lighting fixture lamps with new to match existing. Replace 4 ff fluorescent fixture with an Energy Savings LED 4-light minimum decorative track fixture. F&I m existing Kitchen recessed incandescent fixture. Replace laundry room ceiling light with surface Saving LED low profile round cloud/puff fixture. Owner to select all fixtures within allowances lis Allowances include all sales tax. Contractor will be required to provide copies of receipts for All fixtures/ceiling fans. (Recommended Product: Hunter or Hampton Bay or equal in value and que manufacturer's warranty.).	nissing trim kit for mounted Energy sted below. owance			
Replace non-functioning fixture lamps with new to match	\$			
Allowance for Kitchen LED track fixture	\$ 200			
Installation only for Kitchen LED track fixture	\$			
Replace missing kitchen recessed incandescent trim	\$			
Allowance for laundry room LED ceiling light fixture	\$ 70			
Installation only for laundry room LED ceiling light fixture	\$			
3c. Receptacles:				
> Replace electrical dryer receptacle in laundry room and test circuit.				
Replace dryer receptacle and test circuit	\$			
3d. Electrical miscellaneous:				
 Reroute alarm system data cable in master closet through wall cavity. 				
o Reroute data cable into wall cavity.	\$			
4. General interior rehabilitation				
4a. Kitchen refrigerator:				
F&I refrigerator with a new minimum 21 cuft Energy Star rated Frost free Top Freezer/Refrigerator with internal icemaker and all required hardware and components for complete installation. Exact refrigerator dimensions to be determined by contracting firm. Black or white color to be selected by Owner. (Recommended Product Whirlpool, or equal in value and quality).				
o F&I Refrigerator (1 unit).	\$			
4b. Kitchen dishwasher:				
 Remove and replace existing dishwasher with a new Energy Star rated unit with the following n CEE Tier 2. Minimum energy factor of .68 or greater. 	ninimums:			

Maximum annual energy use of 325 kilowatt hours or less.

3. Electrical:

		o Replace Dishwasher (1 unit).	\$
4c. Kitchen ra	ange:		
C	wit din	emove and replace existing range with a new minimum 30" four (4) burner free standing electric half-cleaning oven. F&I all required hardware and components for complete installation. Examensions to be determined by contracting firm. Black or white color to be selected by Owner. (poduct Whirlpool, or equal in value and quality).	ct range
		o Replace Kitchen Range (1 unit).	\$
4d. Kitchen n	nicrow	ave/range hood:	
)	Ins din	emove existing range hood and replace with Energy Star-rated combination microwave/ducted stallation is to include all required components. Unit is to be installed to manufacturer's specific nensions are to be determined by the contracting firm. Black or white color to be selected by Cecommended Product Whirlpool, or equal in value and quality).	ations. Exact
		o Remove hood and F&I Microwave/Range hood (1 unit).	\$
5. Bathrooms	<u>:</u>		
5a. All bathro	oms:		
>		emove and replace toilet seats with new similar to existing in style, color and size. Recommend nerican Standard or equal in quality and value).	led product:
		o Replace Toilet Seats (2 Units).	\$
6. Miscellane	ous:		
6a. Miscellan	eous:		
	Replace broken/missing doorstops (2). Inspect for damage and treat whole house for ant infestation and Wood Destroying Organisms (WDO) with special attention to Pantry, ant colony against rear outside wall of house, wet areas of the home, around the installed water heater, and at the garage personnel exterior entry door. Inspection to be performed and home treated by registered pesticide company, and certification provided that the home is free from active WDO. G.C. to repair/replace with new any wood damage as necessary with trim or board to match existing.		
		o Replace broken/missing doorstops (2 Units).	\$
		 Inspect and treat for Pest infestation. Repair/replace damaged wood as needed. 	\$
6b. Plumbing	ı:		
)	Co sty din	tch and repair the hole in the master bath tub and shower wall unit. Repair to be made so tub dor and finish of repair to match existing. Replace damaged sink faucet in Master Bath with falle to match openings in existing sink. Remove and replace oval sink and faucet in bathroom #nensions to be determined by contracting firm. Ivory or white color of sink to be selected by Ownwer mixing valve and trim kit in bathroom #2. (Recommended product: Delta or equal in quality)	ucet similar is 2. Exact sink vner. Replace

Install to manufacturers specification. Exact dishwashing unit dimensions to be determined by contracting firm. Black or white color to be selected by Owner. (Recommended Product

Whirlpool or equal in value and quality).

	0	Repair master tub/shower unit	\$
	0	Replace sink faucet in Master Bath	\$
	0	Remove and replace sink and faucet in Bath #2	
	0	Replace Shower mixing valve and trim kit Bath 2	
c. Bedro	oom floor cov	verings:	
	includ Carpe Stain comp chane	ove existing carpet/pad in all three (3) bedrooms and F&I new wall to wall carpet in the padding. Carpet to be 20oz. nylon or polyester with minimum 7 year wear and the padding to be minimum 6lb. Carpet to be same color for all rooms. (Recommendate or equal in value and quality.) Installation of all carpet to be complete and ponents, to ensure installation is to manufacturers' specifications. Include all transing from one room to another. (Owner to select carpeting and color from Contractors and square footage of all floor coverings are to be determined by contracting and square footage.	stain resistant warranty. nded Carpeting product: d include all required itions where floor coverings or options). Exact
	0	Remove and replace carpeting in bedrooms (3 units).	\$
id. Comn	non spaces f	floor coverings:	
	pantr comn recon year r <mark>qualit</mark> manu (Own	ove existing carpet and tile in all common spaces to include great room, dining room, nook, family room, utility and all bathrooms. F&I new unglazed minimum 12" so non spaces. House slab shall be prepared for subflooring using self-leveling common mendations. All slab cracks shall be filled prior to use of self-leveling compound. manufacturer product warranty. (Recommended Tile Product: Daltile Porcelain Ty). Installation of all tiles to be complete and include all required components, to ufacturers' specifications. Include all transitions where floor coverings change from the to select tile and grout color from Contractor options). Exact dimensions and sees are to be determined by contracting firm.	quare porcelain tile in these pound per manufacturer's. Tile shall have a minimum 1 File or equal in value and ensure installation is to m one room to another.
	0	Remove carpet and tile and replace with tile in common spaces.	\$
e. Gener	ral cleaning:		
	o Provi	de final cleaning and sanitizing of whole house at end of project.	
	0	Final Cleaning.	\$
otal bid	amount of La	abor and Material cost above	
n words:	\$		
		um of the line items will be checked for accuracy. In the event there is a dictual total, the actual total shall be used.	screpancy between the
Please no	ote that the s	um of the line items will be checked for accuracy. In the event there is a di	

Add Alternates: DO NOT INCLUDE ADD ALTERNATE(S) IN YOUR TOTAL BID AMOUNT.

Add Alternate #1: Laundry: Install new washer and dryer Energy star rated units with the following minimums:

- o 1a. Washer
 - CEE Tier 2 or Higher.

Install to include all required components, and electrical system upgrades and/or electrical portal installation (where required). Unit to be installed to manufacturer specifications. (Recommended Product type G.E. or equal in value and quality). Washer. 1b. Dryer 0 Minimum 7.0 cubic feet capacity – shortens drying time due to maximizing air flow. Sensor Dry System-measures moisture in drum, and then automatically adjusts drying time and temperature. 5 Temperature levels – High, Medium High, Medium, Low & Ultra Low. Install to include all required components, and electrical system upgrades and/or electrical portal installation (where required). Unit to be installed to manufacturer specifications. (Recommended Product type G.E. or equal in value and quality). Electric dryer. \$ Add Alternate #2: Water heater: Remove existing electric water heater and replace with new Energy Star certified high efficiency water heater with the following minimums: 50 gallon, 240V, with Energy Factor greater than or equal to 2.0. 6 year warranty on sealed system Meet UL 174 and UL 1995 Include factory installed temperature and pressure relief valves. 0 Include all required components for full working system per current Code and install per manufacturer's specifications. (Recommended Product: A. O. Smith or equal in quality). Remove and replace electric water heater. Add Alternate #3: Attic Stairs: Install drop-down attic access stairs in existing attic access over garage with the following minimums:

Minimum Energy Factor of 2.0 or greater.

Water Factor 6.0 or less.

Type 1.4.4 ledder reting with a 275 lbs. movimum lead conscity

- \circ $\,$ OSHA and 2010 Florida building code compliant.
- Type 1AA ladder rating with a 375 lbs. maximum load capacity.
- Garage side of attic access pull-down panel shall be painted using white fire retardant paint that meets Chapter 7 of the 2010 Florida Building Code (FBC) minimum standards for fire resistance rating of one (1) hour.
- o Install to include all required components, manufacturer specifications and 2010 Florida Building Code.
- Exact dimensions of existing attic access area and space needed to install ladder to be determined by contracting firm.

_	Install Attic access ladder.	¢
O	install Attic access ladder.	Ф

Add Alternate #4: Privacy fence: Install 6'H pressure-treated wood privacy fence around perimeter of rear and side property lines, with starting and ending point of fence abutting each side of the house. Fence shall not enclose electric meter or PEP tank, but shall abut to house as close to house front as possible. Exact required linear footage of fence needed for installation to be determined by contracting firm. Fence shall comply with the following minimums:

- o Finish fence height shall be no greater than 6 feet per COPC Land Development Code.
- o Fence to be installed with finish side toward outside, posts to inside.
- 4"x4"x 8'L Pressure treated wood posts to be spaced no further than 8' apart, with minimum 2' buried in ground. Use (1) 40 lb bag Sakrete concrete mix for each fence post and install concrete per manufacturer installation instructions.
- Fastening hardware to be either 16p hot dip galvanized common nails or #10 3"L minimum stainless steel screws
- o Posts are not to be trimmed at the top, but are to be level both vertically and horizontally.
- Minimum 4' wide Walk-in swing gate with lockable door latch hardware. Hardware for gate shall be hot dip galvanized or stainless steel and gate shall be located on the widest side facing front of house.
- o All work shall be warrantied for 2 years from date of installation.
- Shall comply with City Land Development Code and Florida Building Code.

- A Building Department permit will be required for this work.
- Install privacy fence.


Add Alternate #5: Bedroom floor coverings: IN LIEU OF ITEM #6C WHICH WILL NOT BE INCLUDED IN THE CONTRACT PRICE, ADD THE FOLLOWING:

- Remove existing carpet/pad in all three (3) bedrooms and F&I new unglazed minimum 12" square porcelain tile in these common spaces. House slab shall be prepared for subflooring using self-leveling compound per manufacturer's recommendations. All slab cracks shall be filled prior to use of self-leveling compound. Tile shall have a minimum 1 year manufacturer product warranty. (Recommended Tile Product: Daltile Porcelain Tile or equal in value and quality). Installation of all tiles to be complete and include all required components, to ensure installation is to manufacturers' specifications. Include all transitions where floor coverings change from one room to another. (Owner to select tile and grout color from Contractor options). Exact dimensions and square footage of all tiled spaces are to be determined by contracting firm.
 - Remove carpeting and F&I porcelain tile in all bedrooms.





EXISTING DWELLING FOOTPRINT -----



(Minus) Contractors discount	\$
Adjusted value of this agreement	\$

Special Notes

If applicable, contractor will attempt to match existing items that are being used or provided by the Homeowner as close as possible. Please note it will be impossible to exact match any items that are of a certain date or discontinued. Any and all products included in this scope of work or used in the rehabilitation of corresponding Housing unit(s) shall be installed to the manufactures specifications and all other applicable codes outlined in the Program Rehabilitation Specifications.

All products included in this scope of work shall be installed to the manufactures specifications.

All NOA product numbers can be found at www.miamidade.gov/buildingcode/pc-search_app.asp
All products with no NOA # number can be found at. www.homedepot.com, www.lowes.com, or other retail outlets where such products are sold

All product brands specified in this scope of work should be used whenever possible; however it is not mandatory to use the specified product brands set forth in this scope of work if the contracting firm can provide reasonable documentation that a product of equal value and quality was responsibly substituted when and/or where necessary.

HOMEOWNER SIGNATURE:		DATE:			
CO-OWNER SIGNATURE:		DATE:			
My signature above reflects my understanding and acceptance of the total initial labor and material cost of \$ associated with the aforementioned scope of work. I also understand and accept the possibility that this initial cost can change in unanticipated additional labor or material must be provided by the CONTRACTOR for the aforementioned scope of work.					
CONTRACTOR Signature:		DATE:			
County Representative Signature:	DATE:				
OFFICIAL USE ONLY					
DATE SUBMITTED:	DATE ACCEPTED:	DATE OPENED:			
BID OPENED BY:	WITNESSED BY:				
TIME:	WORK WRITE-UP PREPARED BY	: Date:			