

Required Submittals Packet

ITB-PW-U-15-03 Term Contract for Utility Supplies

- 1. All addenda (signed and dated), if applicable.
- 2. Bid Bond, if applicable.
- 3. The following thirty-three (33) pages.

All prospective Bidders are hereby instructed not to contact any member of the City of Palm Coast City Council, City Manager, or City of Palm Coast staff members, other than the noted contact person(s), regarding this bid at any time prior to the bid having been formally presented to, and voted on by, the City Council. Any such contact shall be cause for rejection of the bid.

Only the above mentioned items need to be submitted. Please be sure to include the bid name and number, as well as your firm's name, address and phone number, on the outermost envelope and please mark submittals as "original" and "copy". Failure to provide all of the required submittals may result in the bid to be considered non-responsive.

Confidential Materials: Any materials that qualify as "trade secrets" shall be segregated and clearly labeled in order not to be considered Public Record.



| X | | | |
|--|--|--|--|
| | | | |
| | | | |
| Date | | | |
| Title: Date: | | | |
| Name (printed): | | | |
| | | | |
| | | | |
| this page and state why: | | | |
| Federal Employer ID Number or SS Number: If returning as "No Submittal", please return only | | | |
| Palm Coast, FL 32164 Federal Employer ID Number or SS Numbers | | | |
| 160 Cypress Point Parkway, Suite B-106 | | | |
| Purchasing & Contracts Management Division | | | |
| Location of Public Opening: City of Palm Coast | | | |
| | | | |
| Term Contract for Utility Supplies | | | |
| ITB-PW-U-15-03 | | | |
| | | | |
| and Bidder Acknowledgment | | | |
| INVITATION TO BID | | | |
| | | | |

The Applicant is expected to completely analyze the information contained in this Invitation to Bid as guidance for the preparation of the submittal. The Applicant's submittal shall be sufficiently specific, detailed and complete to clearly and fully demonstrate the Applicant's understanding of the proposed work requirements.

Section 4 – Price Schedule

| Project: Term Contract for Utility Supplies | |
|--|--|
| City Contract Number: ITB-PW-U-15-03 | |
| Name of Bidder: | |
| Mailing Address: | |
| Street Address: | |
| City/State/Zip: | |
| Phone Number: () | |
| FAX Number: () | |
| ALL PRICES F.O.B. PALM COAST | |
| Pursuant to and in compliance with the Invitation To Bid, Instructions to Bidders, and the other do relating thereto, the undersigned Bidder, having familiarized themselves with the terms of the Documents, local conditions affecting the performance of the Work, and the cost of the Work at the where the Work is to be done, hereby proposes and agrees to deliver materials/services in a work manner and in strict conformity with Contract Documents, including Addenda Nos through (which must be turned in with the bid), on file at the Purchasing & Contract Management Division amount hereinafter set forth. Prices shall include all applicable taxes. The undersigned, as Bidder, declares that the only persons or parties interested in this bid as principals a named herein; that this bid is made without collusion with any person, firm or corporation; and he/she and agrees, if the bid is accepted, that he/she will execute an Agreement with the City in the form set the Contract Documents and that he/she will furnish Insurance Certificates. IN WITNESS WHEREOF, Bidder has hereunto executed this form this day of, 20 | Contract the places to manlike to for the the three proposes to forth in |
| (Name of Bidding Firm) | |
| (Signature of person signing form) | |
| (Printed name of person signing form) | |
| (Title of person signing form) | |

Brass Fittings and Tapping Saddles

Please note: This category does not have to be bid, but if it is bid, **all** line items must be bid for the category to be considered. The lowest total of all line items listed will win the bid for this catagory. All corporation stops and curb stops must be full port and low lead. All brass items must meet The Reduction of Lead in Drinking Water Act UNS #C89833. All tapping saddles 2" - 8" must to be brass. Tapping saddles 10" and larger must have epoxy coated bodies with S.S. bands and IP threads.

| Line | Description | Size | Approved Manufacturer(s) | Unit Cost |
|------|---------------------------------------|---------|--|-----------|
| 1 | Corp Stop MIP x FIP | 1" | Ford B1000-4-NL, Mueller 1"P25122N, A.Y. McDonald 74104BCAPF 1" | \$ |
| 2 | Corp Stop MIP x FIP | 2" | Ford B1000-7-NL, Mueller 2"P25122N, A.Y. McDonald 74104BCAPF 2" | \$ |
| 3 | Corp Stop MIP x Pack Joint (CTS) | 1" | Ford FB1100-4-NL, Mueller P25028N, A.Y. McDonald 74104BCAP-22 1" | \$ |
| 4 | Corp Stop MIP x Pack Joint (CTS) | 2" | Ford FB1100-7-NL, Mueller P25028N, A.Y. McDonald 74104BCAPF-22 2" | \$ |
| 5 | Curb Stop Pack Joint x FIP | 1" | Ford B41-444W-NL, Mueller P25170N/W/L (Lock Wing), A.Y. McDonald 76102W-22 1" | \$ |
| 6 | Curb Stop Pack Joint x FIP Reuse | 1" | Ford BRW41-444W-NL, Mueller P25170-20/W/L (Lock Wing), A.Y. McDonald 76102W-22RWC 1" | \$ |
| 7 | Curb Stop FIP X FIP | 1" | Ford B11-444-NL, Mueller B20200N (Lock Wing), A.Y. McDonald 76101W 1" | \$ |
| 8 | Curb Stop FIP X Pack Joint | 2" | Ford B41-777W-NL, Mueller P25170N (Lock Wing), A.Y. McDonald 76102W-22 2" | \$ |
| 9 | Curb Stop FIP x FIP | 2" | Ford B11-777-NL, Mueller B20200N (Lock Wing), A.Y. McDonald 76101W 2" | \$ |
| 10 | Curb Stop Pack Joint x FIP Reuse | 2" | Ford BRW41-777W, Mueller P25170-20N/W/L (Lock Wing), A.Y. McDonald 76102W-22RWC 2" | \$ |
| 11 | Curb Stop Pack Joint x Pack Joint | 1" | Ford B44-444W-NL, Mueller P25146N/W/L (Lock Wing), A.Y. McDonald 76100W-22 1" | \$ |
| 12 | Curb Stop 1" Pack Joint L/W x 3/4" MC | 1" | Ford B43-444W-NL, Mueller 5/8x3/4x1" P24350N, McDonald 76100MW-22 1" x 3/4" | \$ |
| 13 | Curb Stop 1" FIP x 3/4" MC L/W | 1" | Ford B13-342-NL, Mueller 5/8x3/4x1"B24351N, McDonald 76101MW 1"x3/4" | \$ |
| 14 | Straight Meter Coupling 5/8" x 3/4" | | Ford C38-23225-NL, Mueller 5/8x3/4x1H10890N, McDonald 74620 3/4" | \$ |
| 15 | Coupling 1" MIP x Pack Joint | 1" | Ford C84-44-NL, AY McDonald AY74753-22 1" | \$ |
| 16 | Coupling 2" MIP x Pack Joint | 2" | Ford C84-77-NL, AY McDonald AY74753-22 2" | \$ |
| 17 | Meter Coupling 3/4" x 1" Male | | Ford C38-24-25 -NL, McDondald 74620 3/4" x 1"x 2.5 | \$ |
| 18 | Meter Coupling 3/4" x 1" Female | | Ford C31-24-NL, McDonald 746373/4" x 1" | \$ |
| 19 | Meter Coupling 1" | | Ford C38-44-25-NL, Mueller H10890, McDonald 74624 1"x1"x2.5 | \$ |
| 20 | Tapping Saddle Brass Class Pipe x IP | 4" x 1" | Ford S71, Mueller 13000 Series, A.Y. McDonald 3896 or 3892 | \$ |
| 21 | Tapping Saddle Brass C-900 Pipe x IP | 4" x 1" | Ford S91, Mueller 1300 Series, A.Y. McDonald 3896 or 3892 | \$ |
| 22 | Tapping Saddle Brass Class Pipe x IP | 4" x 2" | Ford S71, Mueller 13000 Series, A.Y. McDonald 3896 or 3892 | \$ |
| 23 | Tapping Saddle Brass C-900 Pipe x IP | 4" x 2" | Ford S91, Mueller 1300 Series, A.Y. McDonald 3896 or 3892 | \$ |
| 24 | Tapping Saddle Brass Class Pipe x IP | 6" x 1" | Ford S71, Mueller 13000 Series, A.Y. McDonald 3896 or 3892 | \$ |
| 25 | Tapping Saddle Brass C-900 Pipe x IP | 6" x 1" | Ford S91, Mueller 1300 Series, A.Y. McDonald 3896 or 3892 | \$ |
| 26 | Tapping Saddle Brass Class Pipe x IP | 6" x 2" | Ford S71, Mueller 13000 Series, A.Y. McDonald 3896 or 3892 | \$ |
| 27 | Tapping Saddle Brass C-900 Pipe x IP | 6" x 2" | Ford S91, Mueller 1300 Series, A.Y. McDonald 3896 or 3892 | \$ |

| | Brass Fittings and Tapping Saddles Continued | | | | | | |
|------|--|----------|--|------------------|--|--|--|
| Line | Description | Size | Approved Manufacturer(s) | Unit Cost | | | |
| 28 | Tapping Saddle Brass Class Pipe x IP | 8" x 1" | Ford S71, Mueller 13000 Series, A.Y. McDonald 3896 or 3892 | \$ | | | |
| 29 | Tapping Saddle Brass C-900 Pipe x IP | 8" x 1" | Ford S91, Mueller 1300 Series, A.Y. McDonald 3896 or 3892 | \$ | | | |
| 30 | Tapping Saddle Brass Class Pipe x IP | 8" x 2" | Ford S71, Mueller 13000 Series, A.Y. McDonald 3896 or 3892 | \$ | | | |
| 31 | Tapping Saddle Brass C-900 Pipe x IP | 8" x 2" | Ford S91, Mueller 1300 Series, A.Y. McDonald 3896 or 3892 | \$ | | | |
| 32 | Tapping Saddle Brass Class Pipe x IP | 10" x 1" | Smith Blair 317, Romac 202NS, Ford S/S/FC202, Mueller S/S DR2S | \$ | | | |
| 33 | Tapping Saddle Brass C-900 Pipe x IP | 10" x 1" | Smith Blair 317, Romac 202NS, Ford S/S/FC202, Mueller S/S DR2S | \$ | | | |
| 34 | Tapping Saddle Brass Class Pipe x IP | 10" x 2" | Smith Blair 317, Romac 202NS, Ford S/S/FC202, Mueller S/S DR2S | \$ | | | |
| 35 | Tapping Saddle Brass C-900 Pipe x IP | 10" x 2" | Smith Blair 317, Romac 202NS, Ford S/S/FC202, Mueller S/S DR2S | \$ | | | |
| 36 | Tapping Saddle Brass Class Pipe x IP | 12" x 1" | Smith Blair 317, Romac 202NS, Ford S/S/FC202, Mueller S/S DR2S | \$ | | | |
| 37 | Tapping Saddle Brass C-900 Pipe x IP | 12" x 1" | Smith Blair 317, Romac 202NS, Ford S/S/FC202, Mueller S/S DR2S | \$ | | | |
| 38 | Tapping Saddle Brass Class Pipe x IP | 12" x 2" | Smith Blair 317, Romac 202NS, Ford S/S/FC202, Mueller S/S DR2S | \$ | | | |
| 39 | Tapping Saddle Brass C-900 Pipe x IP | 12" x 2" | Smith Blair 317, Romac 202NS, Ford S/S/FC202, Mueller S/S DR2S | \$ | | | |
| 40 | Double Check Valve Backflow Assembly | 1" | Flowmatic Model DCVE, Wilkins Model 350XLL1SH, Watts Model LF719 (All Backflows will be Less Number 1 Ball Valve), All Double Check Backflow Preventers will be top loading, S.S. Handles, Chloramine Resistant. All models must have top access only. | \$ | | | |
| 41 | Double Check Valve Backflow Assembly | 2" | Flowmatic Model DCV, Wilkins Model 950, 950 XLT or 950DA and Model 350XLL1SH or 350DAL1SH, Watts LF719. (All backflows will be Less Number 1 Ball Valve) All Double Check Backflow Preventers will be top loading, S.S. Handles, Chloramine Resistant. All models must have top access only. | \$ | | | |
| 42 | Reduced Pressure Backflow Assembly | 1" | Conbraco Model 4ALF-205-T2F, Flowmatic RPZE, Wilkins Model 975 XL, Watts Model LF919, Wilkins 375XLSH. S.S. Handles, Chloramine Resistant | \$ | | | |
| 43 | Reduced Pressure Backflow Assembly | 2" | Conbraco Model 4ALF-208-T2F, Flowmatic RPZ, Wilkins Model 975, 975DA, 375XLSH, 375DAXLSH, Watts Model LF919. S.S. Handles, Chloramine Resistant | \$ | | | |
| | | 1 | TOTAL | \$ | | | |

Fire Hydrants & Valves

Please note: This category does not have to be bid, but if it is bid, Bidder will select **one** option and bid **all** line items in the option for the category to be considered. The lowest total of all line items listed will win the bid for this catagory. All Fire Hydrants must have a 6" shoe.

| | Option 1 | | | | | | | |
|------|--|-------------|---------------------------------|-----------|--|--|--|--|
| Line | Description | Size | Approved Manufacturer(s) | Unit Cost | | | | |
| 1 | Mueller Super Centurion Fire Hydrant 36" Bury | 5 1/4" V.O. | Mueller | \$ | | | | |
| 2 | Mueller Super Centurion Fire Hydrant 42" Bury | 5 1/4" V.O. | Mueller | \$ | | | | |
| 3 | Mueller Super Centurion Fire Hydrant 48" Bury | 5 1/4" V.O. | Mueller | \$ | | | | |
| 4 | Mueller Super Centurion Fire Hydrant 54" Bury | 5 1/4" V.O. | Mueller | \$ | | | | |
| 5 | Mueller Super Centurion Fire Hydrant 60" Bury | 5 1/4" V.O. | Mueller | \$ | | | | |
| 6 | Mueller Super Centurion 6" Hydrant Extension Kit | 5 1/4" V.O. | Mueller | \$ | | | | |
| 7 | Mueller Super Centurion 12" Hydrant Extension Kit | 5 1/4" V.O. | Mueller | \$ | | | | |
| 8 | Mueller Super Centurion 18" Hydrant Extension Kit | 5 1/4" V.O. | Mueller | \$ | | | | |
| 9 | Mueller Super Centurion 24" Hydrant Extension Kit | 5 1/4" V.O. | Mueller | \$ | | | | |
| 10 | Mueller Model 2360 Resilient Wedge Gate Valve Mechanical Joint | 4" | Mueller | \$ | | | | |
| 11 | Mueller Model 2360 Resilient Wedge Gate Valve Mechanical Joint | 6" | Mueller | \$ | | | | |
| 12 | Mueller Model 2360 Resilient Wedge Gate Tapping Valve | 6" | Mueller | \$ | | | | |
| 13 | Mueller Model 2360 Resilient Wedge Gate Valve Mechanical Joint | 8" | Mueller | \$ | | | | |
| 14 | Mueller Model 2360 Resilient Wedge Gate Valve Mechanical Joint | 10" | Mueller | \$ | | | | |
| 15 | Mueller Model 2360 Resilient Wedge Gate Valve Mechanical Joint | 12" | Mueller | \$ | | | | |
| 16 | 5 1/4" Valve Box Short Length Marked Water or Sewer | | Tyler, Russco or Approved Equal | \$ | | | | |
| 17 | 5 1/4" Valve Box Medium Length Marked Water or Sewer | | Tyler, Russco or Approved Equal | \$ | | | | |
| 18 | 5 1/4" Valve Box Long Length Marked Water or Sewer | | Tyler, Russco or Approved Equal | \$ | | | | |
| 19 | 5 1/4" Valve Box 16" Top Section w/ Lid Water or Sewer | | Tyler, Russco or Approved Equal | \$ | | | | |
| 20 | 5 1/4" Valve Box Short Length Square Top Marked Re-Use | | Tyler, Russco or Approved Equal | \$ | | | | |
| 21 | 5 1/4" Valve Box Medium Length Square Top Marked Re-Use | | Tyler, Russco or Approved Equal | \$ | | | | |
| 22 | 5 1/4" Valve Box Long Length Square Top Marked Re-Use | | Tyler, Russco or Approved Equal | \$ | | | | |
| 23 | 1" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | | | |
| 24 | 1 1/2" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | | | |
| 25 | 2" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | | | |
| 26 | 3" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | | | |
| 27 | 4" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | | | |
| 28 | 6" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | | | |
| 29 | 5 1/4" Valve Box Lid Marked Sewer | | Tyler, Russco or Approved Equal | \$ | | | | |
| | TOTAL - Option 1 \$ | | | | | | | |

| | Fire Hydrants & Valves Option 2 | | | | | | |
|------|---|-------------|---------------------------------|-----------|--|--|--|
| Line | Description | Size | Approved Manufacturer(s) | Unit Cost | | | |
| 1 | M&H Model 129 Fire Hydrant 36" Bury | 5 1/4" V.O. | M&H | \$ | | | |
| 2 | M&H Model 129 Fire Hydrant 42" Bury | 5 1/4" V.O. | M&H | \$ | | | |
| 3 | M&H Model 129 Fire Hydrant 48" Bury | 5 1/4" V.O. | M&H | \$ | | | |
| 4 | M&H Model 129 Fire Hydrant 54" Bury | 5 1/4" V.O. | M&H | \$ | | | |
| 5 | M&H Model 129 Fire Hydrant 60" Bury | 5 1/4" V.O. | M&H | \$ | | | |
| 6 | M&H Model 129 6" Fire Hydrant Extension Kit | 5 1/4" V.O. | M&H | \$ | | | |
| 7 | M&H Model 129 12" Fire Hydrant Extension Kit | 5 1/4" V.O. | M&H | \$ | | | |
| 8 | M&H Model 129 18" Fire Hydrant Extension Kit | 5 1/4" V.O. | M&H | \$ | | | |
| 9 | M&H Model 129 24" Fire Hydrant Extension Kit | 5 1/4" V.O. | M&H | \$ | | | |
| 10 | M&H Model 4067 Resilient Seat Gate Valve Mechanical Joint | 4" | M&H | \$ | | | |
| 11 | M&H Model 4067 Resilient Seat Gate Valve Mechanical Joint | 6" | M&H | \$ | | | |
| 12 | M&H Model 4067 Resilient Seat Gate Tapping Valve | 6" | M&H | \$ | | | |
| 13 | M&H Model 4067 Resilient Seat Gate Valve Mechanical Joint | 8" | M&H | \$ | | | |
| 14 | M&H Model 4067 Resilient Seat Gate Valve Mechanical Joint | 10" | M&H | \$ | | | |
| 15 | M&H Model 4067 Resilient Seat Gate Valve Mechanical Joint | 12" | M&H | \$ | | | |
| 16 | 5 1/4" Valve Box Short Length Marked Water or Sewer | | Tyler, Russco or Approved Equal | \$ | | | |
| 17 | 5 1/4" Valve Box Medium Length Marked Water or Sewer | | Tyler, Russco or Approved Equal | \$ | | | |
| 18 | 5 1/4" Valve Box Long Length Marked Water or Sewer | | Tyler, Russco or Approved Equal | \$ | | | |
| 19 | 5 1/4" Valve Box 16" Top Section w/ Lid Water or Sewer | | Tyler, Russco or Approved Equal | \$ | | | |
| 20 | 5 1/4" Valve Box Short Length Square Top Marked Re-Use | | Tyler, Russco or Approved Equal | \$ | | | |
| 21 | 5 1/4" Valve Box Medium Length Square Top Marked Re-Use | | Tyler, Russco or Approved Equal | \$ | | | |
| 22 | 5 1/4" Valve Box Long Length Square Top Marked Re-Use | | Tyler, Russco or Approved Equal | \$ | | | |
| 23 | 1" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | | |
| 24 | 1 1/2" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | | |
| 25 | 2" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | | |
| 26 | 3" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | | |
| 27 | 4" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | | |
| 28 | 6" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | | |
| 29 | 5 1/4" Valve Box Lid Marked Sewer | | Tyler, Russco or Approved Equal | \$ | | | |
| | | | TOTAL - Option 2 | 2 \$ | | | |

| 2 A 3 A 4 A 5 A 6 A 7 A 8 A | Description American B84B Fire Hydrant 36" Bury American B84B Fire Hydrant 42" Bury American B84B Fire Hydrant 48" Bury American B84B Fire Hydrant 54" Bury American B84B Fire Hydrant 60" Bury American B84B 6" Fire Hydrant Extension Kit American B84B 12" Fire Hydrant Extension Kit American B84B 18" Fire Hydrant Extension Kit American B84B 24" Fire Hydrant Extension Kit | Size 5 1/4" V.O. | Approved Manufacturer(s) American American American American American American American American | Unit Cost \$ \$ \$ \$ \$ \$ \$ |
|--|---|--|--|--------------------------------|
| 2 A 3 A 4 A 5 A 6 A 7 A 8 A | American B84B Fire Hydrant 42" Bury American B84B Fire Hydrant 48" Bury American B84B Fire Hydrant 54" Bury American B84B Fire Hydrant 60" Bury American B84B 6" Fire Hydrant Extension Kit American B84B 12" Fire Hydrant Extension Kit American B84B 18" Fire Hydrant Extension Kit | 5 1/4" V.O. 5 1/4" V.O. 5 1/4" V.O. 5 1/4" V.O. 5 1/4" V.O. 5 1/4" V.O. | American American American American American | \$ \$ \$ \$ |
| 3 A 4 A 5 A 6 A 7 A 8 A | American B84B Fire Hydrant 48" Bury American B84B Fire Hydrant 54" Bury American B84B Fire Hydrant 60" Bury American B84B 6" Fire Hydrant Extension Kit American B84B 12" Fire Hydrant Extension Kit American B84B 18" Fire Hydrant Extension Kit | 5 1/4" V.O. 5 1/4" V.O. 5 1/4" V.O. 5 1/4" V.O. 5 1/4" V.O. | American American American American | \$ \$ \$ |
| 4 A 5 A 6 A 7 A 8 A | American B84B Fire Hydrant 54" Bury American B84B Fire Hydrant 60" Bury American B84B 6" Fire Hydrant Extension Kit American B84B 12" Fire Hydrant Extension Kit American B84B 18" Fire Hydrant Extension Kit | 5 1/4" V.O. 5 1/4" V.O. 5 1/4" V.O. 5 1/4" V.O. | American American American | \$ |
| 5 A 6 A 7 A 8 A | American B84B Fire Hydrant 60" Bury American B84B 6" Fire Hydrant Extension Kit American B84B 12" Fire Hydrant Extension Kit American B84B 18" Fire Hydrant Extension Kit | 5 1/4" V.O. 5 1/4" V.O. 5 1/4" V.O. | American American | \$ |
| 6 A 7 A 8 A | American B84B 6" Fire Hydrant Extension Kit American B84B 12" Fire Hydrant Extension Kit American B84B 18" Fire Hydrant Extension Kit | 5 1/4" V.O. 5 1/4" V.O. | American | |
| 7 A 8 A | American B84B 12" Fire Hydrant Extension Kit American B84B 18" Fire Hydrant Extension Kit | 5 1/4" V.O. | | Ф |
| 8 A | American B84B 18" Fire Hydrant Extension Kit | | American | \$ |
| | <u> </u> | 5 1/4" V/O | | \$ |
| 9 Δ | American BRAB 24" Fire Hydrent Extension Vit | 3 1/4 V.O. | American | \$ |
| / /1 | MICHCAII DO4D 24 FIIE HYUIAIII EXICHSIOII KII | 5 1/4" V.O. | American | \$ |
| 10 A | American Flow Control Series 2500 R/W Mechanical Joint Valve | 4" | American | \$ |
| 11 A | American Flow Control Series 2500 R/W Mechanical Joint Valve | 6" | American | \$ |
| 12 A | American Flow Control Series 2500 R/W Tapping Valve | 6" | American | \$ |
| 13 A | American Flow Control Series 2500 R/W Mechanical Joint Valve | 8" | American | \$ |
| 14 A | American Flow Control Series 2500 R/W Mechanical Joint Valve | 10" | American | \$ |
| 15 A | American Flow Control Series 2500 R/W Mechanical Joint Valve | 12" | American | \$ |
| 16 5 | 1/4" Valve Box Short Length Marked Water or Sewer | | Tyler, Russco or Approved Equal | \$ |
| 17 5 | 1/4" Valve Box Medium Length Marked Water or Sewer | | Tyler, Russco or Approved Equal | \$ |
| 18 5 | 1/4" Valve Box Long Length Marked Water or Sewer | | Tyler, Russco or Approved Equal | \$ |
| 19 5 | 1/4" Valve Box 16" Top Section w/ Lid Water or Sewer | | Tyler, Russco or Approved Equal | \$ |
| 20 5 | 1/4" Valve Box Short Length Square Top Marked Re-Use | | Tyler, Russco or Approved Equal | \$ |
| 21 5 | 1/4" Valve Box Medium Length Square Top Marked Re-Use | | Tyler, Russco or Approved Equal | \$ |
| 22 5 | 1/4" Valve Box Long Length Square Top Marked Re-Use | | Tyler, Russco or Approved Equal | \$ |
| 23 1' | " Valve Box Riser | | Tyler, Russco or Approved Equal | \$ |
| 24 1 | 1/2" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ |
| 25 2' | " Valve Box Riser | | Tyler, Russco or Approved Equal | \$ |
| 26 3' | " Valve Box Riser | | Tyler, Russco or Approved Equal | \$ |
| 27 4' | " Valve Box Riser | | Tyler, Russco or Approved Equal | \$ |
| 28 6' | " Valve Box Riser | | Tyler, Russco or Approved Equal | \$ |
| 29 5 | 1/4" Valve Box Lid Marked Sewer | | Tyler, Russco or Approved Equal | \$ |

| | Fire Hydrants & Valves Option 4 | | | | | | |
|------|---|-------------|---------------------------------|-----------|--|--|--|
| Line | Description | Size | Approved Manufacturer(s) | Unit Cost | | | |
| 1 | Mueller Super Centurion Fire Hydrant 36" Bury | 5 1/4" V.O. | Mueller | \$ | | | |
| 2 | Mueller Super Centurion Fire Hydrant 42" Bury | 5 1/4" V.O. | Mueller | \$ | | | |
| 3 | Mueller Super Centurion Fire Hydrant 48" Bury | 5 1/4" V.O. | Mueller | \$ | | | |
| 4 | Mueller Super Centurion Fire Hydrant 54" Bury | 5 1/4" V.O. | Mueller | \$ | | | |
| 5 | Mueller Super Centurion Fire Hydrant 60" Bury | 5 1/4" V.O. | Mueller | \$ | | | |
| 6 | Mueller Super Centurion 6" Fire Hydrant Extension | 5 1/4" V.O. | Mueller | \$ | | | |
| 7 | Mueller Super Centurion 12" Fire Hydrant Extension | 5 1/4" V.O. | Mueller | \$ | | | |
| 8 | Mueller Super Centurion 18" Fire Hydrant Extension | 5 1/4" V.O. | Mueller | \$ | | | |
| 9 | Mueller Super Centurion 24" Fire Hydrant Extension | 5 1/4" V.O. | Mueller | \$ | | | |
| 10 | Kennedy Model KS-FW R/S Valve Mechanical Joint | 4" | Kennedy | \$ | | | |
| 11 | Kennedy Model KS-FW R/S Valve Mechanical Joint | 6" | Kennedy | \$ | | | |
| 12 | Kennedy Model KS-FW R/S Tapping Valve | 6" | Kennedy | \$ | | | |
| 13 | Kennedy Model KS-FW R/S Valve Mechanical Joint | 8" | Kennedy | \$ | | | |
| 14 | Kennedy Model KS-FW R/S Valve Mechanical Joint | 10" | Kennedy | \$ | | | |
| 15 | Kennedy Model KS-FW R/S Valve Mechanical Joint | 12" | Kennedy | \$ | | | |
| 16 | 5 1/4" Valve Box Short Length Marked Water or Sewer | | Tyler, Russco or Approved Equal | \$ | | | |
| 17 | 5 1/4" Valve Box Medium Length Marked Water or Sewer | | Tyler, Russco or Approved Equal | \$ | | | |
| 18 | 5 1/4" Valve Box Long Length Marked Water or Sewer | | Tyler, Russco or Approved Equal | \$ | | | |
| 19 | 5 1/4" Valve Box 16" Top Section w/ Lid Water or Sewer | | Tyler, Russco or Approved Equal | \$ | | | |
| 20 | 5 1/4" Valve Box Short Length Square Top Marked Re-Use | | Tyler, Russco or Approved Equal | \$ | | | |
| 21 | 5 1/4" Valve Box Medium Length Square Top Marked Re-Use | | Tyler, Russco or Approved Equal | \$ | | | |
| 22 | 5 1/4" Valve Box Long Length Square Top Marked Re-Use | | Tyler, Russco or Approved Equal | \$ | | | |
| 23 | 1" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | | |
| 24 | 1 1/2" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | | |
| 25 | 2" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | | |
| 26 | 3" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | | |
| 27 | 4" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | | |
| 28 | 6" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | | |
| 29 | 5 1/4" Valve Box Lid Marked Sewer | | Tyler, Russco or Approved Equal | \$ | | | |
| | | | TOTAL - Option | 4 \$ | | | |

| Fire Hydrants & Valves Option 5 | | | | | | |
|---------------------------------|---|-------------|---------------------------------|-----------|--|--|
| Line | Description | Size | Approved Manufacturer(s) | Unit Cost | | |
| 1 | M&H Model 129 Fire Hydrant 36" Bury | 5 1/4" V.O. | M&H | \$ | | |
| 2 | M&H Model 129 Fire Hydrant 42" Bury | 5 1/4" V.O. | M&H | \$ | | |
| 3 | M&H Model 129 Fire Hydrant 48" Bury | 5 1/4" V.O. | M&H | \$ | | |
| 4 | M&H Model 129 Fire Hydrant 54" Bury | 5 1/4" V.O. | M&H | \$ | | |
| 5 | M&H Model 129 Fire Hydrant 60" Bury | 5 1/4" V.O. | M&H | \$ | | |
| 6 | M&H Model 129 6" Fire Hydrant Extension Kit | 5 1/4" V.O. | M&H | \$ | | |
| 7 | M&H Model 129 12" Fire Hydrant Extension Kit | 5 1/4" V.O. | M&H | \$ | | |
| 8 | M&H Model 129 18" Fire Hydrant Extension Kit | 5 1/4" V.O. | M&H | \$ | | |
| 9 | M&H Model 129 24" Fire Hydrant Extension Kit | 5 1/4" V.O. | M&H | \$ | | |
| 10 | Kennedy Model KS-FW R/S Valve Mechanical Joint | 4" | Kennedy | \$ | | |
| 11 | Kennedy Model KS-FW R/S Valve Mechanical Joint | 6" | Kennedy | \$ | | |
| 12 | Kennedy Model KS-FW R/S Tapping Valve | 6" | Kennedy | \$ | | |
| 13 | Kennedy Model KS-FW R/S Valve Mechanical Joint | 8" | Kennedy | \$ | | |
| 14 | Kennedy Model KS-FW R/S Valve Mechanical Joint | 10" | Kennedy | \$ | | |
| 15 | Kennedy Model KS-FW R/S Valve Mechanical Joint | 12" | Kennedy | \$ | | |
| 16 | 5 1/4" Valve Box Short Length Marked Water or Sewer | | Tyler, Russco or Approved Equal | \$ | | |
| 17 | 5 1/4" Valve Box Medium Length Marked Water or Sewer | | Tyler, Russco or Approved Equal | \$ | | |
| 18 | 5 1/4" Valve Box Long Length Marked Water or Sewer | | Tyler, Russco or Approved Equal | \$ | | |
| 19 | 5 1/4" Valve Box 16" Top Section w/ Lid Water or Sewer | | Tyler, Russco or Approved Equal | \$ | | |
| 20 | 5 1/4" Valve Box Short Length Square Top Marked Re-Use | | Tyler, Russco or Approved Equal | \$ | | |
| 21 | 5 1/4" Valve Box Medium Length Square Top Marked Re-Use | | Tyler, Russco or Approved Equal | \$ | | |
| 22 | 5 1/4" Valve Box Long Length Square Top Marked Re-Use | | Tyler, Russco or Approved Equal | \$ | | |
| 23 | 1" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | |
| 24 | 1 1/2" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | |
| 25 | 2" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | |
| 26 | 3" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | |
| 27 | 4" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | |
| 28 | 6" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | |
| 29 | 5 1/4" Valve Box Lid Marked Sewer | | Tyler, Russco or Approved Equal | \$ | | |
| | | | TOTAL - Option | 5 \$ | | |

| Fire Hydrants & Valves Option 6 | | | | | | |
|---------------------------------|---|-------------|---|-----------|--|--|
| Line | Description | Size | Approved Manufacturer(s) | Unit Cost | | |
| 1 | American B84B Fire Hydrant 36" Bury | 5 1/4" V.O. | American | \$ | | |
| 2 | American B84B Fire Hydrant 42" Bury | 5 1/4" V.O. | American | \$ | | |
| 3 | American B84B Fire Hydrant 48" Bury | 5 1/4" V.O. | American | \$ | | |
| 4 | American B84B Fire Hydrant 54" Bury | 5 1/4" V.O. | American | \$ | | |
| 5 | American B84B Fire Hydrant 60" Bury | 5 1/4" V.O. | American | \$ | | |
| 6 | American B84B 6" Fire Hydrant Extension Kit | 5 1/4" V.O. | American | \$ | | |
| 7 | American B84B 12" Fire Hydrant Extension Kit | 5 1/4" V.O. | American | \$ | | |
| 8 | American B84B 18" Fire Hydrant Extension Kit | 5 1/4" V.O. | American | \$ | | |
| 9 | American B84B 24" Fire Hydrant Extension Kit | 5 1/4" V.O. | American | \$ | | |
| 10 | Kennedy Model KS-FW R/S Valve Mechanical Joint | 4" | Kennedy | \$ | | |
| 11 | Kennedy Model KS-FW R/S Valve Mechanical Joint | 6" | Kennedy | \$ | | |
| 12 | Kennedy Model KS-FW R/S Tapping Valve | 6" | Kennedy | \$ | | |
| 13 | Kennedy Model KS-FW R/S Valve Mechanical Joint | 8" | Kennedy | \$ | | |
| 14 | Kennedy Model KS-FW R/S Valve Mechanical Joint | 10" | Kennedy | \$ | | |
| 15 | Kennedy Model KS-FW R/S Valve Mechanical Joint | 12" | Kennedy | \$ | | |
| 16 | 5 1/4" Valve Box Short Length Marked Water or Sewer | | Tyler, Russco or Approved Equal | \$ | | |
| 17 | 5 1/4" Valve Box Medium Length Marked Water or Sewer | | Tyler, Russco or Approved Equal | \$ | | |
| 18 | 5 1/4" Valve Box Long Length Marked Water or Sewer | | Tyler, Russco or Approved Equal | \$ | | |
| 19 | 5 1/4" Valve Box 16" Top Section w/ Lid Water or Sewer | | Tyler, Russco or Approved Equal | \$ | | |
| 20 | 5 1/4" Valve Box Short Length Square Top Marked Re-Use | | Tyler, Russco or Approved Equal | \$ | | |
| 21 | 5 1/4" Valve Box Medium Length Square Top Marked Re-Use | | Tyler, Russco or Approved Equal | \$ | | |
| 22 | 5 1/4" Valve Box Long Length Square Top Marked Re-Use | | Tyler, Russco or Approved Equal | \$ | | |
| 23 | 1" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | |
| 24 | 1 1/2" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | |
| 25 | 2" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | |
| 26 | 3" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | |
| 27 | 4" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | |
| 28 | 6" Valve Box Riser | | Tyler, Russco or Approved Equal | \$ | | |
| 29 | 5 1/4" Valve Box Lid Marked Sewer | | Tyler, Russco or Approved Equal | \$ | | |
| 29 | 5 1/4" Valve Box Lid Marked Sewer | | Tyler, Russco or Approved Equal TOTAL - Option | | | |

Large PVC Pipe & Poly Tubing

Please note: This category does not have to be bid, but if it is bid, **all** line items must be bid for the category to be considered. The lowest total of all line items listed will win the bid for this catagory.

| Line | Description | Size | Approved Manufacturer(s) | Unit Cost |
|------|--------------------------------------|-----------------|---|-----------|
| 1 | PVC Pipe Schedule 40 | 3" | Sanderson, National, North American, J-M Plastic, Diamond, Freeedom | \$ |
| 2 | PVC Pipe Schedule 40 | 4" | Sanderson, National, North American, J-M Plastic, Diamond, Freeedom | \$ |
| 3 | PVC Pipe Schedule 40 | 6" | Sanderson, National, North American, J-M Plastic, Diamond, Freeedom | \$ |
| 4 | PVC Pipe SDR18 Blue/Green | 4" | Sanderson, National, North American, J-M Plastic, Diamond, Freeedom | \$ |
| 5 | PVC Pipe SDR18 Blue/Green | 6" | Sanderson, National, North American, J-M Plastic, Diamond, Freeedom | \$ |
| 6 | PVC Pipe SDR18 Blue/Green | 8" | Sanderson, National, North American, J-M Plastic, Diamond, Freeedom | \$ |
| 7 | PVC Pipe SDR18 Blue/Green | 10" | Sanderson, National, North American, J-M Plastic, Diamond, Freeedom | \$ |
| 8 | PVC Pipe SDR18 Blue/Green | 12" | Sanderson, National, North American, J-M Plastic, Diamond, Freeedom | \$ |
| 9 | PVC Pipe SDR35 Gravity Sewer | 4" | Sanderson, National, North American, J-M Plastic, Diamond, Freeedom | \$ |
| 10 | PVC Pipe SDR35 Gravity Sewer | 6" | Sanderson, National, North American, J-M Plastic, Diamond, Freeedom | \$ |
| 11 | PVC Pipe SDR35 Gravity Sewer | 8" | Sanderson, National, North American, J-M Plastic, Diamond, Freeedom | \$ |
| 12 | PVC Pipe SDR35 Gravity Sewer | 10 " | Sanderson, National, North American, J-M Plastic, Diamond, Freeedom | \$ |
| 13 | PVC Pipe SDR35 Gravity Sewer | 12 " | Sanderson, National, North American, J-M Plastic, Diamond, Freeedom | \$ |
| 14 | PVC Pipe SDR35 Gravity Sewer | 15" | Sanderson, National, North American, J-M Plastic, Diamond, Freeedom | \$ |
| 15 | Poly Tubing Blue | 1" | Endot Endopure or Orangeburg (Pipe OD Copper Tubing Size) | \$ |
| 16 | Poly Tubing Lavendar (Reuse) | 1" | Endot Endopure or Orangeburg (Pipe OD Copper Tubing Size) | \$ |
| 17 | Poly Tubing Green | 1 1/2" | Endot Endopure or Orangeburg (Pipe OD Copper Tubing Size) | \$ |
| 18 | Poly Tubing Lavendar (Reuse) | 1 1/2" | Endot Endopure or Orangeburg (Pipe OD Copper Tubing Size) | \$ |
| 19 | Poly Tubing Blue | 2" | Endot Endopure or Orangeburg (Pipe OD Copper Tubing Size) | \$ |
| 20 | Poly Tubing Lavendar (Reuse) | 2" | Endot Endopure or Orangeburg (Pipe OD Copper Tubing Size) | \$ |
| 21 | Pipe Joint Lubricant NSF 61 Approved | 2 Lb. Container | | \$ |
| | | | TOTAI | 4 \$ |

Mechanical Joint Fittings

Please note: This category does not have to be bid, but if it is bid, **all** line items must be bid for the category to be considered. The lowest total of all line items listed will win the bid for this catagory.

| Line | Description | Size | Approved Manufacturer(s) | Unit Cost |
|------|---|------|--|-----------|
| 1 | Ductile Iron Sleeve Mechancil Joint LESS accessory kit | 4" | McWane/Tyler Union, Sigma or ACIPCO | \$ |
| 2 | Ductile Iron Sleeve Mechancil Joint LESS accessory kit | 6" | McWane/Tyler Union, Sigma or ACIPCO | \$ |
| 3 | Ductile Iron Sleeve Mechancil Joint LESS accessory kit | 8" | McWane/Tyler Union, Sigma or ACIPCO | \$ |
| 4 | Ductile Iron Sleeve Mechancil Joint LESS accessory kit | 10" | McWane/Tyler Union, Sigma or ACIPCO | \$ |
| 5 | Ductile Iron Sleeve Mechancil Joint LESS accessory kit | 12" | McWane/Tyler Union, Sigma or ACIPCO | \$ |
| 6 | Ductile Iron TEE Fitting Mechancil Joint LESS accessory kit | 4" | McWane/Tyler Union, Sigma or ACIPCO | \$ |
| 7 | Ductile Iron TEE Fitting Mechancil Joint LESS accessory kit | 6" | McWane/Tyler Union, Sigma or ACIPCO | \$ |
| 8 | Ductile Iron TEE Fitting Mechancil Joint LESS accessory kit | 8" | McWane/Tyler Union, Sigma or ACIPCO | \$ |
| 9 | Ductile Iron TEE Fitting Mechancil Joint LESS accessory kit | 10" | McWane/Tyler Union, Sigma or ACIPCO | \$ |
| 10 | Ductile Iron TEE Fitting Mechancil Joint LESS accessory kit | 12" | McWane/Tyler Union, Sigma or ACIPCO | \$ |
| 11 | Ductile Iron 45 Bend Fitting Mechancil Joint LESS accessory kit | 4" | McWane/Tyler Union, Sigma or ACIPCO | \$ |
| 12 | Ductile Iron 45 Bend Fitting Mechancil Joint LESS accessory kit | 6" | McWane/Tyler Union, Sigma or ACIPCO | \$ |
| 13 | Ductile Iron 45 Bend Fitting Mechancil Joint LESS accessory kit | 8" | McWane/Tyler Union, Sigma or ACIPCO | \$ |
| 14 | Ductile Iron 45 Bend Fitting Mechancil Joint LESS accessory kit | 10" | McWane/Tyler Union, Sigma or ACIPCO | \$ |
| 15 | Ductile Iron 45 Bend Fitting Mechancil Joint LESS accessory kit | 12" | McWane/Tyler Union, Sigma or ACIPCO | \$ |
| 16 | Mechanical Joint Accessory Kit (Gland, Gasket, Bolts) | 4" | McWane/Tyler Union, Sigma or ACIPCO | \$ |
| 17 | Mechanical Joint Accessory Kit (Gland, Gasket, Bolts) | 6" | McWane/Tyler Union, Sigma or ACIPCO | \$ |
| 18 | Mechanical Joint Accessory Kit (Gland, Gasket, Bolts) | 8" | McWane/Tyler Union, Sigma or ACIPCO | \$ |
| 19 | Mechanical Joint Accessory Kit (Gland, Gasket, Bolts) | 10" | McWane/Tyler Union, Sigma or ACIPCO | \$ |
| 20 | Mechanical Joint Accessory Kit (Gland, Gasket, Bolts) | 12" | McWane/Tyler Union, Sigma or ACIPCO | \$ |
| 21 | Mechanical Joint Restraint for PVC LESS accessory kit | 4" | EBAA Iron, Ford Wedge or Tyler Union Tuff Grip | \$ |
| 22 | Mechanical Joint Restraint for Ductile Iron LESS accessory kit | 4" | EBAA Iron, Ford Wedge or Tyler Union Tuff Grip | \$ |
| 23 | Mechanical Joint Restraint for PVC LESS accessory kit | 6" | EBAA Iron, Ford Wedge or Tyler Union Tuff Grip | \$ |
| 24 | Mechanical Joint Restraint for Ductile Iron LESS accessory kit | 6" | EBAA Iron, Ford Wedge or Tyler Union Tuff Grip | \$ |
| 25 | Mechanical Joint Restraint for PVC LESS accessory kit | 8" | EBAA Iron, Ford Wedge or Tyler Union Tuff Grip | \$ |
| 26 | Mechanical Joint Restraint for Ductile Iron LESS accessory kit | 8" | EBAA Iron, Ford Wedge or Tyler Union Tuff Grip | \$ |
| 27 | Mechanical Joint Restraint for PVC LESS accessory kit | 10" | EBAA Iron, Ford Wedge or Tyler Union Tuff Grip | \$ |
| 28 | Mechanical Joint Restraint for Ductile Iron LESS accessory kit | 10" | EBAA Iron, Ford Wedge or Tyler Union Tuff Grip | \$ |
| 29 | Mechanical Joint Restraint for PVC LESS accessory kit | 12" | EBAA Iron, Ford Wedge or Tyler Union Tuff Grip | \$ |
| 30 | Mechanical Joint Restraint for Ductile Iron LESS accessory kit | 12" | EBAA Iron, Ford Wedge or Tyler Union Tuff Grip | \$ |
| | | | TOT | AL \$ |

Meter Pits

Please note: This category does not have to be bid, but if it is bid, Bidder will select **one** option and bid **all** line items in the option for the category to be considered. The lowest total of all line items listed will win the bid for this catagory.

| Option 1 | | | | | | | |
|----------|--|---|--------------------------|-----------|--|--|--|
| Line | Description | Size | Approved Manufacturer(s) | Unit Cost | | | |
| 1 | NDS Pro Series Model 125BCDMCIFB (CI Reader Lid) | 24-3/4" L x 15 1/4"W x 15" D | NDS | \$ | | | |
| 2 | Pentek AUCHA 304824SW2 | 30" W x 48" L x 24" D | Pentek | \$ | | | |
| 3 | Pentek PHA111812S Straight Wall Solid Ends | 16 3/4" L x 9 7/8" W x 12" D | Pentek | \$ | | | |
| 4 | Pentek CHA111812S Flared Wall Solid Ends | 16 3/4" L x 9 7/8" W x 12" D | Pentek | \$ | | | |
| 5 | Pentek PHA132415S Straight Wall Solid Ends | 23" L x 13" W x 15" D | Pentek | \$ | | | |
| 6 | Pentek CHA132415S Flared Wall Solid Ends | 23" L x 13" W x 15" D | Pentek | \$ | | | |
| 7 | Pentek PHA173018S Straight Wall Solid Ends | 28 1/2" L x 15 1/2" W x 18" D | Pentek | \$ | | | |
| 8 | Pentek CHA173018S Flared Wall Solid Ends | 28 1/2" L x 15 1/2" W x 19" D | Pentek | \$ | | | |
| 9 | Pentek AUCVA306024SW2 | 30" W x 60" L x 24" D | Pentek | \$ | | | |
| 10 | Pentek AUCVA306024HW2 | 30" W x 60" L x 24" D | Pentek | \$ | | | |
| 11 | Pentek PHA111812H Straight Wall Solid Ends | 16 3/4" L x 9 7/8" W x 12" D | Pentek | \$ | | | |
| 12 | Pentek CHA111812H Flared Wall Solid Ends | 16 3/4" L x 9 7/8" W x 12" D | Pentek | \$ | | | |
| 13 | Pentek PHA132415H Straight Wall Solid Ends | tek PHA132415H Straight Wall Solid Ends 23" L x 13" W x 15" D Pente | | \$ | | | |
| 14 | Pentek CHA132415H Flared Wall Solid Ends | 23" L x 13" W x 15" D | Pentek | \$ | | | |
| 15 | Pentek PHA173018H Straight Wall Solid Ends | 28 1/2" L x 15 1/2" W x 18" D | Pentek | \$ | | | |
| 16 | Pentek CHA173018H Flared Wall Solid Ends | 28 1/2" L x 15 1/2" W x 19" D | Pentek | \$ | | | |
| 17 | Pentek 170200 Standard REUSE Solid Ends | 15" L x 10" W x 12" D | Pentek | \$ | | | |
| 18 | Pentek 194559 Jumbo REUSE Solid Ends | 20" L x 13" W x 12" D | Pentek | \$ | | | |
| 19 | Pentek 195124 LUB REUSE Solid Ends | 24" L x 13" W x 15" D | Pentek | \$ | | | |
| 20 | Pentek 195125 XLUB REUSE Solid Ends | 30" L x 17" W x 18" D | Pentek | \$ | | | |
| 21 | Drop In Meter Pit Lid (Only) W/ Reader for NDS D1200 Meter box | 15 1/2" L x 10 3/16" W x 1 1/2" D | NDS or approved equal | \$ | | | |
| 22 | Drop In Meter Pit Lid (Only) W/ Reader for Pentek LUB#195123 | 23 1/4" L x 13 3/4" W x 2" D | Pentek or approved equal | \$ | | | |
| 23 | Valve Box 10" Round Green Color "Sewer" lid | | | \$ | | | |
| 24 | 10" Round Green Color "Sewer" lid only | | | \$ | | | |
| | | | TOTAL - Option | 1 \$ | | | |

| Meter Pits Option 2 | | | | | | |
|---------------------|---|-----------------------------------|--------------------------|-----------|--|--|
| Line | Description | Size | Approved Manufacturer(s) | Unit Cost | | |
| 1 | Pentek LUB #195123 (Reader Lid) | 26 5/8" L x 13 11/16" W x 15" D | Pentek | \$ | | |
| 2 | Pentek AUCHA 304824SW2 | 30" W x 48" L x 24" D | Pentek | \$ | | |
| 3 | Pentek PHA111812S Straight Wall Solid Ends | 16 3/4" L x 9 7/8" W x 12" D | Pentek | \$ | | |
| 4 | Pentek CHA111812S Flared Wall Solid Ends | 16 3/4" L x 9 7/8" W x 12" D | Pentek | \$ | | |
| 5 | Pentek PHA132415S Straight Wall Solid Ends | 23" L x 13" W x 15" D | Pentek | \$ | | |
| 6 | Pentek CHA132415S Flared Wall Solid Ends | 23" L x 13" W x 15" D | Pentek | \$ | | |
| 7 | Pentek PHA173018S Straight Wall Solid Ends | 28 1/2" L x 15 1/2" W x 18" D | Pentek | \$ | | |
| 8 | Pentek CHA173018S Flared Wall Solid Ends | 28 1/2" L x 15 1/2" W x 19" D | Pentek | \$ | | |
| 9 | Pentek AUCVA306024SW2 | 30" W x 60" L x 24" D | Pentek | \$ | | |
| 10 | Pentek AUCVA306024HW2 | 30" W x 60" L x 24" D | Pentek | \$ | | |
| 11 | Pentek PHA111812H Straight Wall Solid Ends | 16 3/4" L x 9 7/8" W x 12" D | Pentek | \$ | | |
| 12 | Pentek CHA111812H Flared Wall Solid Ends | 16 3/4" L x 9 7/8" W x 12" D | Pentek | \$ | | |
| 13 | Pentek PHA132415H Straight Wall Solid Ends | 23" L x 13" W x 15" D | Pentek | \$ | | |
| 14 | Pentek CHA132415H Flared Wall Solid Ends | 23" L x 13" W x 15" D | Pentek | \$ | | |
| 15 | Pentek PHA173018H Straight Wall Solid Ends | 28 1/2" L x 15 1/2" W x 18" D | Pentek | \$ | | |
| 16 | Pentek CHA173018H Flared Wall Solid Ends | 28 1/2" L x 15 1/2" W x 19" D | Pentek | \$ | | |
| 17 | Pentek 170200 Standard REUSE Solid Ends | 15" L x 10" W x 12" D | Pentek | \$ | | |
| 18 | Pentek 194559 Jumbo REUSE Solid Ends | 20" L x 13" W x 12" D | Pentek | \$ | | |
| 19 | Pentek 195124 LUB REUSE Solid Ends | 24" L x 13" W x 15" D | Pentek | \$ | | |
| 20 | Pentek 195125 XLUB REUSE Solid Ends | 30" L x 17" W x 18" D | Pentek | \$ | | |
| 21 | NDS Drop In Meter Pit Lid (Only) W/ Reader for NDS D1200 Meter Box | 15 1/2" L x 10 3/16" W x 1 1/2" D | NDS or approved equal | \$ | | |
| 22 | Drop In Meter Pit Lid (Only) W/ Reader for Pentek LUB#195123 | 23 1/4" L x 13 3/4" W x 2" D | Pentek or approved equal | \$ | | |
| 23 | Valve Box 10" Round Green Color "Sewer" lid | | | \$ | | |
| 24 | 10" Round Green Color "Sewer" lid only | | | \$ | | |
| | | | TOTAL - Option 2 | 2 \$ | | |

| Meter Pits Option 3 | | | | | | | |
|---------------------|--|-----------------------------------|--------------------------|-----------|--|--|--|
| Line | Description | Size | Approved Manufacturer(s) | Unit Cost | | | |
| 1 | Carson 1324-14 (Reader Lid) | 23 5/16" L x 13 15/16" W x 15" D | Carson | \$ | | | |
| 2 | Pentek AUCHA 304824SW2 | 30" W x 48" L x 24" D | Pentek | \$ | | | |
| 3 | Carson MSBC1118-12 CIR/1TR | 18 1/8" L x 11 1/4" W x 12" D | Carson | \$ | | | |
| 4 | Carson MSBC1324-12 CIR/1TR | 23 1/8" L x 13 3/4" W x 12" D | Carson | \$ | | | |
| 5 | Carson MSBC1730-18 CIR/1TR | 30" L x 17" W x 18" D | Carson | \$ | | | |
| 6 | Pentek AUCVA306024SW2 | 30" W x 60" L x 24" D | Pentek | \$ | | | |
| 7 | Pentek AUCVA306024HW2 | 30" W x 60" L x 24" D | Pentek | \$ | | | |
| 8 | Carson MSBCF1118-12XL CIR/1TR | 18 1/8" L x 13 3/4" W x 12" D | Carson | \$ | | | |
| 9 | Carson MSBCF1324-12XL CIR/1TR | 23 1/8" L x 13 3/4" W x 12" D | Carson | \$ | | | |
| 10 | Carson MSBCF1730-18XL CIR/1TR | 30" L x 17" W x 18" D | Carson | \$ | | | |
| 11 | Pentek 170200 Standard REUSE Solid Ends | 15" L x 10" W x 12" D | Pentek | \$ | | | |
| 12 | Pentek 194559 Jumbo REUSE Solid Ends | 20" L x 13" W x 12" D | Pentek | \$ | | | |
| 13 | Pentek 195124 LUB REUSE Solid Ends | 24" L x 13" W x 15" D | Pentek | \$ | | | |
| 14 | Pentek 195125 XLUB REUSE Solid Ends | 30" L x 17" W x 18" D | Pentek | \$ | | | |
| 15 | Carson MSBC1324-12 CIR/1TR Lavendar Lid | 23 1/8" L x 13 3/4" W x 12" D | Carson | \$ | | | |
| 16 | Carson MSBCF1730-18XL CIR/1TR Lavendar Lid | 30" L x 17" W x 18" D | Carson | \$ | | | |
| 17 | Carson MSBCF1324-12XL CIR/1TR Lavendar Lid | 23 1/8" L x 13 3/4" W x 12" D | Carson | \$ | | | |
| 18 | Carson MSBC1730-18 CIR/1TR Lavendar Lid | 30" L x 17" W x 18" D | Carson | \$ | | | |
| 19 | NDS Drop In Meter Pit Lid (Only) W/ Reader for NDS D1200 Meter Boxes | 15 1/2" L x 10 3/16" W x 1 1/2" D | NDS or approved equal | \$ | | | |
| 20 | Drop In Meter Pit Lid (Only) W/ Reader for Pentek LUB#195123 | 23 1/4" L x 13 3/4" W x 2" D | Pentek or approved equal | \$ | | | |
| 21 | Valve Box 10" Round Green Color "Sewer" lid | | | \$ | | | |
| 22 | 10" Round Green Color "Sewer" lid only | | | \$ | | | |
| | | | TOTAL - Option 3 | 3 \$ | | | |

Small PVC Pipe & PVC Fittings

Please note: This category does not have to be bid, but if it is bid, **all** line items must be bid for the category to be considered. The lowest total of all line items listed will win the bid for this catagory.

| Line | Description | Size | Approved Manufacturer(s) | Unit Cost |
|------|---|-----------------|---|------------------|
| 1 | PVC Pipe Schedule 40 | 3/4" | Sanderson, National, North American, J-M Plastic, Diamond, Freeedom | \$ |
| 2 | PVC Pipe Schedule 40 | 1" | Sanderson, National, North American, J-M Plastic, Diamond, Freeedom | \$ |
| 3 | PVC Pipe Schedule 40 | 1 1/4" | Sanderson, National, North American, J-M Plastic, Diamond, Freeedom | \$ |
| 4 | PVC Pipe Schedule 40 | 1 1/2" | Sanderson, National, North American, J-M Plastic, Diamond, Freeedom | \$ |
| 5 | PVC Pipe Schedule 40 | 2" | Sanderson, National, North American, J-M Plastic, Diamond, Freeedom | \$ |
| 6 | PVC Pipe Schedule 80 | 2" | Sanderson, National, North American, J-M Plastic, Diamond, Freeedom | \$ |
| 7 | PVC Pipe Schedule 40 Lavendar Color (reuse) | 3/4" | Sanderson, National, North American, J-M Plastic, Diamond, Freeedom | \$ |
| 8 | PVC Pipe Schedule 40 Lavendar Color (reuse) | 1" | Sanderson, National, North American, J-M Plastic, Diamond, Freeedom | \$ |
| 9 | PVC Pipe Schedule 40 Lavendar Color (reuse) | 2" | Sanderson, National, North American, J-M Plastic, Diamond, Freeedom | \$ |
| 10 | Female Adapter PVC SXS Sch 40 | 3/4" | | \$ |
| 11 | Cap PVC Slip Sch 40 Slip | 3/4" | | \$ |
| 12 | Cap PVC Slip Sch 40 FIP | 3/4" | | \$ |
| 13 | Reducing Bushing SXS Sch 40 | 1" x 3/4" | | \$ |
| 14 | Plug Threaded Sch 40 | 1" | | \$ |
| 15 | Coupling PVC SXS Sch 40 | 1" | | \$ |
| 16 | 45 Degree Bend PVC SXS Sch 40 | 1" | | \$ |
| 17 | 90 Degree Bend PVC SXS Sch 40 | 1" | | \$ |
| 18 | TEE Fitting PVC SXS Sch 40 | 1" | | \$ |
| 19 | Male Adapter PVC SXS Sch 40 | 1" | | \$ |
| 20 | Female Adapter PVC SXS Sch 40 | 1" | | \$ |
| 21 | Plug Threaded Sch 40 | 1" | | \$ |
| 22 | Cap PVC Slip Sch 40 | 1" | | \$ |
| | Coupling PVC SXS Sch 40 | 1 1/4" | | \$ |
| 24 | 45 Degree Bend PVC SXS Sch 40 | 1 1/4" | | \$ |
| 25 | 90 Degree Bend PVC SXS Sch 40 | 1 1/4" | | \$ |
| 26 | TEE Fitting PVC SXS Sch 40 | 1 1/4" | | \$ |
| | Male Adapter PVC SXS Sch 40 | 1 1/4" | | \$ |
| | Female Adapter PVC SXS Sch 40 | 1 1/4" | | \$ |
| | Reducing Bushing SXS Sch 40 | 1 1/2" x 1 1/4" | | \$ |
| | Plug Threaded Sch 40 | 1 1/4" | | \$ |
| | Coupling PVC SXS Sch 40 | 1 1/2" | | \$ |
| 32 | 45 Degree Bend PVC SXS Sch 40 | 1 1/2" | | \$ |

| Line | Description | Size | Approved Manufacturer(s) | Unit Cost |
|------|-------------------------------|-------------|--------------------------|-----------|
| 33 | 90 Degree Bend PVC SXS Sch 40 | 1 1/2" | | \$ |
| 34 | TEE Fitting PVC SXS Sch 40 | 1 1/2" | | \$ |
| 35 | Male Adapter PVC SXS Sch 40 | 1 1/2" | | \$ |
| 36 | Female Adapter PVC SXS Sch 40 | 1 1/2" | | \$ |
| 37 | Reducing Bushing SXS Sch 40 | 2" x 1 1/4" | | \$ |
| 38 | Plug Threaded Sch 40 | 1 1/2" | | \$ |
| 39 | Cap PVC Slip Sch 40 | 1 1/2" | | \$ |
| 40 | Coupling PVC SXS Sch 40 | 2" | | \$ |
| 41 | 45 Degree Bend PVC SXS Sch 40 | 2" | | \$ |
| 42 | 90 Degree Bend PVC SXS Sch 40 | 2" | | \$ |
| 43 | TEE Fitting PVC SXS Sch 40 | 2" | | \$ |
| 44 | Male Adapter PVC SXS Sch 40 | 2" | | \$ |
| 45 | Female Adapter PVC SXS Sch 40 | 2" | | \$ |
| 46 | Plug Threaded Sch 40 | 2" | | \$ |
| 47 | Cap PVC Slip Sch 40 | 2" | | \$ |

Wastewater Supplies

Please note: This category does not have to be bid, but if it is bid, **all** line items must be bid for the category to be considered. The lowest total of all line items listed will win the bid for this category.

| Line | Description | Size | Approved Manufacturer(s) | Unit Cost |
|------|--|-----------------|---------------------------------|-----------|
| 1 | Pipe Joint Lubricant NSF 61 Approved | 2 Lb. Container | | \$ |
| 2 | Female Adapter PVC SXS Sch 80 | 2 1/2" | | \$ |
| 3 | Reducing Bushing SXS Sch 80 | 3" x 2" | | \$ |
| 4 | Cap PVC Slip Sch 80 | 2 1/2" | | \$ |
| 5 | Union PVC SXS Sch 80 | 2 1/2" | | \$ |
| 6 | Female Adapter PVC SXS Sch 80 | 3" | | \$ |
| 7 | Sewer Cleanout Cap Countersunk Flush Mount | 3" | Jones Stevens or approved equal | \$ |
| 8 | Sewer Cleanout Female Threaded PVC Adapter SDR 35 | 3" | Canplas or approved equal | \$ |
| 9 | Sewer Cleanout Cap Countersunk Flush Mount | 4" | Jones Stevens or approved equal | \$ |
| 10 | Sewer Cleanout Female Threaded PVC Adapter SDR 35 | 4" | Canplas or approved equal | \$ |
| 11 | Sewer Cleanout Cap CountersunkFlush Mount | 6" | Jones Stevens or approved equal | \$ |
| 12 | Sewer Cleanout Female Threaded PVC Adapter SDR 35 | 6" | Canplas or approved equal | \$ |
| 13 | Rector Seal Soft Set | 16 oz. can | | \$ |
| 14 | PVC Glue | 16 oz. can | Oatley or approved equal | \$ |
| 15 | PVC Cleaner | 16 oz. can | Oatley or approved equal | \$ |
| 16 | PVC Blue Glue Rain R Shine | 4 oz. can | Oatley or approved equal | \$ |
| 17 | PVC 22 1/2 Degree SXS Bend SDR 35 | 4" | Canplas or approved equal | \$ |
| 18 | PVC 45 Degree SXS Bend SDR 35 | 4" | Canplas or approved equal | \$ |
| 19 | PVC Coupling SXS Fitting SDR 35 | 4" | Canplas or approved equal | \$ |
| 20 | PVC Sanitary Wye with Sweep Portion at 90 Degree Angle SDR35 | 4" | Canplas or approved equal | \$ |
| 21 | PVC Schedule 40 Swing Check Valve Comp x Comp | 1 1/4" | Flo Control | \$ |
| 22 | Hot Tapping Saddle | 2" x 1 1/2" | Flo Control | \$ |
| 23 | Hot Tapping Saddle | 2 1/2" x 1 1/2" | Flo Control | \$ |
| 24 | Hot Tapping Saddle | 3" x 1 1/2" | Flo Control | \$ |
| 25 | Hot Tapping Saddle | 4" x 1 1/2" | Flo Control | \$ |
| 26 | Hot Tapping Saddle | 6" x 1 1/2" | Flo Control | \$ |
| 27 | PVC Coupling Comp x Comp | 4" | Flo Control | \$ |
| 28 | PVC Coupling Comp x Comp | 6" | Flo Control | \$ |
| 29 | Single Sewer Wye PVC Bell SDR35 | 4" | | \$ |
| | Double Sewer Wye PVC Bell SDR35 | 4" | | \$ |
| 31 | Single Sewer Wye PVC Bell SDR35 | 6" | | \$ |
| 32 | Double Sewer Wye PVC Bell SDR35 | 6" | | \$ |

| Wastewater Supplies Continued | | | | | | | | |
|-------------------------------|---|--------------|--|-----------|--|--|--|--|
| Line | Description | Size | Approved Manufacturer(s) | Unit Cost | | | | |
| 33 | Single Sewer Wye PVC Bell SDR35 | 8" x 6" | | \$ | | | | |
| 34 | Double Sewer Wye PVC Bell SDR35 | 8" x 6" | | \$ | | | | |
| 35 | Single Sewer Wye PVC Bell SDR35 | 10" x 4" | | \$ | | | | |
| 36 | Double Sewer Wye PVC Bell SDR35 | 10" x 4" | | \$ | | | | |
| 37 | Single Sewer Wye PVC Bell SDR35 | 12" x 6" | | \$ | | | | |
| 38 | Double Sewer Wye PVC Bell SDR35 | 12" x 6" | | \$ | | | | |
| 39 | Sewer PVC Fitting Bell x Spicot 45 Degree SDR35 | 4" | | \$ | | | | |
| 40 | Sewer PVC Fitting Bell x Spicot 22.5 Degree SDR35 | 4" | | \$ | | | | |
| 41 | Sewer PVC Fitting Bell x Spicot 45 Degree SDR35 | 6" | | \$ | | | | |
| 42 | Sewer PVC Fitting 6" Spicot x 4" Bell Offset | | | \$ | | | | |
| 43 | Fernco PVC x PVC | 3" x 4" | | \$ | | | | |
| 44 | Fernco PVC x Clay | 4" | Fernco | \$ | | | | |
| 45 | Fernco PVC x Clay | 6" | Fernco | \$ | | | | |
| 46 | Fernco PVC x Clay Full Steel Cover | 8" | Fernco | \$ | | | | |
| 47 | Fernco PVC x Clay Full Steel Cover | 10" | Fernco | \$ | | | | |
| 48 | Fernco PVC x Clay Full Steel Cover | 12" | Fernco | \$ | | | | |
| 49 | Fernco PVC x Clay Full Steel Cover | 15" | Fernco | \$ | | | | |
| 50 | Fernco PVC x PVC | 4" | Fernco | \$ | | | | |
| 51 | Fernco PVC x PVC | 6" | Fernco | \$ | | | | |
| 52 | Fernco PVC x PVC Full Steel Jacket | 8" | Fernco | \$ | | | | |
| 53 | Fernco PVC x PVC Full Steel Jacket | 10" | Fernco | \$ | | | | |
| 54 | Fernco PVC x PVC Full Steel Jacket | 12" | Fernco | \$ | | | | |
| 55 | Fernco PVC x PVC Full Steel Jacket | 15" | Fernco | \$ | | | | |
| 56 | Asbestos Free Concrete Sealant Mastic (RamNeck) 1 1/4" x 3" | 28 Piece Box | | \$ | | | | |
| 57 | Air Release Valve | 2" | A.R.I.D-040-C&D-040, APCO #200, Valmatic #38 | \$ | | | | |
| | TOTAL \$ | | | | | | | |

Attachment A Conflict of Interest Statement

| STATE OF FLORIDA |) | | | | |
|------------------|--------|----------------------------|--------------------------------|------------------------------|----------|
| |) ss | | | | |
| CITY OF |) | | | | |
| Before me | e, the | undersigned , who was o | authority, duly sworn, depo | personally oses, and states: | appeared |
| 1. I am the | | of _ | | | with a |
| local office in | | and principal office i | n | | • |

- 2. The above named entity is submitting an Expression of Interest for the City of Palm Coast project described as *ITB-PW-U-15-03 Term Contract for Utility Supplies*.
- 3. The Affiant has made diligent inquiry and provides the information contained in this Affidavit based upon his own knowledge.
- 4. The Affiant states that only one submittal for the above project is being submitted and that the above named entity has no financial interest in other entities submitting Proposals for the same project.
- 5. Neither the Affiant nor the above named entity has directly or indirectly entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive pricing in connection with the entity's submittal for the above project. This statement restricts the discussion of pricing data until the completion of negotiations and execution of the Agreement for this project.
- 6. Neither the entity nor its affiliates, nor any one associated with them, is presently suspended or otherwise ineligible from participating in contract lettings by any local, state, or federal agency.
- 7. Neither the entity, nor its affiliates, nor any one associated with them have any potential conflict of interest due to any other clients, contracts, or property interests for this project.
- 8. I certify that no member of the entity's ownership, management, or staff has a vested interest in any aspect of or Department of City of Palm Coast.
- 9. I certify that no member of the entity's ownership or management is presently applying for an employee position or actively seeking an elected position with City of Palm Coast.

Continued on next page.

Attachment A Conflict of Interest Statement (Continued)

10. In the event that a conflict of interest is identified in the provision of services, I, on behalf of the above named entity, will immediately notify City of Palm Coast in writing.

| DATED this | day of | , 20 | | |
|----------------------------|--------------------|------------------|-------------------|---------------------------|
| | | Sign | nature of Affiant | |
| | | | | |
| | | Тур | ed/Printed Name | of Affiant |
| | | Title | ; | |
| Sworn to and subscribed b | pefore me this | day of | | , 20 |
| Personally known | or produced identi | fication | | (type of identification). |
| Notary Public - State of _ | | | | |
| My commission expires_ | | | | |
| (Printed typed or stamped | commissioned name | of notary public | <u> </u> | |

Attachment B Compliance with the Public Records Law

Upon award recommendation or ten (10) days after opening, submittals become "public records" and shall be subject to public disclosure consistent with Chapter 119, Florida Statutes. Bidders must invoke the exemptions to disclosure provided by law in the response to the solicitation, and must identify the data or other materials to be protected, and must state the reasons why such exclusion from public disclosure is necessary. The submission of a bid authorizes release of your firm's credit data to the City of Palm Coast.

If the company submits information exempt from public disclosure, the company must identify with specify which pages/paragraphs of their bid/bid package are exempt from the Public Records Act, identifying the specific exemption section that applies to each. The protected information must be submitted to the County in a separate envelope marked accordingly.

By submitting a response to this solicitation, the company agrees to defend the City of Palm Coast in the event we are forced to litigate the public records status of the company's documents.

Company Name:

Authorized representative (printed):

Authorized representative (signature):

The City shall make final determinations as to Public Records Law Compliance.

Project Number: ITB-PW-U-15-03 - Term Contract for Utility Supplies

Attachment C Bidder's Certification

I have carefully examined the Invitation to Bid, Instructions to Bidders, General and/or Special Conditions, Vendor's Notes, Specifications, proposed agreement and any other documents accompanying or made a part of these Bid Documents.

I hereby propose to furnish the goods or services specified in the Invitation to Bid at the prices, rates or discounts quoted in my bid. I agree that my submittal will remain firm for a period of up to <u>one hundred twenty</u> (120) days in order to allow the City adequate time to evaluate the bids.

I agree to abide by all conditions of this proposal and understand that a background investigation may be conducted by the Purchasing & Contracts Division prior to award.

I certify that all information contained in this bid is truthful to the best of my knowledge and belief. I further certify that I am duly authorized to submit this bid on behalf of the vendor/contractor as its act and deed and that the vendor/contractor is ready, willing and able to perform if awarded the contract.

I further certify, under oath, that this bid is made without prior understanding, agreement, connection, discussion, or collusion with any other person, firm or corporation submitting a proposal for the same product or service; no officer, employee or agent of the CITY of Palm Coast or of any other Bidder interested in said proposal; and that the undersigned executed this Bidder's Certification with full knowledge and understanding of the matters therein contained and was duly authorized to do so.

| Name of Business: | Sworn to and subscribed before me | | | | | |
|--------------------------------|---|--|--|--|--|--|
| By: | This day of 20 | | | | | |
| Signature | | | | | | |
| Name & Title, Typed or Printed | Signature of Notary (& Stamp) | | | | | |
| Mailing Address | Notary Public, State of | | | | | |
| Walling Address | Personally Known or | | | | | |
| City, State, Zip Code | Produced Identification(type of identification) | | | | | |
| Telephone Number | | | | | | |

Attachment D Drug-Free Work Place Form

| The | undersigned vendor in accordance with Section 287.087, Florida Statutes hereby certifies that does: |
|------|---|
| (Nar | ne of Business) |
| 1. | Publish a statement notifying employees that the unlawful manufacture, distribution, dispensing possession, or use of a controlled substance is prohibited in the workplace and specifying the actions that will be taken against employees for violations of such prohibition. |
| 2. | Inform employees about the dangers of drug abuse in the workplace, the business's policy of maintaining a drug-free workplace, any available drug counseling, rehabilitation, and employees assistance programs, and the penalties that may be imposed upon employees for drug abuse violations. |
| 3. | Give each employee engaged in providing the commodities or contractual services that are proposed a copy of the statement specified in subsection (1). |
| 4. | In the statement specified in subsection (1), notify the employees that, as a condition of working on the commodities or contractual services that are under proposal, the employee will propose by the terms of the statement and will notify the employer of any conviction of, or plea of guilty or nolo contender to any violation of Chapter 893 or of any controlled substance law of the United States or any state, for a violation occurring in the workplace no later than five (5) days after such conviction. |
| 5. | Impose a sanction on, or require the satisfactory participation in a drug abuse assistance or rehabilitation program if such is available in the employee's community, by any employee who is so convicted. |
| 6. | Make a good faith effort to continue to maintain a drug-free workplace through implementation of this section. |
| | the person authorized to sign the statement, I certify that this firm complies fully with the above irements. |
| Sign | ature |

THIS FORM MUST BE COMPLETED AND RETURNED WITH YOUR BID.

Print Name & Title

Attachment E Americans with Disabilities Act Affidavit

The undersigned Contractor swears that the information herein contained is true and correct and that none of the information supplied was for the purpose of defrauding CITY.

The Contractor will not discriminate against any employee or applicant for employment because of physical or mental handicap in regard to any position for which the employee or applicant for employment is qualified. The Contractor agrees to comply with the rules, regulations and relevant orders issued pursuant to the Americans with Disabilities Act (ADA), 42 USC s. 12101 et seq. It is understood that in no event shall the City be held liable for the actions or omissions of the Contractor or any other party or parties to the Agreement for failure to comply with the ADA. The Contractor agrees to hold harmless and indemnify the City, its agents, officers or employees from any and all claims, demands, debts, liabilities or causes of action of every kind or character, whether in law or equity, resulting from the Contractor's acts or omissions in connection with the ADA.

| (Scar) | | | | commission ex | | ounty | and St | aic Al | OTCHIC | inoneu |
|---------------------|----------|------|--------|-------------------------|-------|-------|--------|--------|--------|-----------|
| (Seal) | | | | Name ry Public in ar | | | | | | |
| | | | | fication. | KHOWH | | | | | |
| 20, by behalf of | the firm | He | She is | ot personally | known | to | me | or | has | firm), or |
| | | | | edged before | | | | | | |
| COUNTY OF | |) | | | | | | | | |
| | |) ss | | | | | | | | |
| STATE OF | |) | | | | | | | | |
| Affix Corporate | e Seal | | | | | | | | | |
| Date: _ | | | | | | | | | | |
| | | | | | | | | | | |
| Title: | | | | | | | | | | |
| Printed Name: _ | | | | | | | | | | |
| Signature: | | | | | | | | | | |
| Contractor: _ | | | | | | | | | | |

Attachment F References

Proposer shall provide a minimum of three references for which they are currently providing, or have provided, this type of service/commodity.

| Contact Name and Title | | |
|---|-----------------------------|--|
| Address | | |
| Phone Number | FAX Number | |
| Duration of Contract or busi | ness relationship | |
| | | |
| | | |
| | | |
| | | |
| | | |
| Company Nama | | |
| Contact Name and Title | | |
| Address | | |
| Dhone Namber | EAV Noveless | |
| Priorie Number | FAX Number | |
| Duration of Contract or busi | ness relationship | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| Company Name | | |
| Company Name Contact Name and Title | | |
| Company Name Contact Name and Title | | |
| Company Name Contact Name and Title Address Phone Number | FAX Number | |
| Company Name Contact Name and Title Address Phone Number Duration of Contract or busi | FAX Numberness relationship | |
| Company Name Contact Name and Title Address Phone Number Duration of Contract or busi | FAX Number | |

Attachment G Identical Tie Proposals

In accordance with Section 287.087, Florida State Statutes, preference shall be given to businesses with drug-free workplace programs. Whenever two or more proposals that are equal with respect to price, quality, and service, are received by the State or any political subdivision for the procurement of commodities or contractual services, a proposal received from a business that certifies that has completed a drug-free workplace program shall be given preference in the award process. Established procedure for processing tie proposals will be followed if none of the tied vendors have a drug-free workplace program. In order to have a drug-free workplace program, a business shall:

- 1) Publish a statement notifying employees that the unlawful manufacture, distribution, dispensing, possession, or use of a controlled substance is prohibited in the workplace and specifying the actions that will be taken against employees for violations of such prohibitions.
- 2) Inform employees about the dangers of drug abuse in the workplace the business policy of maintaining a drug-free workplace, any available drug counseling, rehabilitation, and employee assistance programs, and the penalties that may be imposed upon employees for drug abuse violations.
- 3) Give each employee engaged in providing the commodities or contractual services that are under Proposal a copy of the statement
- 4) In the statement specified in subsection (1), notify the employees that, as a condition of working on the commodities or contractual services that are under Proposal, the employee will abide by the terms of the statement and will notify the employer of any conviction of, or plea of guilty or nolo contendere to any violation of Florida Statutes or of any controlled substance law(s) of the United States or any state five (5) days after such conviction or plea.
- 5) Impose sanctions on, or require the satisfactory participation in a drug abuse assistance or rehabilitation program if such is available in the employee's community, any employee who is so convicted.
- 6) Make a good-faith effort to continue to maintain a drug-free workplace through implementation of this section.

As the person authorized to sign the statement, I certify that this firm complies fully with the above requirements.

| AUTHORIZED SIGNATURE | |
|----------------------|--|
| | |
| | |
| COMPANY | |
| | |
| DATE | |

Attachment H Summary of Litigation and License Sanctions

*If not applicable, please state so.

Litigation: Provide a summary of all litigation, claim(s), or contract dispute(s) filed by or against the Bidder in the past five (5) years that are related to the services the Bidder provides in the regular course of business. The summary shall state the nature of the litigation, claim or contract dispute, a brief description of the case, the outcome or projected outcome, and monetary amounts involved.

License Sanctions: List any regulatory or license agency sanctions within the past five (5) years.

Attachment I

Certification Regarding Debarment, Suspension Ineligibility and Voluntary Exclusion – Lower Tier Covered Transactions

This certification is required by the regulations implementing Executive Order 12549, Debarment and Suspension, 7 CFR Part 3017, Section 3017.510 Participants responsibilities. The regulations were published as Part IV of the January 30, 1989, Federal Register (pages 4722 – 4733)

***** BEFORE COMPLETING CERTIFICATION, READ INSTRUCTIONS ON NEXT PAGE ****

- 1. The prospective lower tier participant certifies, by submission of this proposal, that neither it nor its principals is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this transaction by and Federal department of agency.
- 2. Where the prospective lower tier participant is unable to certify to any of the statements in this certification, such prospective participant shall attached an explanation to this proposal.

| 11B-1 W-0-13-03 - Term Contract for Cunty Supplies | | | | |
|--|------|--|--|--|
| Organization Name | | | | |
| Name and Title of Authorized Representative | | | | |
| Signature | Date | | | |

ITR-PW-II-15-03 - Torm Contract for Utility Supplies

INSTRUCTIONS FOR DEBARMENT CERTIFICATION

- 1. By signing and submitting this form, the prospective lower tier participant is providing the certification set out herein in accordance with these instructions.
- 2. The Certification in this clause is material representation of fact upon which reliance was placed when this transaction was entered into. If it is later determined that the prospective lower tier participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the department of agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.
- 3. The prospective lower tier participant shall provide immediate written notice to the person to whom this proposal is submitted if at any time the prospective lower tier participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.
- 4. The terms "covered transaction", "debarred", "suspended", ineligible, "lower tier covered transaction", "participant", "person", "primary covered transaction", "principal", "proposal", "voluntarily exclude", as used this clause, have the meanings set out in the Definitions and Coverage sections of rules implementing Executive Order 12549. You may contact the person to which this proposal is submitted for assistance in obtaining copy of these regulations.
- 5. The prospective lower tier participant agrees by submitting this form that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency with which this transaction originated.
- 6. The prospective lower tier participant further agrees by submitting this form that it will include this clause titles "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion Lower Tier Covered Transactions", without modification in all lower tier covered transactions and in all solicitations for lower tier covered transactions.
- 7. A participant in a covered transaction may rely upon a certification of a perspective participant in a lower tier covered transaction that it is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant may decide the method and frequency by which it determines the eligibility of its principals. Each participant may, but is not required to, check the Non-procurement List.
- 8. Nothing contained in the foregoing shall be construed to required establishment of a system of records in order to render in good faith and certification required by this clause. The knowledge and information of a participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
- 9. Except for transactions authorized under paragraph 5 of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency with which this transaction may pursue available remedies, including suspension and/or debarment.

Attachment J Certificate of Corporation

*Dates Not Required Until Award of Contract.

Please include a copy of your Certificate of Corporation from the State of Florida with this attachment.

| STATE OF FLORIDA | |
|--|--|
| COUNTY OF | |
| FEI NUMBER | |
| I HEREBY CERTIFY that a meeting of the Board of Directors of the laws of the State of, was held on passed and adopted: | f, a corporation under, 20 The following resolution was duly |
| "RESOLVED, that | as |
| President of the corporation is hereby authorized to execute the C | Contract dated, |
| 20, between The City of Palm Coast, a municipal corpor | ration and this corporation, and that execution |
| thereof, attested by the Secretary of the corporation and with corp | porate seal affixed, shall be the official act and |
| deed of this corporation." | |
| I further certify that said resolution is now in full force and effect | |
| IN WITNESS THEREOF, I have hereunto set my hand and affixed | ed the official seal of the corporation |
| This, 20 | |
| | |
| | |
| | |
| Corporate Se | ecretary (printed) |

Attachment K Public Entity Crime Form

Any person or affiliate who has been placed on the convicted vendor list following a conviction to a public entity may not submit a bid on a contract with a public entity for the construction or repair of a public building or public work, may not submit bids on leases of real property to a public entity, may not be awarded or perform work as a contractor supplier, subcontractor or consultant under a contract with a public entity, and may not transact business with any public entity in excess of the threshold amount provided in Section 287.017 for CATEGORY TWO for a period of thirty-six (36) months from the date of being placed on the convicted vendor list.

| Authorized Agent or Of | ficial for | |
|--|---------------------------------|------|
| by signing below hereby certifies that neither he/she nor the finis or has been placed on the convicted vendor list, now or within | irm of | |
| Signed By: | • • • • | |
| President/Authorized Agent or Official | | |
| Witnessed By: | | |
| State Of: | _ | |
| County Of: | <u> </u> | |
| The foregoing instrument was acknowledged before me this, President, Authorized Ag | | |
| a Florida Company, who is personally known to me or who hidentification and who did (did not) take an oath. | nas produced | _ as |
| | | |
| | Notary Public, State of Florida | |
| | Commission No | |

Attachment L

Vendor Certification Regarding Scrutinized Companies List

*If bid amount is **less** than one million dollars (\$1,000,000), this form is **not** required.

| Respondent Vendor's Name: | | | |
|---|--|--|-------------------------|
| Vendor FEIN: | | | |
| Authorized Representative's Name: | | | |
| Authorized Representative's Title: | | | |
| Address: | | | |
| City: | | | |
| Phone Number: | | | |
| Fax Number: | | | |
| Section 287.135, Florida Statutes, prohibits agencies from one million dollars (\$1,000,000) or more that are on either List or the Scrutinized Companies with Activities in the created pursuant to section 215.473, Florida Statutes. As the person authorized to sign on behalf of Respondent, the section entitled "Respondent Vendor's Name" is no Activities in Sudan List or the Scrutinized Companies with I understand that pursuant to section 287.135, Florida Statutes subject the company to civil penalties, attorney's fees, and/or Certified By: | I the Scrutinized Com Iran Petroleum Ener I hereby certify that to tot listed on either the Activities in the Iran tatutes, the submission costs. | apanies with Activities in Suggy Sector List. Both Lists The company identified above the Scrutinized Companies was Petroleum Energy Sector Lon of a false certification research. | dan are in ith |
| who is authorized to sign on behalf of the above referenced | company. | | |
| Authorized Signature: | | | |
| Print Name & Title: | | | |
| Date: | | | |