

MSDS of All Herbicides for Palm Coast Canal System



Aqua Neat



**1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION****Product Name:** Aquaneat Aquatic Herbicide**EPA Reg. No.:** 228-365**Product Type:** Herbicide**Company Name:** Nufarm Americas Inc.
11901 S. Austin Avenue
Alsip, IL 60803
1-800-345-3330**Telephone Numbers:** For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident,
Call CHEMTREC Day or Night: 1-800-424-9300
For Medical Emergencies Only, Call 1-877-325-1840

This product is an EPA FIFRA registered pesticide. The classifications on this SDS pertain to the Manufacturing, Transportation and Storage of this product and may not be the same as those on the FIFRA label which pertain to the use of this product. Certain sections on this SDS are superseded by federal law as administered by EPA for a registered pesticide. Please see Section 15. Regulatory Information for explanation.

2. HAZARDS IDENTIFICATION**PHYSICAL HAZARDS:**

Not Hazardous

HEALTH HAZARDS:

Not Hazardous

ENVIRONMENTAL HAZARDS

Not Hazardous

SIGNAL WORD

None

HAZARD STATEMENTS:

None required

3. COMPOSITION / INFORMATION ON INGREDIENTS

COMPONENTS	CAS NO.	% BY WEIGHT
N-(phosphonomethyl)glycine, Isopropylamine salt	38641-94-0	52.2 – 55.4
Other Ingredients	Trade Secret	Trade Secret

Synonyms: Mixture containing Glyphosate IPA salt; N-(phosphonomethyl) glycine, in the form of its isopropylamine salt.

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

4. FIRST AID MEASURES

If in Eyes: Hold eye open and rinse slowly and gently with water Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.

If on Skin or Clothing: Take off contaminated clothing. Wash with soap and water. Get medical attention if irritation develops and persists.

If Inhaled: Move person to fresh air. If symptoms develop, get medical advice.

SAFETY DATA SHEET

Aquaneat Aquatic Herbicide

If Swallowed: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. If symptoms develop, get medical advice.

Most Important symptoms/effects, acute and delayed: None expected. May cause mild eye irritation.

Indication of Immediate medical attention and special treatment if needed: None expected. For ingestion there is no specific antidote available. Treat symptomatically.

5. FIRE FIGHTING MEASURES

Extinguishing Media: Recommended for large fires: foam or water spray. Recommended for small fires: dry chemical or carbon dioxide.

Special Fire Fighting Procedures: Firefighters should wear NIOSH/approved self-contained breathing apparatus and full fire-fighting turn out gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later.

Unusual Fire and Explosion Hazards: If water is used to fight fire, contain runoff, using dikes to prevent contamination of water supplies. Dispose of fire control water later. This product reacts with galvanized steel or unlined steel (except stainless steel) to produce hydrogen gas that may form a highly combustible gas mixture which could flash or explode.

Hazardous Decomposition Materials (Under Fire Conditions): May produce gases such as oxides of carbon, nitrogen, and phosphorous.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear appropriate protective gear for the situation. See Personal Protection information in Section 8.

Environmental Precautions: Prevent material from entering public sewer systems or any waterways. Do not flush to drain. Large spills to soil or similar surfaces may necessitate removal of topsoil. The affected area should be removed and placed in an appropriate container for disposal.

Methods for Containment: Dike spill using absorbent or impervious materials such as earth, sand or clay. Collect and contain contaminated absorbent and dike material for disposal.

Methods for Cleanup and Disposal: Pump any free liquid into an appropriate closed container. Collect washings for disposal. Decontaminate tools and equipment following cleanup. See Section 13: DISPOSAL CONSIDERATIONS for more information.

Other Information: Large spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

7. HANDLING AND STORAGE

Handling:

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove Personal Protective Equipment (PPE) immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

Storage:

STORE ABOVE 32° F (0° C) TO KEEP PRODUCT FROM CRYSTALLIZING. Crystals will settle to the bottom. If allowed to crystallize, warm to 68° F (20° C) and mix well or recirculate to redissolve before using. Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls:

Where engineering controls are indicated by specific use conditions or a potential for excessive exposure, use local exhaust ventilation at the point of generation.

Personal Protective Equipment:

SAFETY DATA SHEET

Aquaneat Aquatic Herbicide

Eye/Face Protection: To avoid contact with eyes, wear goggles or safety glasses with front, brow and temple protection. Washing facilities should be readily accessible to the work area.

Skin Protection: To avoid contact with skin, wear long pants, long-sleeved shirt, socks, shoes and chemical-resistant gloves. Washing facilities should be readily accessible to the work area.

Respiratory Protection: Not normally required. If vapors or mists exceed acceptable levels, wear NIOSH approved air-purifying respirator with cartridges/canisters approved for use against pesticides.

General Hygiene Considerations: Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material: 1) do not store, use and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored; 2) wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics or using the toilet.

Exposure Guidelines:

Component	OSHA		ACGIH		Unit
	TWA	STEL	TWA	STEL	
Glyphosate IPA	NE	NE	NE	NE	
Other Ingredients	NE	NE	NE	NE	

NE = Not Established

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear green or yellow tinted liquid
Odor:	Odorless
Odor threshold:	No data available
pH:	4.82 (1% dilution w/w in DIW @ 24° C)
Melting point/freezing point:	No data available
Initial boiling point and boiling range	No data available
Flash point:	Not applicable due to aqueous formulation
Evaporation rate:	Not applicable
Flammability (solid, gas):	Not applicable
Upper/lower flammability or explosive limits:	Not applicable
Vapor pressure:	No data available (mixture)
Vapor density:	No data available
Relative density:	1.21 g/mL @ 20° C
Solubility(ies):	No data available
Partition coefficient: n-octanol/water:	No data available
Autoignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	67.9 cPs @ 20° C, 29.8 cPs @ 20° C
VOC Emission Potential (%):	0.00

Note: Physical data are typical values, but may vary from sample to sample. A typical value should not be construed as a guaranteed analysis or as a specification.

10. STABILITY AND REACTIVITY

Reactivity: Corrosive to mild steel, reaction with galvanized steel or unlined steel may produce hydrogen gas.

Chemical Stability: This material is stable under normal handling and storage conditions.

Possibility of Hazardous Reactions: Will not occur.

Conditions to Avoid: Excessive heat. Do not store near heat or flame.

Incompatible Materials: This product reacts with galvanized steel or unlined steel (except stainless steel) to produce hydrogen gas that may form a highly combustible gas mixture which could flash or explode.

Hazardous Decomposition Products: Under fire conditions, may produce gases such as oxides of carbon, nitrogen and phosphorous.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eye contact, Skin contact

Symptoms of Exposure: Minimally irritating to the eye based on toxicity studies. Slightly toxic and non-irritating to the skin based on toxicity studies. Low inhalation toxicity. Inhalation of mists may cause coughing and

SAFETY DATA SHEET

Aquaneat Aquatic Herbicide

sneezing. Slightly toxic if ingested based on toxicity studies. No significant adverse health effects are expected to develop if only small amounts (less than a mouthful) are swallow

Delayed, immediate and chronic effects of exposure: None known

Toxicological Data:

Data from laboratory studies on this product are summarized below:

Oral: Rat LD₅₀: >5,000 mg/kg

Dermal: Rat LD₅₀: >5,000 mg/kg

Inhalation: Rat 4-hr LC₅₀: >2.07 mg/l (no mortality at highest dose tested)

Eye Irritation: Rabbit: Minimally irritating

Skin Irritation: Rabbit: Non-irritating

Skin Sensitization: Not a contact sensitizer in guinea pigs following repeated skin exposure.

Subchronic (Target Organ) Effects: Repeated overexposure to glyphosate may decrease body weight gains and effects to liver.

Carcinogenicity / Chronic Health Effects: Prolonged overexposure to glyphosate may cause effects to the liver. EPA has given glyphosate a Group E classification (evidence of non-carcinogenicity in humans). Canada PMRA has classified glyphosate as non-carcinogenic. In 2015, IARC classified glyphosate as a probable human carcinogen Group 2A based on limited human evidence and some evidence in animals.

Reproductive Toxicity: In laboratory animal studies with glyphosate, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals.

Developmental Toxicity: In animal studies, glyphosate did not cause birth defects in animals; other effects were seen in the fetus only at doses which caused toxic effects to the mother.

Genotoxicity: Glyphosate has produced no genetic changes in a variety of standard tests using animals and animal or bacterial cells.

ASSESSMENT CARCINOGENICITY:

Component	Regulatory Agency Listing As Carcinogen			
	ACGIH	IARC	NTP	OSHA
Glyphosate IPA Salt	No	2A	No	No
Other Ingredients	No	No	No	No

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Data on Glyphosate IPA

96-hour LC₅₀ Rainbow Trout: >1000 mg/l

48-hour EC₅₀ Daphnia: 930 mg/l

72-hour ErC₅₀ Algae: 166 mg/l

Data on Glyphosate Acid:

96-hour LC₅₀ Bluegill: 120 mg/l

96-hour LC₅₀ Rainbow Trout: 786 mg/l

48-hour EC₅₀ Daphnia: 780 mg/l

72-hour EC₅₀ Algae: 450 mg/l

Bobwhite Quail Acute Oral LD₅₀: >3,851 mg/kg

Bobwhite Quail 5-day Dietary LC₅₀: >4,640 ppm

Mallard Duck 5-day Dietary LC₅₀: >4,640 ppm

Environmental Fate:

In the environment glyphosate adsorbs strongly to soil and is expected to be immobile in soil. Glyphosate is readily degraded by soil microbes to AMPA (aminomethyl phosphonic acid) that is further degraded to carbon dioxide. Glyphosate and AMPA are unlikely to enter ground water due to their strong adsorptive characteristics. Terrestrially-applied glyphosate has the potential to move into surface waters through soil erosion because it may be adsorbed to soil particles suspended in the runoff. Aquatic applications registered for certain formulations may also result in glyphosate entering surface waters. Complete degradation is slow, but dissipation in water is rapid because glyphosate is bound in sediments and has low biological availability to aquatic organisms. These characteristics suggest a low potential for bioconcentration in aquatic organisms and this has been verified by laboratory investigations of glyphosate bioconcentration in numerous marine and freshwater organisms with and without soil. The maximum whole body bioconcentration factors for fish were observed to be less than 1X. Bioconcentration factors for sediment dwelling mollusks and crayfish tended to be slightly higher, but were always less than 10X. In addition, any residues accumulated in organisms were rapidly eliminated.

13. DISPOSAL CONSIDERATIONS**Waste Disposal Method:**

Wastes resulting from use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures. Emptied container retains vapors and product residue. Observe all labeled safeguards until container is cleaned, reconditioned or destroyed.

Container Handling and Disposal:

Nonrefillable Containers 5 Gallons or Less: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

Nonrefillable containers larger than 5 gallons: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Refillable containers larger than 5 gallons: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water and, if possible, spray all sides while adding water. If practical, agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

14. TRANSPORTATION INFORMATION

Follow the precautions indicated in Section 7: HANDLING AND STORAGE of this MSDS.

DOT:

Non Regulated

IMDG:

Non Regulated

IATA:

Non Regulated

15. REGULATORY INFORMATION**EPA FIFRA INFORMATION**

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

Caution. Harmful if inhaled. Avoid breathing spray mist. Remove contaminated clothing and wash clothing before reuse. Wash thoroughly with soap and water after handling.

U.S. FEDERAL REGULATIONS

TSCA Inventory: This product is exempted from TSCA because it is solely for FIFRA regulated use.

SAFETY DATA SHEET

Aquaneat Aquatic Herbicide

SARA Hazard Notification/Reporting:

Hazard Categories Under Criteria of SARA Title III Rules (40 CFR Part 370):

Not Hazardous

Section 313 Toxic Chemical(s):

None

Reportable Quantity (RQ) under U.S. CERCLA:

None

RCRA Waste Code:

Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste.

State Information:

Other state regulations may apply. Check individual state requirements.

California Proposition 65: Not listed.

16. OTHER INFORMATION

National Fire Protection Association (NFPA) Hazard Rating:

Rating for this product: Health: 1 Flammability: 0 Reactivity: 0

Hazards Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-ACCEPTED PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course.

Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of Federal law to use a pesticide product in any manner not prescribed on the EPA-accepted label.

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, Nufarm Americas Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will Nufarm Americas Inc. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon Information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS AND ALL SUCH WARRANTIES ARE HEREBY SPECIFICALLY DISCLAIMED.

Date of Issue: July 31, 2019

Supersedes: January 25, 2018

Arsenal



Safety Data Sheet

ARSENAL HERBICIDE

Revision date : 2015/06/25

Version: 4.0

Page: 1/12

(30256051/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

ARSENAL HERBICIDE

Recommended use of the chemical and restriction on use

Recommended use*: herbicide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300
BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number:	63383
EPA Registration number:	241-346
Molecular formula:	C(13) H(15) N(3) O(3). C(3) H(9) N
Chemical family:	imidazole derivative
Synonyms:	Isopropylamine salt of imazapyr

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Label elements

The product does not require a hazard warning label in accordance with GHS criteria.

Hazards not otherwise classified

Safety Data Sheet

ARSENAL HERBICIDE

Revision date : 2015/06/25
Version: 4.0

Page: 2/12
(30256051/SDS_CPA_US/EN)

Labeling of special preparations (GHS):

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 0 - 1 % dermal

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 0 - 1 % oral

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 0 - 1 % Inhalation - vapour

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 0 - 1 % Inhalation - mist

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Emergency overview

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

Avoid contact with the skin, eyes and clothing.

Avoid inhalation of mists/vapours.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
81510-83-0	27.8 %	Isopropylamine salt of imazapyr

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
81510-83-0	$\geq 27.77 - \leq 27.8\%$	Isopropylamine salt of imazapyr
	72.2 %	Proprietary ingredients

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

If on skin:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

If in eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Do not induce vomiting. Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Safety Data Sheet

ARSENAL HERBICIDE

Revision date : 2015/06/25
Version: 4.0

Page: 3/12
(30256051/SDS_CPA_US/EN)

Most important symptoms and effects, both acute and delayed

Symptoms: No significant reaction of the human body to the product known.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
foam, dry powder, carbon dioxide, water spray

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
carbon monoxide, carbon dioxide, nitrogen oxide, nitrogen dioxide, Hydrocarbons,
If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released if the product is involved in a fire.

Advice for fire-fighters

Protective equipment for fire-fighting:
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

Safety Data Sheet

ARSENAL HERBICIDE

Revision date : 2015/06/25
Version: 4.0

Page: 4/12
(30256051/SDS_CPA_US/EN)

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed.

Protect from temperatures below: 0 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air

Safety Data Sheet

ARSENAL HERBICIDE

Revision date : 2015/06/25
Version: 4.0

Page: 5/12
(30256051/SDS_CPA_US/EN)

purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	liquid
Odour:	ammonia-like, faint odour
Odour threshold:	not applicable, odour not perceivable
Colour:	blue, clear
pH value:	6.6 - 7.2
Freezing point:	approx. 0 °C (1,013.3 hPa)
Boiling point:	Information applies to the solvent. approx. 100 °C (1,013.3 hPa)
Flash point:	Information applies to the solvent. A flash point determination is unnecessary due to the high water content.
Flammability:	not applicable
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Autoignition:	Based on the water content the product does not ignite.

Safety Data Sheet

ARSENAL HERBICIDE

Revision date : 2015/06/25
Version: 4.0

Page: 6/12
(30256051/SDS_CPA_US/EN)

Vapour pressure:	approx. 23.3 hPa (20 °C) Information applies to the solvent. < 100 hPa (50 °C) Information applies to the solvent.
Density:	1.04 - 1.09 g/ml
Vapour density:	not applicable
Partitioning coefficient n-octanol/water (log Pow):	not applicable
Thermal decomposition:	carbon monoxide, carbon dioxide, nitrogen oxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. If product is heated above decomposition temperature hazardous fumes may be released.
Viscosity, dynamic:	approx. 26.3 mPa.s (20 °C)
Solubility in water:	miscible
Molar mass:	320.4 g/mol
Evaporation rate:	not applicable
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effect on: mild steel brass

Oxidizing properties:

Not an oxidizer.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is chemically stable.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Incompatible materials

oxidizing agents, reducing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

Possible thermal decomposition products:

Safety Data Sheet

ARSENAL HERBICIDE

Revision date : 2015/06/25
Version: 4.0

Page: 7/12
(30256051/SDS_CPA_US/EN)

carbon monoxide, carbon dioxide, nitrogen oxide

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. If product is heated above decomposition temperature hazardous fumes may be released.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Relatively nontoxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

Oral

Type of value: LD50

Species: rat (male/female)

Value: > 5,000 mg/kg

Inhalation

Type of value: LC50

Species: rat (male/female)

Value: > 5.3 mg/l (OECD Guideline 403)

Exposure time: 4 h

An aerosol was tested.

Dermal

Type of value: LD50

Species: rabbit (male/female)

Value: > 2,000 mg/kg

Irritation / corrosion

Assessment of irritating effects: May cause slight but temporary irritation to the eyes. May cause slight irritation to the skin.

Skin

Species: rabbit

Result: Slightly irritating.

Method: Primary skin irritation test

Eye

Species: rabbit

Result: non-irritant

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Skin sensitization test

Species: guinea pig

Result: Skin sensitizing effects were not observed in animal studies.

Chronic Toxicity/Effects

Safety Data Sheet

ARSENAL HERBICIDE

Revision date : 2015/06/25
Version: 4.0

Page: 8/12
(30256051/SDS_CPA_US/EN)

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organotoxicity was observed after repeated administration to animals.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Other Information

Misuse can be harmful to health.

Symptoms of Exposure

No significant reaction of the human body to the product known.

Medical conditions aggravated by overexposure

Data available do not indicate that there are medical conditions that are generally recognized as being aggravated by exposure to this substance/product. See MSDS section 11 - Toxicological information.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to fish. There is a high probability that the product is not acutely harmful to aquatic invertebrates. Acutely harmful for aquatic plants.

Toxicity to fish

Information on: Imazapyr

LC50 (96 h) >100PPM, Oncorhynchus mykiss (static)

LC50 (96 h) >100 ppm, Lepomis macrochirus (static)

Aquatic invertebrates

Information on: Imazapyr

Safety Data Sheet

ARSENAL HERBICIDE

Revision date : 2015/06/25
Version: 4.0

Page: 9/12
(30256051/SDS_CPA_US/EN)

EC50 (24 h) > 100 ppm, Daphnia magna

Aquatic plants

Information on: Imazapyr
EC50 (96 h) >1 ppm, Selenastrum capricornutum (static)
EC50 (14 d) 24, Lemna gibba

Chronic toxicity to fish

Information on: Imazapyr
No observed effect concentration (62 d) > 92.4 mg/l, Oncorhynchus mykiss

Chronic toxicity to aquatic invertebrates

Information on: Imazapyr
No observed effect concentration (21 d) > 97.1 mg/l, Daphnia magna

Assessment of terrestrial toxicity

With high probability not acutely harmful to terrestrial organisms.

Other terrestrial non-mammals

Information on: imazapyr
LC50, Anas platyrhynchos
With high probability not acutely harmful to terrestrial organisms.
LD50 > 100 ug/bee, Apis mellifera
With high probability not acutely harmful to terrestrial organisms.

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Elimination information

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment bioaccumulation potential

Information on: Imazapyr

Does not accumulate in organisms.

Mobility in soil

Safety Data Sheet

ARSENAL HERBICIDE

Revision date : 2015/06/25
Version: 4.0

Page: 10/12
(30256051/SDS_CPA_US/EN)

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Imazapyr

The substance will not evaporate into the atmosphere from the water surface.

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Additional information

Other ecotoxicological advice:

The ecological data given are those of the active ingredient. Do not release untreated into natural waters.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

RCRA:

This product is not regulated by RCRA.

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Hazard class:	9
Packing group:	III
ID number:	UN 3082
Hazard label:	9, EHSM
Marine pollutant:	YES
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains IMAZAPYR)

Air transport

IATA/ICAO

Hazard class: 9

Safety Data Sheet

ARSENAL HERBICIDE

Revision date : 2015/06/25
Version: 4.0

Page: 11/12
(30256051/SDS_CPA_US/EN)

Packing group:	III
ID number:	UN 3082
Hazard label:	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains IMAZAPYR)

15. Regulatory Information

Federal Regulations

Registration status:

Crop Protection TSCA, US released / exempt

Chemical TSCA, US blocked / not listed

EPCRA 311/312 (Hazard categories): Acute; Chronic

CA Prop. 65:

There are no listed chemicals in this product.

NFPA Hazard codes:

Health : 1 Fire: 1 Reactivity: 1 Special:

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

Avoid contact with the skin, eyes and clothing.

Avoid inhalation of mists/vapours.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2015/06/25

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Safety Data Sheet

ARSENAL HERBICIDE

Revision date : 2015/06/25
Version: 4.0

Page: 12/12
(30256051/SDS_CPA_US/EN)

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

END OF DATA SHEET

Clipper SC



**1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION****Product Name:** Clipper® SC Aquatic Herbicide**EPA Reg. No.:** 71368-114**Product Type:** Herbicide**Company Name:** Nufarm Americas Inc
11901 S. Austin Avenue
Alsip, IL 60803
1-800-345-3330**Telephone Numbers:** For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident,
Call CHEMTREC Day or Night: 1-800-424-9300
For Medical Emergencies Only, Call 1-877-325-1840

This product is an EPA FIFRA registered pesticide. Some classifications on this SDS are not exactly the same as on the FIFRA label. Certain sections are superseded by federal law governed by EPA for a registered pesticide. Please see Section 15. REGULATORY INFORMATION for explanation.

2. HAZARDS IDENTIFICATION**PHYSICAL HAZARDS:**

Not Hazardous

HEALTH HAZARDS:

Not Hazardous

ENVIRONMENTAL HAZARDS:

Hazardous to aquatic environment, acute Category 1

Hazardous to aquatic environment, chronic Category 1

SIGNAL WORD

No Signal Word

HAZARD STATEMENTS

Very toxic to aquatic life with long-lasting effects.

**PRECAUTIONARY STATEMENTS**

Avoid unintended release to the environment.

Collect spillage.

Dispose of contents and container in accordance with local, state and federal regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

COMPONENTS	CAS NO.	% BY WEIGHT
Flumioxazin	103361-09-7	42.7 – 45.3
Propylene Glycol	57-55-6	5.7 – 6.3
Other Ingredients	Trade Secret	Trade Secret

Synonyms: 2-[7-fluoro-3,4-dihydro-3-oxo-4-(2-propynyl)-2H-1,4-benzoxazin-6-yl]-4,5,6,7-tetrahydro-1H-isoindole-1,3(2H)-dione

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

4. FIRST AID MEASURES

If Swallowed: Do not give any liquid to the person. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. If symptoms develop, get medical advice.

If in Eyes: Hold eye open and rinse slowly and gently with water for several minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation persists. **If on Skin or**

Clothing: Take off contaminated clothing. Wash with soap and water. Get medical attention if irritation or symptoms develop.

If Inhaled: Move person to fresh air. If symptoms develop, get medical advice.

Most Important symptoms/effects, acute and delayed: Skin exposure may cause slight irritation. May cause mild eye irritation.

Indication of Immediate medical attention and special treatment if needed: None expected.

5. FIRE FIGHTING MEASURES

Extinguishing Media: Use extinguishing media suitable for surrounding materials. Dry chemical, carbon dioxide, foam, water spray or fog.

Special Fire Fighting Procedures: Firefighters should wear NIOSH approved self-contained breathing apparatus and full fire-fighting turn out gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later.

Unusual Fire and Explosion Hazards: If water is used to fight fire, contain runoff, using dikes to prevent contamination of water supplies. Dispose of fire control water later.

Hazardous Decomposition Materials (Under Fire Conditions): May produce gases such as fluorine compounds, and oxides of carbon and nitrogen.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear appropriate protective gear for the situation. See Personal Protection information in Section 8.

Environmental Precautions: Prevent material from entering public sewer systems or any waterways. Do not flush to drain. Large spills to soil or similar surfaces may necessitate removal of topsoil. The affected area should be removed and placed in an appropriate container for disposal.

Methods for Containment: Dike spill using absorbent or impervious materials such as earth, sand or clay. Collect and contain contaminated absorbent and dike material for disposal.

Methods for Cleanup and Disposal: Pump free liquid into an appropriate container. Absorb residual with inert absorbent material. Wash entire spill area with a detergent slurry, absorb and sweep into container for disposal. Decontaminate tools and equipment following cleanup. See Section 13: DISPOSAL CONSIDERATIONS for more information.

Other Information: Large spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

7. HANDLING AND STORAGE**HANDLING:**

Avoid contact with skin, eyes or clothing. Do not breathe spray mist or vapors. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/Personal Protective Equipment (PPE) immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

STORAGE:

Keep pesticide in original container. Store in a cool, dry, secure place. Do not put formulation or dilute spray solution into food or drink containers. Do not contaminate food or foodstuffs. Do not store or transport near feed or food. Not for use or storage in or around the home. For help with any spill, leak, fire or exposure involving this material, call day or night **CHEMTREC (800) 424-9300**.

Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**Engineering Controls:**

Where engineering controls are indicated by specific use conditions or a potential for excessive exposure, use local exhaust ventilation at the point of generation.

SAFETY DATA SHEET

Clipper® SC Aquatic Herbicide

Personal Protective Equipment:

Eye/Face Protection: To avoid contact with eyes, wear goggles or safety glasses.

Skin Protection: To avoid contact with skin wear long-sleeved shirt and long pants, shoes plus socks, and chemical-resistant gloves made of any waterproof material. Washing facilities should be readily accessible to the work area.

Respiratory Protection: Not normally required. If vapors or mists or dusts exceed acceptable levels, wear NIOSH approved air-purifying respirator with cartridges/canisters approved for use against pesticides.

General Hygiene Considerations: Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material: 1) do not store, use and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored; 2) wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics or using the toilet.

Exposure Guidelines:

Component	OSHA		ACGIH		Unit
	TWA	STEL	TWA	STEL	
Flumioxazin	NE	NE	NE	NE	
Propylene Glycol	10 (WEEL)	NE	NE	NE	mg/m3

NE = Not Established

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Off white/milky liquid
Odor:	Moderately sour
Odor threshold:	No data available
pH:	6.38 (1% w/w dispersion in DIW @ 25° C)
Melting point/freezing point:	No data available
Initial boiling point and boiling range	No data available
Flash point:	Aqueous composition; >212° F (>100° C)
Evaporation rate:	No data available
Flammability:	No data available
Upper/lower flammability or explosive limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	1.157 g/mL @ 24° C
Solubility(ies):	No data available
Partition coefficient: n-octanol/water:	No data available
Autoignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	487.2 cPs @ 24° C; 266.8 cPs @ 42 ° C (50 RPM, Brookfield)

Note: Physical data are typical values, but may vary from sample to sample. A typical value should not be construed as a guaranteed analysis or as a specification.

10. STABILITY AND REACTIVITY

Reactivity: Not reactive

Chemical Stability: This material is stable under normal handling and storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Excessive heat. Do not store near heat or flame.

Incompatible Materials: Strong oxidizing agents, such as chlorates, nitrates, and peroxides.

Hazardous Decomposition Products: Under fire conditions, may produce gases such as fluorine compounds, and oxides of carbon and nitrogen.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Inhalation, Skin contact, Eye contact

Eye Contact: May cause mild irritation. Non-irritating to the eye based on toxicity studies.

Skin Contact: May cause mild irritation on prolonged or repeated exposure. Non-irritating to slight/mild irritation to the skin based on toxicity studies.

Ingestion: May be harmful if swallowed in large amounts. Low toxicity if ingested.

Inhalation: May cause minor irritation to the respiratory tract. Low toxicity if inhaled

Symptoms of Exposure: None expected.

SAFETY DATA SHEET

Clipper® SC Aquatic Herbicide

Delayed, immediate and chronic effects of exposure: Adverse effects observed in animals exposed to high doses of flumioxazin technical for long periods of time included effects on blood, liver and kidney.

Toxicological Data:

Data from laboratory studies conducted are summarized below:

Oral: Rat LD₅₀: > 5,000 mg/kg (female)

Dermal: Rat LD₅₀: >5,000 mg/kg

Inhalation: Rat 4-hr LC₅₀: >2.10 mg/L (No mortality at highest dose tested)

Eye Irritation: Rabbit: Non-irritating

Skin Irritation: Rabbit: Slightly irritating (PDII=0.1)

Skin Sensitization: Not a contact sensitizer in the Local Lymph Node Assay (LLNA) in Mice.

Subchronic (Target Organ) Effects: Compound related effects of Flumioxazin Technical noted in rats following subchronic exposures at high dose levels were hematotoxicity including anemia, and increases in liver, spleen, heart, kidney and thyroid weights. In dogs, the effects produced at high dose levels included a slight prolongation in activated partial thromboplastin time, increased cholesterol and phospholipid, elevated alkaline phosphatase, increased liver weights and histological changes in the liver. The lowest no-observable-effect-level (NOEL) in subchronic studies was 30 ppm in the three-month toxicity study in rats.

Carcinogenicity / Chronic Health Effects: Repeated exposures to Flumioxazin Technical in animals have produced anemia and other blood formation changes, organ weight changes and changes in blood chemistry. Flumioxazin Technical did not produce cancer in life-time feeding studies in laboratory animals.

Reproductive Toxicity: Reproductive effects were observed in rats exposed to high levels of Flumioxazin Technical.

Developmental Toxicity: Birth defects were produced in the offspring of female rats exposed to Flumioxazin Technical. No effects were observed in rabbits.

Genotoxicity: Flumioxazin technical does not present a genetic hazard.

Assessment Carcinogenicity: None listed with ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity: Flumioxazin technical is practically non-toxic to bees and avian species. It is slightly to moderately toxic to freshwater fish and moderately to highly toxic to aquatic invertebrates.

From studies conducted on Flumioxazin active ingredient:

96-hour LC ₅₀ Rainbow Trout:	2.3 mg/L	Bobwhite Quail Oral LD ₅₀ :	>2,250 mg/kg
96-hour LC ₅₀ Bluegill Sunfish	> 21 mg/L	Bobwhite Quail 8-day Dietary LC ₅₀ :	>5,620 ppm
48-hour EC ₅₀ Daphnia Magna :	> 5.5 mg/L	Mallard Duck Oral LD ₅₀ :	>2,250 mg/kg
96-hour LC ₅₀ Sheepshead Minnow:	>4.7 mg/L	Mallard Duck 8-day Dietary LC ₅₀ :	>5,620 ppm
96-hour LC ₅₀ Mysid Shrimp:	0.23 mg/L		
Acute Contact LC ₅₀ Honeybee:	105 µg/bee		

Environmental Fate:

Flumioxazin degrades rapidly in water and soil. Dissipation occurs by a combination of hydrolysis and microbial oxidation. Although flumioxazin dissipates rapidly, discrete intermediates do not accumulate and the ultimate environmental products are incorporated into soil organic matter and carbon dioxide. Based on column leaching studies and the short aerobic soil half-life, the potential for flumioxazin or its degradation products to leach in field agricultural soils is low. The low use rate and rapid soil dissipation results in low carryover potential to rotational crops.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method:

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Improper disposal of excess pesticide is a violation of Federal law.

Container Handling and Disposal:

Nonrefillable Containers 5 gallons or less: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

SAFETY DATA SHEET

Clipper® SC Aquatic Herbicide

Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

Nonrefillable containers larger than 5 gallons: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. If recycling or reconditioning not available, puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke. Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Refillable containers larger than 5 gallons: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water. Agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

14. TRANSPORTATION INFORMATION

Follow the precautions indicated in Section 7: HANDLING AND STORAGE of this MSDS.

DOT

< 119 Gallons per finished container

Non Regulated

≥ 119 Gallons per finished container

UN 3082, Environmentally hazardous substance, liquid, n.o.s., (Flumioxazin), 9, III, Marine Pollutant

IMO / IMDG

UN 3082, Environmentally hazardous substance, liquid, n.o.s., (Flumioxazin), 9, III, Marine Pollutant

IATA

UN 3082, Environmentally hazardous substance, liquid, n.o.s., (Flumioxazin), 9, III, Marine Pollutant

15. REGULATORY INFORMATION

EPA FIFRA INFORMATION

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

Harmful if inhaled or absorbed through the skin. Causes moderate eye irritation. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing.

U.S. FEDERAL REGULATIONS

TSCA Inventory: This product is exempted from TSCA because it is solely for FIFRA regulated use.

SARA Hazard Notification/Reporting:

Hazard Categories Under Criteria of SARA Title III Rules (40 CFR Part 370):

Chronic Health

Section 313 Toxic Chemical(s):

None

SAFETY DATA SHEET

Clipper® SC Aquatic Herbicide

Reportable Quantity (RQ) under U.S. CERCLA:

None

RCRA Waste Code:

Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste.

State Information:

Other state regulations may apply. Check individual state requirements.

California Proposition 65: Not Listed.

16. OTHER INFORMATION

National Fire Protection Association (NFPA) Hazard Rating:

Rating for this product: Health: 1 Flammability: 1 Reactivity: 0

Hazards Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-ACCEPTED PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course.

Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of Federal law to use a pesticide product in any manner not prescribed on the EPA-accepted label.

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, Nufarm Americas Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will Nufarm Americas Inc. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon Information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS AND ALL SUCH WARRANTIES ARE HEREBY SPECIFICALLY DISCLAIMED.

Date of Issue: May 3, 2016

Supersedes:

NEW

Current





Preparation Date 23-Apr-2015

Revision date 31-Dec-2018

Revision Number: 4

Safety Data Sheet

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product identifier

Product Description: Current Aquatic Herbicide

Other means of identification

Product code 12P-0002

UN/ID no. UN3010

Registration number(s) 70506-248

Recommended use of the chemical and restrictions on use

Recommended use Aquatic herbicide.

Uses advised against Activities contrary to label recommendation

Details of the Supplier of the Safety Data Sheet

Supplier Address

UPL NA Inc.
630 Freedom Business Center
Suite 402
King of Prussia, PA 19406

Emergency telephone number

Company Phone Number 1-800-438-6071

Emergency telephone number Chemtrec: (800) 424-9300 (24hrs) or (703) 527-3887
Medical: Rocky Mountain Poison Control Center
(866) 673-6671 (24hrs)

2. Hazards Identification

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Skin Corrosion/Irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Respiratory sensitization	Category 1
Skin sensitization	Category 1

Label elements

EMERGENCY OVERVIEW

DANGER

Hazard Statements

HARMFUL IF SWALLOWED

Causes severe skin burns and eye damage

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause an allergic skin reaction

**Appearance** dark purple**Physical state** Liquid**Odor** no data available**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Do not breathe dust/fume/gas/mist/vapors/spray
 Wear protective gloves/protective clothing/eye protection/face protection
 In case of inadequate ventilation wear respiratory protection
 Contaminated work clothing should not be allowed out of the workplace

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician
 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a POISON CENTER or doctor/physician
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 Wash contaminated clothing before reuse
 If skin irritation or rash occurs: Get medical advice/attention
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Immediately call a POISON CENTER or doctor/physician
 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
 Rinse mouth
 Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards Not Otherwise Classified (HNOC)**OTHER INFORMATION**

- May be harmful in contact with skin
- Very toxic to aquatic life with long lasting effects

3. Composition/information on Ingredients

Chemical name	CAS No	Weight-%
Ethylene diamine	107-15-3	15.13
Copper sulfate pentahydrate	7758-99-8	31.43

If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret.

4. First aid measures

FIRST AID MEASURES**Eye contact**

Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Skin contact

Wash off immediately with soap and plenty of water for at least 15 minutes. Call a poison

control center or doctor for treatment advice.

Inhalation

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.

Ingestion

Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. Do not induce vomiting without medical advice.

Protection of First-aiders

Use personal protective equipment.

Most Important Symptoms and Effects, Both Acute and Delayed**Most Important Symptoms and Effects**

no data available.

Indication of Any Immediate Medical Attention and Special Treatment Needed**Notes to physician**

Treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media

Use: Dry chemical. Carbon dioxide (CO₂). Water spray. alcohol-resistant foam.

Unsuitable extinguishing media no data available.

Specific hazards arising from the chemical

No information available.

Explosion data**Protective equipment and precautions for firefighters**

Use personal protective equipment. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures**Personal Precautions**

Use personal protective equipment. Avoid contact with skin and eyes. Provide adequate ventilation. Wash thoroughly after handling.

Environmental Precautions**Environmental precautions**

Consult a regulatory specialist to determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in pertinent environmental permits.

Methods and material for containment and cleaning up**Methods for Clean-Up**

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.

7. Handling and Storage

Precautions for safe handling**Handling**

Wear personal protective equipment. Avoid contact with skin and eyes. Do not breathe vapours or spray mist. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Keep in properly labelled containers. Keep container tightly closed in a dry and well-ventilated place.

incompatible materials No information available.

8. Exposure Controls/Personal Protection

Exposure guidelines This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical name	ACGIH TLV	OSHA PEL
Ethylene diamine	TWA: 10 ppm S*	TWA: 10 ppm TWA: 25 mg/m ³ (vacated) TWA: 10 ppm (vacated) TWA: 25 mg/m ³

Engineering controls Investigate engineering techniques to reduce exposures. Local mechanical exhaust ventilation is preferred. Consult ACGIH ventilation manual or NFPA Standard 91 for design of exhaust systems.

Personal protective equipment

Eye/Face Protection

Use eye protection to avoid eye contact. Where there is potential for eye contact have eye flushing equipment available. Safety glasses with side-shields. If splashes are likely to occur, wear: Goggles.

Skin protection

Long sleeved clothing. Impervious butyl rubber gloves. Boots. Apron.

Respiratory protection

In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

General hygiene considerations

Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wear suitable gloves and eye/face protection. Wash hands before breaks and immediately after handling the product.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state	Liquid	Odor	no data available
Appearance	dark purple		
color	No information available		

<u>Property</u>	<u>VALUES</u>	<u>Remarks/ • Method</u>
pH	9.62	
Melting point/freezing point	10.62 °C / 51 °F	
Boiling Point/Range	102 °C / 216 °F	
Flash Point		
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	
Flammability limit in air		
Upper Flammability Limit	No information available	
Lower Flammability Limit	No information available	
vapor pressure	No information available	
Vapor Density	No information available	
Specific gravity	No information available	
Water solubility	No information available	
Solubility in Other Solvents	No information available	
Partition coefficient: n-octanol/water	No information available	
Autoignition temperature	no data available	
Decomposition temperature	No information available	
Viscosity, kinematic	No information available	
Dynamic viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	

OTHER INFORMATION

Softening point	No information available
molecular weight	No information available
VOC Content	No information available
Liquid Density	No information available

10. Stability and Reactivity

Reactivity

no data available

Chemical stability

Hazardous polymerisation does not occur. Stable under normal conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Should not be used where pH of water is below 6 due to the possibility that the copper chelate may dissociate and release copper ions which could subsequently be precipitated as insoluble copper salts. Should not be applied when water temperature is below 60 F.

Incompatible materials

No information available.

Hazardous decomposition products

Carbon oxides.

11. Toxicological Information

Information on Likely Routes of Exposure

Product information

Current:
Acute oral LD50 = 498 mg/kg
Acute dermal LD50 = >2000 mg/kg
Acute inhalation LC50 = 0.81 mg/L 4 hr (rat)
Eye irritation = Moderately irritating.
Skin irritation = Slightly toxic dermally

Inhalation

Harmful by inhalation.

Eye contact

Moderately irritating to the eyes.

Skin contact

May be absorbed through the skin in harmful amounts. Prolonged contact may cause redness and irritation.

Ingestion

MAY BE FATAL IF SWALLOWED.

Information on Toxicological Effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Mutagenic effects

no data available.

Carcinogenicity

The information below indicates whether any agency has listed any ingredient as a carcinogen.

Reproductive effects

Not Available.

STOT - Single Exposure

no data available.

STOT - Repeated Exposure	no data available.
Chronic toxicity	Avoid repeated exposure.
Target organ effects	liver, kidney, Respiratory System, skin.
Aspiration hazard	No information available.

Numerical Measures of Toxicity - Product information

The following values are calculated based on chapter 3.1 of the GHS document .

LD50 Oral	498 mg/kg (rat)
LD50 Dermal	> 2000 mg/kg (rat)
LC50 Inhalation	0.81 mg/l (rat) (4-hr)

12. Ecological Information

Marine Pollutant.

ecotoxicity

Toxic to fish and aquatic invertebrates

Persistence/Degradability

no data available.

Bioaccumulation/ Accumulation

Bioaccumulative potential.

Chemical name	Log Pow
Ethylene diamine 107-15-3	-1.221

Other Adverse Effects

no data available

13. Disposal Considerations

Waste Treatment Methods

Waste Disposal Method Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If the wastes cannot be disposed of by use or according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Contaminated packaging Refer to product label.

Chemical name	Ethylene diamine
---------------	------------------

14. Transport Information

DOT	When shipped non-bulk domestically (US) the Marine pollutant marking is not required.
UN/ID no.	UN3010
Proper shipping name	Copper based pesticides liquid, toxic
Hazard class	6.1
Packing group	PG III
IMDG - Marine Pollutant	Marine Pollutant.

ICAO

UN/ID no. UN3010

Proper shipping name	Copper based pesticides liquid, toxic
Hazard class	6.1
Packing group	PG III
Description	IMDG - Marine Pollutant

IATA

UN/ID no.	UN3010
Proper shipping name	Copper based pesticides liquid, toxic
Hazard class	6.1
Packing group	PG III
Description	IMDG - Marine Pollutant

IMDG

UN/ID no.	UN3010
Proper shipping name	Copper based pesticides liquid, toxic
Hazard class	6.1
Packing group	PG III
EmS No.	F-A,S-A
Environmental hazards	IMDG - Marine Pollutant

15. Regulatory Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

signal word WARNING

Ventilation Control PESTICIDE APPLICATORS & WORKERS THESE WORKERS MUST REFER TO PRODUCT LABELING AND DIRECTIONS FOR USE IN ACCORDANCE WITH EPA WORKER PROTECTION STANDARD 40 CFR PART 170.

Keep out of Reach of Children. Causes moderate eye irritation. Harmful if inhaled or absorbed through skin. May be fatal if swallowed. Toxic to fish and aquatic invertebrates.

International Inventories

USINV	Not present
DSL/NDL	Not present
EINECS/	Not Present
ELINCS	
ENCS	Not Present
China	Not Present
KECL	Not Present
PICCS	Not Present
AICS	Not Present
TSCA	Not Present

- **TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ethylene diamine 107-15-3	5000 lb			X

CERCLA

Not applicable

Chemical name	RQ	CERCLA EHS RQs	RQ
Ethylene diamine 107-15-3	5000 lb	5000 lb	RQ 5000 lb final RQ RQ 2270 kg final RQ

CERCLA

Component	RQ
Ethylene diamine 107-15-3 (15.13)	5000 lb

SARA Product RQ

0

Component	CERCLA EHS RQs
Ethylene diamine 107-15-3 (15.13)	5000 lb

RCRA**Pesticide Information****State Regulations****State Right-to-Know**

Not applicable

International regulations**U.S. EPA Label information**

EPA Pesticide registration number 70506-248

16. Other Information

NFPA HEALTH 3 flammability 1 Instability 0 Physical hazard -

Preparation Date 23-Apr-2015

Revision date 31-Dec-2018

Revision Summary

Update logo Update section 1 Update Section 16***

Disclaimer

UPL NA Inc. believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with other materials or in any process. Further, since the conditions and methods of use are beyond the control of UPL NA Inc. and UPL NA Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

End of SDS

Diquat SPC2L



**1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

Product Name: Nufarm Diquat SPC 2L
EPA Reg. No.: 228-675
Product Type: Manufacturing Use Product for Formulating Use Only - Herbicide
Company Name: Nufarm Americas Inc.
11901 S. Austin Avenue
Alsip, IL 60803
1-800-345-3330

Telephone Numbers: For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident,
Call CHEMTREC Day or Night: 1-800-424-9300
For Medical Emergencies Only, Call 1-877-325-1840

This product is an EPA FIFRA registered pesticide. Some classifications on this SDS are not the same as the FIFRA label. Certain sections of this SDS are superseded by federal law governed by EPA for a registered pesticide. Please see Section 15. REGULATORY INFORMATION for explanation.

2. HAZARDS IDENTIFICATION**PHYSICAL HAZARDS:**

Corrosive to metals Category 1

HEALTH HAZARDS:

Acute toxicity, oral Category 4
Acute toxicity, inhalation Category 3
Eye Damage/Irritation Category 2B
Skin irritation Category 2
Specific target organ toxicity – Repeated exposure Category 2

ENVIRONMENTAL HAZARDS:

Hazardous to aquatic environment, acute Category 3

SIGNAL WORD:

DANGER

HAZARD STATEMENTS:

May be corrosive to metals. Harmful if swallowed. Causes eye irritation. Toxic if inhaled. May cause damage to organs through prolonged or repeated exposure

**PRECAUTIONARY STATEMENTS**

Keep in original container. Do not breathe mist, vapors, spray. Wash hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

IF SWALLOWED: Call a poison control center or doctor if you feel unwell. Rinse mouth.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice.

Absorb spillage to prevent material damage. Store locked up. Store in corrosive resistant, plastic-lined steel, stainless steel or fiberglass container.

Dispose of contents and container in accordance with local regulations.

SAFETY DATA SHEET

Nufarm Diquat SPC 2L

Other Hazard Statements: Flammable hydrogen gas may be formed on contact with incompatible metals. See "Conditions to Avoid", Section 10.

3. COMPOSITION / INFORMATION ON INGREDIENTS

COMPONENTS	CAS NO.	% BY WEIGHT
Diquat Dibromide	85-00-7	36.2 – 38.4
Other Ingredients	Trade Secret	Trade Secret
Synonyms: Mixture containing Diquat Dibromide; 6,7-dihydrodipyrido (1,2-a:2',1'-c) pyrazinediium dibromide		

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

4. FIRST AID MEASURES

If in Eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Most Important symptoms/effects, acute and delayed: Eye irritation.

Indication of Immediate medical attention and special treatment if needed: None expected. For ingestion there is no specific antidote available. Treatment for ingestion of this product must begin immediately. Treatment consists of binding the active ingredient, diquat, in the gut with suspensions of activated charcoal or bentonite clay, administration of cathartics to enhance elimination and removal of diquat from the blood by charcoal hemoperfusion or continuous hemodialysis.

5. FIRE FIGHTING MEASURES

Extinguishing Media: Use extinguishing media suitable for surrounding materials. Dry chemical, carbon dioxide, foam, water spray or fog.

Special Fire Fighting Procedures: Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full fire-fighting turn out gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later.

Unusual Fire and Explosion Hazards: If water is used to fight fire, contain runoff, using dikes to prevent contamination of water supplies. Dispose of fire control water later.

Hazardous Decomposition Materials (Under Fire Conditions): May produce oxides of carbon and nitrogen and fumes of bromide.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear appropriate protective gear for the situation. See Personal Protection information in Section 8.

Environmental Precautions: Prevent material from entering public sewer systems or any waterways. Do not flush to drain. Large spills to soil or similar surfaces may necessitate removal of topsoil. The affected area should be removed and placed in an appropriate container for disposal.

Methods for Containment: Dike spill using absorbent or impervious materials such as earth, sand or clay. Collect and contain contaminated absorbent and dike material for disposal.

Methods for Cleanup and Disposal: Pump any free liquid into an appropriate closed container. Collect washings for disposal. Decontaminate tools and equipment following cleanup. See Section 13: DISPOSAL CONSIDERATIONS for more information.

Other Information: Large spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

7. HANDLING AND STORAGE

HANDLING:

This product reacts with aluminum to produce flammable hydrogen gas. Do not mix or store in containers or systems made of aluminum or having aluminum fittings.

Avoid breathing mist, vapors, spray. Avoid contact with eyes or clothing. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/Personal Protective Equipment (PPE) immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

STORAGE:

Store in original container. Do not put concentrate or dilute into food or drink containers. Store at temperatures above 32° C. Do not store or transport near food or feed. Do not store near fertilizers, seeds, insecticides, or fungicides. Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls:

Where engineering controls are indicated by specific use conditions or a potential for excessive exposure, use local exhaust ventilation at the point of generation.

Personal Protective Equipment:

Eye/Face Protection: To avoid contact with eyes, wear chemical goggles or shielded safety glasses. An emergency eyewash or water supply should be readily accessible to the work area.

Skin Protection: To avoid contact with skin, wear long-sleeved shirt and long pants, shoes, socks, and gloves. An emergency shower or water supply should be readily accessible to the work area.

Respiratory Protection: Not normally required. If vapors or mists exceed acceptable levels, wear NIOSH approved air-purifying respirator with cartridges/canisters approved for use against pesticides.

General Hygiene Considerations: Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material: 1) do not store, use and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored; 2) wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics or using the toilet.

Exposure Guidelines:

Component	OSHA		ACGIH		Unit
	TWA	C	TWA	STEL	
Diquat dibromide	NE	NE	0.5 (I) (Skin) 0.1(R) (Skin)	NE	mg/m ³
Other Ingredients	NE	NE	NE	NE	

I = Inhalable Fraction

R = Respirable Fraction

NE = Not Established

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Dark brown liquid
Odor:	Odorless
Odor threshold:	No data available
pH:	5.962 (1% w/w dilution in DIW)
Melting point/freezing point:	325° C
Initial boiling point and boiling range	No data available
Flash point:	Not applicable due to aqueous formulation
Evaporation rate:	No data available
Flammability (solid, gas):	No data available
Upper/lower flammability or explosive limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	1.20 g/ml @ 20° C
Solubility(ies):	No data available

SAFETY DATA SHEET

Nufarm Diquat SPC 2L

Partition coefficient: n-octanol/water: No data available
Autoignition temperature: No data available
Decomposition temperature: No data available
Viscosity: 1.626 mPa.s @ 20° C; 1.0858mPa.s @ 40 ° C

Note: Physical data are typical values, but may vary from sample to sample. A typical value should not be construed as a guaranteed analysis or as a specification.

10. STABILITY AND REACTIVITY

Reactivity: Reacts with aluminum to produce flammable hydrogen gas. Do not store or allow this product to contact galvanized steel or unlined steel (except stainless steel) containers. This product reacts with such containers to produce hydrogen gas which may form a highly combustible mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

Chemical Stability: This material is stable under normal handling and storage conditions.

Possible Hazardous Reactions: This product reacts with aluminum, galvanized steel and unlined steel containers (except stainless steel) to produce hydrogen gas which may form a highly combustible mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

Conditions to Avoid: Do not store in aluminum, galvanized or unlined metal containers (except stainless steel). Excessive heat and open flame.

Incompatible Materials: Corrosive to aluminum. Strong alkalis, anionic wetting agents and oxidizing agents.

Hazardous Decomposition Products: Under fire conditions may produce oxides of carbon and nitrogen and fumes of bromide.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eye contact, Skin contact

Symptoms of Exposure:

Eye Contact: Mildly irritating based on toxicity studies.

Skin Contact: Slightly toxic and slightly irritating based on toxicity studies.

Ingestion: Moderately toxic based on toxicity studies.

Inhalation: Moderately toxic based on toxicity studies.

Delayed, immediate and chronic effects of exposure: Causes eye irritation. Causes skin irritation. May cause respiratory irritation. Causes damage to organs (liver, kidney) through prolonged or repeated exposure.

Toxicological Data:

Data from laboratory studies conducted on a similar, but not identical, formulation:

Oral: Rat LD₅₀: 886 mg/kg (female)

Dermal: Rat LD₅₀: >5,050 mg/kg

Inhalation: Rat 4-hr LC₅₀: 0.62 mg/L

Eye Irritation: Rabbit: Mildly irritating

Skin Irritation: Rabbit: Slightly irritating

Skin Sensitization: Not a contact sensitizer in guinea pigs following repeated skin exposure.

Subchronic (Target Organ) Effects: Repeated overexposure to diquat dibromide may cause effects to skin, lungs, liver and kidneys.

Carcinogenicity / Chronic Health Effects: Prolonged overexposure to diquat dibromide may cause effects to eyes (cataracts) and kidneys. There was no evidence of carcinogenicity in animal studies using diquat dibromide.

Reproductive Toxicity: Animal tests with diquat dibromide have not demonstrated reproductive effects.

Developmental Toxicity: Animal studies on diquat dibromide resulted in decreased fetal body weight, kidney and skeletal effects at doses that were also toxic to mother animals.

Genotoxicity: No evidence of mutagenicity in *in vivo* assays using diquat dibromide.

Assessment Carcinogenicity: None listed with ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Data on Diquat dibromide:

Bluegill 96-hour LC₅₀: 13.9 ppm **Bobwhite Quail** 8-day Dietary LC₅₀: 106 ppm

SAFETY DATA SHEET

Nufarm Diquat SPC 2L

Rainbow Trout 96-hour LC₅₀: 14.8 ppm
Daphnia 48-hour EC₅₀: 0.77-1.19 ppm

Mallard Duck 8-day Dietary LC₅₀: 980 ppm
Honey Bee LC₅₀: 47-100 µg/bee

Environmental Fate:

Diquat dibromide's primary route of environmental dissipation is strong adsorption to soil particles, aquatic sediments or suspended particulates, which typically have a large excess of binding capacity. The strong chemical bonds formed by diquat absorption to soil particles make the herbicide biologically unavailable to terrestrial or aquatic organisms. Diquat does not hydrolyze or photodegrade and is resistant to microbial degradation under aerobic and anaerobic conditions.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method:

This product is acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Handling and Disposal:

Nonrefillable Containers 5 Gallons or Less: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

Nonrefillable containers larger than 5 gallons: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Refillable containers larger than 5 gallons: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water and, if possible, spray all sides while adding water. Agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

14. TRANSPORTATION INFORMATION

Follow the precautions indicated in Section 7: HANDLING AND STORAGE of this SDS.

DOT

< 268 gallons per completed package:

UN 2927, TOXIC LIQUID, CORROSIVE, ORGANIC, n.o.s
(DIQUAT DIBROMIDE), 6.1, (8), II

≥ 268 gallons per completed package:

UN 2927, TOXIC LIQUID, CORROSIVE, ORGANIC, n.o.s

SAFETY DATA SHEET

Nufarm Diquat SPC 2L

(DIQUAT DIBROMIDE), 6.1, (8), II, RQ

IMDG

UN 2927, TOXIC LIQUID, CORROSIVE, ORGANIC, n.o.s
(DIQUAT DIBROMIDE), 6.1, (8), II, MARINE POLLUTANT

IATA

UN 2927, TOXIC LIQUID, CORROSIVE, ORGANIC, n.o.s
(DIQUAT DIBROMIDE), 6.1, (8), II

15. REGULATORY INFORMATION

EPA FIFRA INFORMATION

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

CAUTION. Harmful if inhaled. Harmful if swallowed. Causes moderate eye irritation. Avoid breathing spray mist. Avoid contact with eyes or clothing.

U.S. FEDERAL REGULATIONS

TSCA Inventory: This product is exempted from TSCA because it is solely for FIFRA regulated use.

SARA Hazard Notification/Reporting:

Hazard Categories Under Criteria of SARA Title III Rules (40 CFR Part 370):

Immediate and Delayed

Section 313 Toxic Chemical(s):

None

Reportable Quantity (RQ) under U.S. CERCLA:

Diquat (CAS No. 85-00-7) 1,000 pounds

RCRA Waste Code:

Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste.

State Information:

Other state regulations may apply. Check individual state requirements.

California Proposition 65: Not Listed.

16. OTHER INFORMATION

National Fire Protection Association (NFPA) Hazard Rating:

Rating for this product: Health: 2 Flammability: 1 Reactivity: 0

Hazards Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-ACCEPTED PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course.

Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of Federal law to use a pesticide product in any manner not prescribed on the EPA-accepted label.

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, Nufarm Americas Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will Nufarm Americas

SAFETY DATA SHEET

Nufarm Diquat SPC 2L

Inc. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon Information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS AND ALL SUCH WARRANTIES ARE HEREBY SPECIFICALLY DISCLAIMED.

Date of Issue: April 7, 2015

Supersedes: February 21, 2014

Hardball





Safety Data Sheet

Report Date 05-Apr-17

Page 1 of 4

1. Identification

Product Name : HARDBALL
Synonyms : None
Product Use : 2,4-D Herbicide
Manufacturer/Supplier : Helena Chemical Company
Address : 225 Schilling Blvd. Collierville, TN 38017
General Information : 901-761-0050
Transportation Emergency Number : CHEMTREC:800-424-9300

2. Hazard Identification



Signal Word : Danger
Skin Irritation : Slightly irritating
Eye Irritation : Severely irritating and irreversible
Acute Toxicity Oral : LD50 1,693 mg/kg (female rats); >2,000 mg/kg (male rats)
Acute Toxicity Dermal : LD50 >5,000 mg/kg (male/female rats)
Hazard Categories : Oral/Dermal/Inhalation Toxicity-4/5/4; Eye/Skin Irritation-1/3; Skin Sensitization-1A
Hazard Statement : Harmful if swallowed
May be harmful in contact with skin
Causes serious eye damage
Causes mild skin irritation
Harmful if inhaled
May cause an allergic skin reaction

3. Composition / Information on Ingredients

Component	CAS Number	Weight %
2,4-Dichlorophenoxyacetic Acid	94-75-7	19.6
Other nonhazardous ingredients	Proprietary	80.4

4. First Aid Measures

Eye : Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for further treatment advice.

Skin : Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

Inhalation : Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Ingestion : Call a poison control center or doctor immediately for treatment advice. Rinse mouth with water. Do not induce vomiting. Do not give anything by mouth if unconscious or convulsing.



Safety Data Sheet

Report Date 05-Apr-17

Page 2 of 4

Indication of Immediate Medical Attention and Special Treatment Needed : In the event of an adverse response, treatment should be directed toward control of the symptoms.

5. Fire Fighting Measures

Extinguishing Media : Foam, water spray, dry chemical or carbon dioxide extinguishing media.
Specific Hazards Arising from the Chemical : Under fire conditions, toxic and corrosive fumes are emitted.
Special Fire Fight Proc : Wear self-contained breathing apparatus and full protective clothing. Contain and dispose of fire control water.

6. Accidental Release Measures

Personal Precautions : Keep unprotected and unnecessary personnel out of spill area.
Protective Equipment : Splashproof goggles or face shield, impervious gloves, impervious apron and footwear. Use NIOSH-approved respirator for organic vapors. Eyewash and emergency shower should be available in work area.
Emergency Procedures : Do not contaminate water supplies, lakes, streams, ponds, drains or soil with spilled product.
Methods and Materials for Containment and Cleanup : Contain spill using absorbent or impervious materials such as earth, sand or clay. Collect and place in plastic recovery drums for proper disposal.

7. Handling and Storage

Precautions for Safe Handling : Do not contaminate water, food or feed by storage, handling or disposal.
Conditions for Safe Storage : Do not store at temperatures below 0 Degrees F. If frozen, warm to 40 Degrees F. and redissolve by rolling or shaking container before use. Do not store under conditions which might adversely affect the container or its ability to function properly. This product can be stored in an unheated building. Store in a safe manner. Store in original container only. Keep container tightly closed when not in use. Reduce stacking height where local conditions can affect package strength.

8. Exposure Controls / Personal Protection

TLV/PEL : 2,4-D: TLV=10 mg/m³; PEL=10 mg/m³
Appropriate Engineering Controls : Local exhaust (mechanical) normally sufficient.
Personal Protective Equipment : Splashproof goggles or face shield, impervious gloves, impervious apron and footwear. Use NIOSH-approved respirator for organic vapors. Eyewash and emergency shower should be available in work area.

9. Physical and Chemical Properties

Odor/Appearance : Clear, pale yellow liquid with surfactant odor.
Flash Point, °F : >200 Degrees F.
Boiling Point, °F : >212 Degrees F.
Melting Point(Freezing point), °C : <32 Degrees F.
Vapor Pressure, mm Hg @ 20 °C : No information found
Vapor Density : No information found
Solubility in Water : Emulsifiable
Molecular Formula : Not applicable, formulated mixture.



Safety Data Sheet

Report Date 05-Apr-17

Page 3 of 4

Density, g/mL @ 25 °C : 1.076-1.115
Evaporation Rate(Butyl Acetate = 1) : No information found
Octanol/Water Partition Coefficient : No information found
pH : 2.5 to 3.0 (2.5%)
Flammable Limits (approximate volume % in air) : No information found
Auto-ignition Temperature : Not determined
Decomposition temperature : No information found

10. Stability and Reactivity

Reactivity : No information found
Chemical Stability : Stable
Hazardous Decomposition Products : Hydrogen chloride and oxides of carbon under fire conditions.
Hazardous Polymerization : Will not occur
Conditions to Avoid : Extreme heat, open flames, sparks or static electricity.
Incompatible Materials : Strong oxidizing agents.

11. Toxicological Information

Acute Toxicity (Oral LD50) : 1,693 mg/kg (female rats) and >2,000 mg/kg (male rats). Harmful if swallowed.
Acute Toxicity (Dermal LD50) : >5,000 mg/kg (male and female rats). May be harmful in contact with skin.
Acute Toxicity Inhalation LC50 : 1.29 mg/L (male and female rats), 4 hour exposure to aerosol. Harmful if inhaled.
Likely Routes of Exposure : Eyes, skin, inhalation, ingestion.
Skin Irritation : Causes mild skin irritation.
Eye Irritation : Causes serious eye damage.
Skin Sensitization : Product is a contact sensitizer. May cause an allergic skin reaction.
Carcinogenic : Not currently listed by OSHA. IARC: 2,4-D is classified Group 2B, possibly carcinogenic to humans.
Chronic Effects : In animals, effects have been reported on the following organs: liver, kidney, eye, thyroid.
Other Hazards : Various animal cancer tests have shown no reliably positive association between 2,4-D exposure and cancer.

12. Ecological Information

Ecotoxicity : Moderately toxic to aquatic organisms on an acute basis. Moderately toxic to birds on an acute basis.
Persistence and Degradability : Readily biodegradable.
Bioaccumulative Potential : Bioconcentration potential for 2,4-D is low.
Mobility in Soil : Potential for mobility in soil is very high.
Other Adverse Effects : No information available.

13. Disposal Considerations

Waste Disposal Method : This material must be disposed of according to Federal, State or Local procedures under the Resource Conservation and Recovery Act. (RCRA U240 and D016)



Safety Data Sheet

Report
Date 05-Apr-17

Page 4 of 4

14. Transport Information

UN Proper Shipping Name : Not regulated by DOT in single package sizes <57 gallons.
Transport Hazard Class : None
UN Identification Number : None
Packaging Group : None
Environmental Hazards : Not listed as Marine Pollutant per 49 CFR 172.101, Appendix B.
Transport in Bulk : If shipped in single package \geq 57 gallons, ship as: RQ, UN3082, Environmentally Hazardous Substance, Liquid, n.o.s., (2,4-D Acid), 9, PG III "ERG # 171"
Special Precautions for Transportation : Reportable quantity (RQ) for 2,4-D acid = 100 lbs/57 gallons.
Freight Classification : Pesticides, NOI, Herbicides, Other than Poison (NMFC Item 155050, Sub 11, Class 70)

15. Regulatory Information

National Fire Protection Association Rating

Health: 3 Fire: 1 Reactivity: 0
Rating Level: (4-Extreme, 3-High, 2-Moderate, 1-Slight, 0-Minimum)

S.A.R.A Title III Hazard Classification (Yes/No)

Immediate(Acute) Health: Y
Delayed (Chronic) Health: Y
Sudden Release of Pressure: N
Fire: N
Reactive: N

FIFRA Information : This Chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labelling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Registration Number : 5905-549

FIFRA Signal Word : Danger

FIFRA Label Statement : Keep out of reach of children.

FIFRA Label Statement : Corrosive. Causes irreversible eye damage.

FIFRA Label Statement : Harmful if swallowed.

FIFRA Label Statement : Harmful if inhaled.

FIFRA Label Statement : Do not get in eyes or on clothing.

FIFRA Label Statement : Avoid breathing spray mist or vapor.

FIFRA Label Statement : Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

16. Other Information

Data of Preparation/Revision : 05-April-2017

LI - 700





SAFETY DATA SHEET

SDS NUMBER: 1000009654-15-LPI

SDS REVISIONS: SEC. 2

DATE OF ISSUE: 06/19/15

LI 700®

SUPERSEDES: 07/07/14

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 PRODUCT IDENTIFIER:

TRADE NAME: LI 700® WITH LECI-TECH®

1.2 RECOMMENDED USE:

PENETRANT – ACIDIFIER – DEPOSITION AID – DRIFT CONTROL AGENT

1.3 SUPPLIER DETAILS:

LOVELAND PRODUCTS, INC.

P.O. Box 1286 • Greeley, CO 80632-1286

1.4 24-Hour Emergency Phone:

1-800-424-9300 - **Medical Emergencies:** 1-866-944-8565 - **Product Information:** 1-888-574-2878 (LPI-CUST)
U.S. Coast Guard National Response Center: 1-800-424-8802

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to 29 CFR 1910.1200

Acute Toxicity - Inhalation

Category 4

H332

Skin Corrosion/Irritation

Category 1

H314

2.2 Label elements



Signal word:

DANGER

Hazard Statement:

H314 – Causes severe skin burns and eye damage.

H332 – Harmful if inhaled.

Precautionary

Statement:

(Prevention):

P261 – Avoid breathing dust/fume/gas/mist/vapors/spray

P264 – Wash hands thoroughly after handling.

P273 – Avoid release to the environment

P280 – Wear protective gloves and eye / face protection

Precautionary

Statement:

(Response):

P337+P313 – If eye irritation persists: get medical attention

P305+P351+P338 – IF IN EYES: Rinse with water for 15 to 20 minutes. Remove contact lenses, if present, and continue rinsing eyes.

P302+P352 – IF ON SKIN: Wash with plenty of water for 15 to 20 minutes

2.3 Other hazards

None known



SAFETY DATA SHEET

SDS NUMBER: 1000009654-15-LPI

SDS REVISIONS: SEC. 2

DATE OF ISSUE: 06/19/15

LI 700®

SUPERSEDES: 07/07/14

3. COMPOSITION, INFORMATION ON INGREDIENTS

3.1 Substances

3.2 Mixtures

Classification according to 29 CFR 1910.1200

Chemical Name:	CAS No.	Classification	Concentration [%]
Methylacetic acid, and	79-09-4	Inh., 4; H332	80.00
Phosphatidylcholine, alkyl polyoxyethylene ether		Skin Corr./Irrit.; 1, H314	20.00
Other ingredients			

4. FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice: Get medical attention if symptoms occur.

- Eye contact:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- Skin contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- Ingestion:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- Inhalation:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

4.2 Most Important Symptoms and Effects, Acute and Delayed

Symptoms: Irreversible eye damage. Skin burns.

4.3 Immediate Medical Attention and Special Treatment

Treatment: Treat symptomatically. Symptoms may be delayed.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565

Take container, label or product name with you when seeking medical attention.

NOTES TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5. FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA:

Suitable Extinguishing Media: Dry chemical, carbon dioxide (CO₂), alcohol foam, foam, water spray or fog. Do not use water jet as this will spread the fire.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Specific Hazards During Firefighting: During a fire, hazardous by-products can be released.

5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Protective Equipment for Firefighters: Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.



SAFETY DATA SHEET

SDS NUMBER: 1000009654-15-LPI

SDS REVISIONS: SEC. 2

DATE OF ISSUE: 06/19/15

LI 700®

SUPERSEDES: 07/07/14

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions: Avoid inhalation of vapors and spray mist and contact with skin and eyes. Ensure adequate ventilation. Wear suitable protective clothing.

6.2 ENVIRONMENTAL PRECAUTIONS

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter drains, sewers, or watercourses.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Methods for Clean-Up: Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. After removal flush contaminated area thoroughly with water.
Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to Remove residual contamination.
Never return spills to original containers for re-use.

7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Advice on Safe Handling: Avoid inhalation of mists, vapors / spray and contact with eyes, skin and clothing. Do not breathe mists or vapor. Wear personal protective equipment. Do not use in areas without adequate ventilation. Avoid prolonged exposure. Wash thoroughly after handling. Do not empty into drains. Handle and open container with care. Use care in handling/storage. Wash before eating, drinking and/or smoking.

7.2 CONDITIONS FOR SAFE STORAGE:

Requirements for Storage Areas and Containers: Suggested storage above 40°F / 4.4°C. If frozen, warm product before use. Store in cool, dry place. Store in original container. Keep tightly closed. Do not reuse empty container. Do not contaminate water, food or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 CONTROL PARAMETERS:

OCCUPATIONAL EXPOSURE LIMITS

U.S. Workplace Exposure Level (ACGIH) Guides

Components	Type	Value
Propionic acid	TWA	10 ppm

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Specimen
No listings		

8.2 EXPOSURE CONTROLS:

Engineering Measures

Provide adequate general and local exhaust ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors and spray mists. Provide eyewash station and safety shower.

Individual Protection Measures:

Eye / Face Protection: Goggles or shielded safety glasses are recommended.

Skin Protection: Coveralls worn over long-sleeved shirt and long pants. Chemical-resistant gloves. Chemical-resistant footwear plus socks.

Respiratory Protection: In case of inadequate ventilation or risk of inhalation of mists or vapors, use suitable respiratory equipment such as MSHA/NIOSH TC-21C or NIOSH approved respirator with N, R, P or HE filter. Wear respiratory protection during operations where spraying or misting occurs. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection standard. Wear air supplied respiratory protection if exposure concentrations are unknown.



SAFETY DATA SHEET

SDS NUMBER: 1000009654-15-LPI

SDS REVISIONS: SEC. 2

DATE OF ISSUE: 06/19/15

LI 700®

SUPERSEDES: 07/07/14

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 APPEARANCE : Liquid
ODOR: Pungent.
ODOR THRESHOLD: No data available.
COLOR: Dark brown.
pH: 3.6 (1% solution)
MELTING POINT / FREEZING POINT: No data available
BOILING POINT: No data available
FLASH POINT: >212°F (100°C) / TCC
FLAMMABILITY (solid, gas): No data available.
UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: No data available.
VAPOR PRESSURE: No data available.
SOLUBILITY: Soluble
PARTITION CO-EFFICIENT, n-OCTANOL / WATER: No data available.
AUTO-IGNITION TEMPERATURE: No data available.
DECOMPOSITION TEMPERATURE: No data available
VISCOSITY, dynamic: No data available
SPECIFIC GRAVITY (Water = 1): 1.035 g/ml
DENSITY: 8.64 lbs./gal / 1.04 kg/L

Note: These physical data are typical values based on material tested but may vary from sample to sample.
Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

10.1 REACTIVITY

Stable

10.2 CHEMICAL STABILITY

Stable under normal temperature conditions

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No reactions known under normal use conditions. Will not polymerize.

10.4 CONDITIONS TO AVOID

High alkaline conditions.

10.5 INCOMPATIBLE MATERIALS

Strong oxidizers.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

None known.

11. TOXICOLOGICAL INFORMATION

11.1 LIKELY ROUTES OF EXPOSURE

Eye contact, skin contact.

LC₅₀ (rat) >6.04 mg/L 4hr. OECD Test Guideline 403

LD₅₀ Oral (male rat): >5,000 mg/kg

LD₅₀ Dermal (rabbit): >5,000 mg/kg

Acute Toxicity Estimates: No data available

Skin Irritation (rabbit): Severe irritant; causes skin burns

Eye Irritation (rabbit): Irreversible eye damage

Specific Target Organ Toxicity: Single exposure: No data available.

Aspiration: No data available

Skin Sensitization (guinea pig): Not a sensitizer

Carcinogenicity: No data available

Germ Cell Mutagenicity: No data available

Interactive Effects: None known



SAFETY DATA SHEET

SDS NUMBER: 1000009654-15-LPI

SDS REVISIONS: SEC. 2

DATE OF ISSUE: 06/19/15

LI 700®

SUPERSEDES: 07/07/14

12. ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. This product is not intended for use in aquatic settings.

Ecotoxicological Data

	Species	Test Results
Product		
96-hour LC ₅₀	Oncorhynchus mykiss	130 mg/L
96-hr NOEC	Oncorhynchus mykiss	<100 mg/L
96-hour LC ₅₀	Lepomis macrochirus	210 mg/L
96-hr NOEC	Lepomis macrochirus	100 mg/L
48-hour EC ₅₀	Daphnia Magna	190 mg/L
48-hour NOEC	Daphnia Magna	100 mg/L

Drift or runoff may adversely affect non-target plants.

Do not apply directly to water.

Do not contaminate water when disposing of equipment wash water.

Do not apply when weather conditions favor drift from target area.

12.2 PERSISTENCE AND DEGRADABILITY

Biodegradability: No data available

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: No data available.

12.4 MOBILITY IN SOIL

No data available.

12.5 OTHER ADVERSE EFFECTS

Assessment: No data available.

13. DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Wastes may be disposed of on site or at an approved waste disposal facility. Triple rinse (or equivalent), adding rinse water to spray tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by appropriate authorities. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at <http://www.acrecycle.org/>. Do not contaminate water, food or feed by storage or disposal.

14. TRANSPORT INFORMATION

14.1 LAND TRANSPORT

DOT Shipping Description: NOT REGULATED.

U.S. Surface Freight Classification: ADHESIVES, ADJUVANTS, SPREADERS OR STICKERS (NMFC 4610; CLASS 60)



SAFETY DATA SHEET

SDS NUMBER: 1000009654-15-LPI

SDS REVISIONS: SEC. 2

DATE OF ISSUE: 06/19/15

LI 700®

SUPERSEDES: 07/07/14

15. REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS

NFPA & HMIS Hazard Ratings:

NFPA

2	Health	0	Least
1	Flammability	1	Slight
0	Instability	2	Moderate
		3	High
		4	Severe

HMIS

2	Health
1	Flammability
0	Reactivity
X	PPE

SARA Hazard Notification/Reporting

SARA Title III Hazard Category:

Immediate	<u>Y</u>
Delayed	<u>N</u>

Fire	<u>N</u>
Reactive	<u>N</u>

Sudden Release of Pressure	<u>N</u>
----------------------------	----------

Reportable Quantity (RQ) under U.S. CERCLA: Propionic Acid (CAS: 79-09-4) 5,000 pounds.

SARA, Title III, Section 313: Not listed

RCRA Waste Code: Not listed

CA Proposition 65: Not applicable

16. OTHER INFORMATION

SDS STATUS: Section 2 revised.

PREPARED BY: Registrations and Regulatory Affairs

REVIEWED BY: Environmental Health and Safety

CA Reg. No. 34704-50035

WA Reg. no. 34704-04007

®LI 700 and ®Leci-Tech are registered trademarks of Loveland Products, Inc.

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.

MSO Concentrate with Leci-Tech





SAFETY DATA SHEET

MSO® CONCENTRATE WITH LECI-TECH®

SDS NUMBER: 1000011026-17-LPI

SDS REVISIONS: SEC. 8.2

DATE OF ISSUE: 03/27/17

SUPERSEDES: 01/21/16

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 PRODUCT IDENTIFIER:

TRADE NAME: MSO® CONCENTRATE WITH LECI-TECH®

1.2 RECOMMENDED USE:

SPRAY ADJUVANT

1.3 SUPPLIER DETAILS:

LOVELAND PRODUCTS, INC.

P.O. Box 1286 • Greeley, CO 80632-1286

1.4 24 Hour Emergency Phone: 1-800-424-9300 - Medical Emergencies: 1-866-944-8565 - Product Information: 1-888-574-2878 (LPI-CUST) U.S. Coast Guard National Response Center: 1-800-424-8802

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to 29 CFR 1910.1200

Acute Toxicity - Inhalation
Eye Damage/Irritation

Category 4
Category 2B

H332
H320

2.2 Label elements



Signal word:

WARNING

Hazard Statement:

H332 – Harmful if inhaled.
H320 – Causes eye irritation.
H303 – May be harmful if swallowed.
H313 – Maybe harmful in contact with skin.

Precautionary Statement:

P261 – Avoid breathing dust/fume/gas/mist/vapors/spray.
P271 – Use only outdoors or in a well-ventilated area.
P264 – Wash hands and face thoroughly after handling.

(Prevention):

Precautionary Statement:

P304+P340 – IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312 – Call a POISON CENTER or doctor/physician if you feel unwell.
P305+P351+P358 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.
P337+P313 – If eye irritation persists: Get medical advice/attention.

Precautionary Statement:

(General):

P101+P102+P103 – If medical advice is needed, have product container or label available. Keep out of reach of children. Read label before use

2.3 Other hazards

None known



SAFETY DATA SHEET

SDS NUMBER: 1000011026-17-LPI

SDS REVISIONS: SEC. 8.2

MSO® CONCENTRATE WITH LECI-TECH®

DATE OF ISSUE: 03/27/17

SUPERSEDES: 01/21/16

3. COMPOSITION, INFORMATION ON INGREDIENTS

3.1 Substances

3.2 Mixtures

Classification according to 29 CFR 1910.1200

Chemical Name:	CAS No.	Concentration [%]
Phosphatidylcholine	97281-47-5	
Methylated vegetable oil	67784-80-9	
Alcohol ethoxylate	34398-01-1	100.00

4. FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice: Get medical attention if symptoms occur.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

4.2 Most Important Symptoms and Effects, Acute and Delayed

Symptoms: Causes eye irritation.

4.3 Immediate Medical Attention and Special Treatment

Treatment: Treat symptomatically. Symptoms may be delayed.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565

Take container, label or product name with you when seeking medical attention.

NOTES TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5. FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA:

Suitable Extinguishing Media: Dry chemical, carbon dioxide (CO₂), alcohol foam, foam, water spray or fog. Do not use water jet as this will spread the fire.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Specific Hazards During Firefighting: During a fire, hazardous by-products can be released.

5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Protective Equipment for Firefighters: Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.



SAFETY DATA SHEET

SDS NUMBER: 1000011026-17-LPI

SDS REVISIONS: SEC. 8.2

MSO® CONCENTRATE WITH LECI-TECH®

DATE OF ISSUE: 03/27/17

SUPERSEDES: 01/21/16

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions: Avoid inhalation of vapors and spray mist and contact with skin and eyes. Ensure adequate ventilation. Wear suitable protective clothing.

6.2 ENVIRONMENTAL PRECAUTIONS

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter drains, sewers, or watercourses.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Methods for Clean-Up: Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. After removal flush contaminated area thoroughly with water.
Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to Remove residual contamination.
Never return spills to original containers for re-use.

7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Advice on Safe Handling: Avoid inhalation of mists, vapors / spray and contact with eyes, skin and clothing. Do not breathe mists or vapor. Wear personal protective equipment. Do not use in areas without adequate ventilation. Avoid prolonged exposure. Wash thoroughly after handling. Do not empty into drains. Handle and open container with care. Use care in handling/storage. Wash before eating, drinking and/or smoking.

7.2 CONDITIONS FOR SAFE STORAGE:

Requirements for Storage Areas and Containers: Store in cool, dry place. Store in original container. Keep tightly closed. Do not reuse empty container. Product will become thicker at cold temperatures but effectiveness will not be affected. Warm product before use. Do not contaminate water, food or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 CONTROL PARAMETERS:

OCCUPATIONAL EXPOSURE LIMITS

U.S. Workplace Exposure Level (ACGIH) Guides

Components	Type	Value
No listings	TWA	

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Specimen
No listings		

8.2 EXPOSURE CONTROLS:

Engineering Measures

Provide adequate general and local exhaust ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors and spray mists. Provide eyewash station and safety shower.

Individual Protection Measures:

Eye / Face Protection: Goggles or shielded safety glasses are recommended.
Skin Protection: Wear protective gloves. Long-sleeved shirt, long pants, and socks.
Respiratory Protection: In case of inadequate ventilation or risk of inhalation of mists or vapors, use suitable respiratory equipment such as MSHA/NIOSH TC-21C or NIOSH approved respirator with N, R, P or HE filter. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection standard. Wear air supplied respiratory protection if exposure concentrations are unknown.



SAFETY DATA SHEET

SDS NUMBER: 1000011026-17-LPI

SDS REVISIONS: SEC. 8.2

MSO® CONCENTRATE WITH LECI-TECH®

DATE OF ISSUE: 03/27/17

SUPERSEDES: 01/21/16

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 APPEARANCE : Liquid
ODOR: Fatty.
ODOR THRESHOLD: No data available.
COLOR: Yellow.
pH: 6.9 (1% solution)
MELTING POINT / FREEZING POINT: No data available
BOILING POINT: >200°F (>93.4°C)
FLASH POINT: >212°F (>100°C) / TCC
FLAMMABILITY (solid, gas): No data available.
UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: No data available.
VAPOR PRESSURE: No data available.
SOLUBILITY: Emulsifies
PARTITION CO-EFFICIENT, n-OCTANOL / WATER: No data available.
AUTO-IGNITION TEMPERATURE: No data available.
DECOMPOSITION TEMPERATURE: No data available.
VISCOSITY, kinematic: 115.5 centistokes @ 68°F (20°C)
SPECIFIC GRAVITY (Water = 1): 0.90 g/ml
DENSITY: 7.51 lbs./gal / 0.9 kg/L

Note: These physical data are typical values based on material tested but may vary from sample to sample.
Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

10.1 REACTIVITY

Stable

10.2 CHEMICAL STABILITY

Stable under normal temperature conditions

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No reactions known under normal use conditions. Will not polymerize.

10.4 CONDITIONS TO AVOID

High alkaline conditions.

10.5 INCOMPATIBLE MATERIALS

Strong oxidizers.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

None known.

11. TOXICOLOGICAL INFORMATION

11.1 LIKELY ROUTES OF EXPOSURE

Eye contact. Skin contact.

LC₅₀ (rat): >2.01 mg/L (4 HR)

LD₅₀ Oral (female rat): >2,000 mg/kg

LD₅₀ Dermal (rat): >4,000 mg/kg

Acute Toxicity Estimates: No data available

Skin Irritation (rabbit): May be irritating.

Eye Irritation (rabbit): Irritating.

Specific Target Organ Toxicity: Single exposure: No data available.

Aspiration: No data available

Skin Sensitization (mouse): Not a sensitizer

Carcinogenicity: No data available

Germ Cell Mutagenicity: No data available

Interactive Effects: None known



SAFETY DATA SHEET

SDS NUMBER: 1000011026-17-LPI

SDS REVISIONS: SEC. 8.2

MSO® CONCENTRATE WITH LECI-TECH®

DATE OF ISSUE: 03/27/17

SUPERSEDES: 01/21/16

12. ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Ecotoxicological Data

Species	Test Results
No data available.	

Drift or runoff may adversely affect non-target plants.
Do not apply directly to water.
Do not contaminate water when disposing of equipment wash water.
Do not apply when weather conditions favor drift from target area.

12.2 PERSISTENCE AND DEGRADABILITY

Biodegradability: No data available

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: No data available.

12.4 MOBILITY IN SOIL

No data available.

12.5 OTHER ADVERSE EFFECTS

Assessment: No data available.

13. DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Wastes may be disposed of on site or at an approved waste disposal facility. Triple rinse (or equivalent), adding rinse water to spray tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by appropriate authorities. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at <http://www.acrecycle.org/>. Do not contaminate water, food or feed by storage or disposal.

14. TRANSPORT INFORMATION

14.1 LAND TRANSPORT

DOT Shipping Description: NOT REGULATED.

U.S. Surface Freight Classification: ADHESIVES, ADJUVANTS, SPREADERS OR STICKERS (NMFC 4610; CLASS 60)

15. REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS

NFPA & HMIS Hazard Ratings:

NFPA

1	Health	0	Least
0	Flammability	1	Slight
0	Instability	2	Moderate
		3	High
		4	Severe

HMIS

1	Health
0	Flammability
0	Reactivity
B	PPE

SARA Hazard Notification/Reporting

SARA Title III Hazard Category: Immediate Y Fire N Sudden Release of Pressure N
Delayed N Reactive N

Reportable Quantity (RQ) under U.S. CERCLA: Not listed

SARA, Title III, Section 313: Not listed

RCRA Waste Code: Not listed

CA Proposition 65: Not applicable



SAFETY DATA SHEET

SDS NUMBER: 1000011026-17-LPI

SDS REVISIONS: SEC. 8.2

MSO® CONCENTRATE WITH LECI-TECH®

DATE OF ISSUE: 03/27/17

SUPERSEDES: 01/21/16

16. OTHER INFORMATION

SDS STATUS: Section 8.2 revised

PREPARED BY: Registrations and Regulatory Affairs

REVIEWED BY: Environmental Health and Safety

®MSO and ®Leci-Tech are registered trademarks of Loveland Products, Inc.

CA REG. NO.: 34704-50053

WA REG. NO.: 34704-07001

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.

Polaris



**1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION****Product Name:** Polaris® Herbicide**EPA Reg. No.:** 228-534**Product Type:** Herbicide**Company Name:** Nufarm Americas Inc.
11901 S. Austin Avenue
Alsip, IL 60803
1-800-345-3330**Telephone Numbers:** For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident,
Call CHEMTREC Day or Night: 1-800-424-9300
For Medical Emergencies Only, Call 1-877-325-1840

This product is an EPA FIFRA registered pesticide. Some classifications on this SDS are not exactly the same as on the FIFRA label. Certain sections are superseded by federal law governed by EPA for a registered pesticide. Please see Section 15. REGULATORY INFORMATION for explanation.

2. HAZARDS IDENTIFICATION**PHYSICAL HAZARDS:**

Not hazardous

HEALTH HAZARDS:

Not hazardous

ENVIRONMENTAL HAZARDS:

Not hazardous

SIGNAL WORD:

None Required

HAZARD STATEMENTS:

Not hazardous in accordance with 29CFR 1910.1200 (Hazcom 2012)

PRECAUTIONARY STATEMENTS

Use with appropriate protective equipment.

3. COMPOSITION / INFORMATION ON INGREDIENTS**COMPONENTS**

Isopropylamine Salt of Imazapyr

Other Ingredients

CAS NO.

81510-83-0

Trade Secret

% BY WEIGHT

22 – 23.3

Trade Secret

Synonyms: 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-3-pyridinecarboxylic acid

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

4. FIRST AID MEASURES**If Inhaled:** Move person to fresh air. Seek medical attention if symptoms develop.**If in Eyes:** Hold eye open and rinse slowly and gently with water for sever minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Seek medical attention if irritation persists.**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water. Seek medical attention if irritation persists.**If Swallowed:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Seek medical attention if symptoms develop.**Most Important symptoms/effects, acute and delayed:** None expected.

Indication of Immediate medical attention and special treatment if needed: Immediate medical attention is not generally required. For ingestion there is no specific antidote available. Treat symptomatically.

5. FIRE FIGHTING MEASURES

Extinguishing Media: Use media that is suitable for the surrounding fire.

Special Fire Fighting Procedures: Firefighters should wear NIOSH approved self-contained breathing apparatus and full fire-fighting turn out gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later.

Unusual Fire and Explosion Hazards: This product is not flammable or combustible. If water is used to fight fire, contain runoff, using dikes to prevent contamination of water supplies. Dispose of fire control water later.

Hazardous Decomposition Materials (Under Fire Conditions): May produce gases such as oxides of carbon, hydrogen and nitrogen.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear appropriate protective gear for the situation. See Personal Protection information in Section 8.

Environmental Precautions: Prevent material from entering public sewer systems or any waterways. Do not flush to drain. Large spills to soil or similar surfaces may necessitate removal of topsoil. The affected area should be removed and placed in an appropriate container for disposal.

Methods for Containment: Dike spill using absorbent or impervious materials such as earth, sand or clay. Collect and contain contaminated absorbent and dike material for disposal.

Methods for Cleanup and Disposal: Pump any free liquid into an appropriate closed container. Absorb residues with an inert material and place in a suitable container for disposal. Decontaminate tools and equipment following cleanup. See Section 13: DISPOSAL CONSIDERATIONS for more information.

Other Information: Large spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

7. HANDLING AND STORAGE

HANDLING:

Avoid contact with skin, eyes, or clothing. Avoid breathing spray mist. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Spray solutions of this product should be mixed, stored, and applied only in stainless steel, fiberglass, plastic, and plastic-lined steel containers. DO NOT mix, store, or apply this product or spray solutions of this product in unlined steel (except stainless steel) containers or spray tanks.

STORAGE:

Do not store below 10° F. Do not contaminate water, food, or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls:

Where engineering controls are indicated by specific use conditions or a potential for excessive exposure, use local exhaust ventilation at the point of generation.

Personal Protective Equipment:

Eye/Face Protection: To avoid contact with eyes, wear chemical goggles or shielded safety glasses. **Skin Protection:** To avoid contact with skin wear long-sleeved shirt and long pants, shoes plus socks, chemical-resistant gloves made of any waterproof material. Washing facilities should be readily accessible to the work area.

Respiratory Protection: Not normally required. If vapors or mists exceed acceptable levels, wear NIOSH approved air-purifying respirator with cartridges/canisters approved for use against pesticides.

General Hygiene Considerations: Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material: 1) do not store, use and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored; 2) wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics or using the toilet.

SAFETY DATA SHEET

Polaris® Herbicide

Exposure Guidelines:

Component	OSHA		ACGIH		Unit
	TWA	STEL	TWA	STEL	
Imazapyr	NE	NE	NE	NE	
Other Ingredients	NE	NE	NE	NE	

NE = Not Established

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Blue liquid
Odor:	Faint ammonia like
Odor threshold:	No data available
pH:	6.26 (1% w/w dilution in DIW)
Melting point:	No data available
Initial boiling point and boiling range	No data available
Flash point:	>212° F (>100° C)
Evaporation rate:	No data available
Flammability (solid, gas):	No data available
Upper/lower flammability or explosive limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	1.057 g/mL @ 20° C
Solubility(ies):	No data available
Partition coefficient: n-octanol/water:	No data available
Autoignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	3.766 cSt @20° C; 1.988 cSt @ 40° C
VOC Emission Potential (%):	-0.13 (TGA)

Note: Physical data are typical values, but may vary from sample to sample. A typical value should not be construed as a guaranteed analysis or as a specification.

10. STABILITY AND REACTIVITY

Reactivity: Not reactive.

Chemical Stability: This material is stable under normal handling and storage conditions.

Possibility of Hazardous Reactions: Will not occur

Conditions to Avoid: Excessive heat. Do not store near heat or flame. Do not mix or store this product or solutions of this product in unlined steel containers

Incompatible Materials: Strong oxidizing agents: bases and acids.

Hazardous Decomposition Products: Under fire conditions may produce gases such as oxides of carbon, hydrogen and nitrogen.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eye contact, Skin contact

Eye Contact: Minimally irritating. May cause irritation, redness and tearing.

Skin Contact: Slightly toxic and no more than mildly irritating based on toxicity studies.

Ingestion: Low toxicity based on toxicity studies.

Inhalation: Low toxicity based on toxicity studies.

Delayed, immediate and chronic effects of exposure: None expected.

Toxicological Data:

Data from laboratory studies conducted on Imazapyr Technical:

Oral: Rat LD₅₀: >5,000 mg/kg

Dermal: Rabbit LD₅₀: >5,000 mg/kg

Inhalation: Rat 4-hr LC₅₀: >2.07 mg/l (no mortalities highest dose attainable)

Eye Irritation: Rabbit: Minimally irritating (MMTS= 6.0)

Skin Irritation: Rabbit: Slightly irritating (PDII=0.8)

Skin Sensitization: Not a contact sensitizer in guinea pigs following repeated skin exposure.

Subchronic (Target Organ) Effects: For imazapyr, no adverse effects at approximately 1,700 mg/kg/day (highest dose tested).

Carcinogenicity / Chronic Health Effects: Imazapyr did not cause cancer in laboratory animals. EPA has classified imazapyr as a Group E (evidence of non-carcinogenicity for humans) carcinogen.

Reproductive Toxicity: The results of animal studies with imazapyr gave no indication of a fertility impairing effect.

Developmental Toxicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies with imazapyr.

Genotoxicity: For imazapyr, no mutagenic effect was found in various tests with microorganisms and mammals.

Assessment Carcinogenicity: None listed with ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Data on Imazapyr:

96-hour LC ₅₀ Bluegill:	>100 mg/l	Bobwhite Quail 8-day Dietary LC ₅₀ :	>5,000 ppm
96-hour LC ₅₀ Rainbow Trout:	>100 mg/l	Bobwhite Quail Oral LD ₅₀ :	>2,150 mg/kg
48-hour EC ₅₀ Daphnia:	>100 mg/l	Mallard Duck 8-day Dietary LC ₅₀ :	>5,000 ppm
14-day EC ₅₀ Duckweed:	0.024 mg/l	Mallard Duck Oral LD ₅₀ :	>2,150 mg/kg
7-day EC ₅₀ Green Algae:	71 mg/l	Honey Bee LD ₅₀ :	>100 mg/bee

Environmental Fate:

Imazapyr is degraded by microbial metabolism and can be relatively persistent in soils. It has an average half-life in soils that ranges from 2 weeks to 5 months. Half-lives tend to be shorter in forest litter and soils. Imazapyr is water-soluble and variably binds to organic materials in the soils. Although the potential to leach is high, leaching is limited under typical field conditions. In water, imazapyr can be rapidly degraded by photolysis with a half-life averaging 2 days. Due to its rapid photodegradation by sunlight, water contamination by imazapyr is generally not of concern.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Handling and Disposal:

Nonrefillable Containers 5 Gallons or Less: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

Nonrefillable containers larger than 5 gallons: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of

the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Refillable containers larger than 5 gallons: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water and, if possible, spray all sides while adding water. Agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

14. TRANSPORTATION INFORMATION

Follow the precautions indicated in Section 7: HANDLING AND STORAGE of this SDS.

DOT

Not Regulated

IMDG

Not Regulated

IATA

Not Regulated

15. REGULATORY INFORMATION

EPA FIFRA INFORMATION

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

CAUTION. No human or domestic animal hazard statements are required. Follow instructions for Personal Protective Equipment and User Safety Recommendations.

U.S. FEDERAL REGULATIONS

TSCA Inventory: This product is exempted from TSCA because it is solely for FIFRA regulated use.

SARA Hazard Notification/Reporting:

Hazard Categories Under Criteria of SARA Title III Rules (40 CFR Part 370):

Not hazardous

Section 313 Toxic Chemical(s):

None

Reportable Quantity (RQ) under U.S. CERCLA:

None

RCRA Waste Code:

Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste.

State Information:

Other state regulations may apply. Check individual state requirements.

California Proposition 65: Not Listed.

16. OTHER INFORMATION**National Fire Protection Association (NFPA) Hazard Rating:****Rating for this product: Health: 1 Flammability: 0 Reactivity: 0**

Hazards Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-ACCEPTED PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course.

Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of Federal law to use a pesticide product in any manner not prescribed on the EPA-accepted label.

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, Nufarm Americas Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will Nufarm Americas Inc. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon Information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS AND ALL SUCH WARRANTIES ARE HEREBY SPECIFICALLY DISCLAIMED.

Date of Issue: April 12, 2015**Supersedes:** October 16, 2013

Polaris is a registered trademark of Nufarm Americas Inc.

Weedar 64



**1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION****Product Name:** Nufarm Weedar® 64 Broadleaf Herbicide**EPA Reg. No.:** 71368-1**Product Type:** Herbicide**Company Name:** Nufarm Inc.
11901 S. Austin Avenue
Alsip, IL 60803
1-800-345-3330**Telephone Numbers:** For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident,
Call CHEMTREC Day or Night: 1-800-424-9300
For Medical Emergencies Only, Call 1-877-325-1840

This product is an EPA FIFRA registered pesticide. Some classifications on this SDS are not the same as the FIFRA label. Certain sections of this SDS are superseded by federal law governed by EPA for a registered pesticide. Please see Section 15. REGULATORY INFORMATION for explanation.

2. HAZARDS IDENTIFICATION**PHYSICAL HAZARDS:**

Not hazardous

HEALTH HAZARDS:

Eye Damage/Irritation	Category 1
Acute toxicity, oral	Category 4
Specific target organ toxicity – Repeated exposure	Category 2

ENVIRONMENTAL HAZARDS:

Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2

SIGNAL WORD:

DANGER

HAZARD STATEMENTS:

Causes serious eye damage. Harmful if swallowed. May cause damage to organs (liver, kidneys) through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

**PRECAUTIONARY STATEMENTS**

Wear face shield, goggles or safety glasses with side protection. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Toxic to aquatic life with long lasting effects.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor if you feel unwell. Rinse mouth. Dispose of contents and container in accordance with local and state regulations.

Avoid unintended release to the environment.

SAFETY DATA SHEET

Nufarm Weedar® 64 Broadleaf Herbicide

Collect spillage.

3. COMPOSITION / INFORMATION ON INGREDIENTS

COMPONENT	CAS NO.	% BY WEIGHT
Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid	2008-39-1	45.4 – 48.2
Other Ingredients	Trade Secret	Trade Secret

Synonyms: 2,4-D DMA; 2,4-Dichlorophenoxyacetic acid, dimethylamine salt

Ingredients not precisely identified are proprietary or non-hazardous. Values are not products specifications.

4. FIRST AID MEASURES

If in Eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Most Important symptoms/effects: Eye irritation

Indication of Immediate medical attention and special treatment if needed: There is no specific antidote if this product is ingested. Treat symptomatically.

5. FIRE FIGHTING MEASURES

Extinguishing Media: Recommended for large fires: foam or water spray. Recommended for small fires: dry chemical or carbon dioxide.

Special Fire Fighting Procedures: Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full fire-fighting turn out gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later.

Unusual Fire and Explosion Hazards: Containers will burst from internal pressure under extreme fire conditions. If water is used to fight fire or cool containers, dike to prevent runoff contamination of municipal sewers and waterways.

Hazardous Decomposition Materials (Under Fire Conditions): May produce gases such as hydrogen chloride and oxides of carbon and nitrogen.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear appropriate protective gear for the situation. See Personal Protection information in Section 8.

Environmental Precautions: Prevent material from entering public sewer systems or any waterways. Do not flush to drain. Large spills to soil or similar surfaces may necessitate removal of topsoil. The affected area should be removed and placed in an appropriate container for disposal.

Methods for Containment: Dike spill using absorbent or impervious materials such as earth, sand or clay. Collect and contain contaminated absorbent and dike material for disposal.

Methods for Cleanup and Disposal: Pump any free liquid into an appropriate closed container. Collect washings for disposal. Decontaminate tools and equipment following cleanup. See Section 13: DISPOSAL CONSIDERATIONS for more information.

Other Information: Large spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

7. HANDLING AND STORAGE

HANDLING:

SAFETY DATA SHEET

Nufarm Weedar® 64 Broadleaf Herbicide

Avoid breathing vapors or spray mist. Do not get in eyes, on skin or on clothing. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/Personal Protective Equipment (PPE) immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. If pesticide gets on skin, wash immediately with soap and water. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

STORAGE:

Store in original container in a dry, secured storage area. Keep container tightly closed when not in use. Store at temperatures above 32° F. If allowed to freeze, warm to at least 40° F and remix before using. Freezing does not alter the product. Do not contaminate water, food or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls:

Where engineering controls are indicated by specific use conditions or a potential for excessive exposure, use local exhaust ventilation at the point of generation.

Personal Protective Equipment:

Eye/Face Protection: To avoid contact with eyes, wear chemical goggles or face shield. An emergency eyewash or water supply should be readily accessible to the work area.

Skin Protection: To avoid contact with skin, wear long pants, long-sleeved shirt, shoes and socks, and chemical-resistant gloves. For use according to product label, chemical-resistant gloves are not required for applicators using ground boom equipment. Wear a chemical-resistant apron when mixing or loading, cleaning up spills or equipment, or otherwise exposed to the concentrate. An emergency shower or water supply should be readily accessible to the work area.

Respiratory Protection: Not normally required. If vapors or mists exceed acceptable levels, wear NIOSH approved air-purifying respirator with cartridges/canisters approved for use against pesticides.

General Hygiene Considerations: Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material: 1) do not store, use and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored; 2) wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics or using the toilet.

Exposure Guidelines:

Component	OSHA		ACGIH		Unit
	TWA	STEL	TWA	STEL	
DMA Salt of 2,4-D	10*	NE	10*	NE	mg/m ³
Other Ingredients	N/A	N/A	N/A	N/A	

*Based on adopted limit for 2,4-D

NE= Not Established

N/A= Not Applicable

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear, colorless to dark yellow liquid
Odor:	Mild phenolic amine
Odor threshold:	No data available
pH:	6.9-9
Melting point/freezing point:	No data available
Initial boiling point and boiling range	No data available
Flash point:	Not applicable due to aqueous formulation
Evaporation rate:	Not applicable
Flammability (solid, gas):	No data available
Upper/lower flammability or explosive limits:	No data available
Vapor pressure:	Not applicable
Vapor density:	Not applicable
Relative density:	1.155 @ 20° C (9.64 lbs/gal) @21° C
Solubility(ies):	Soluble in water
Partition coefficient: n-octanol/water:	No data available
Autoignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	10.5 cPs @ 21° C

SAFETY DATA SHEET

Nufarm Weedar® 64 Broadleaf Herbicide

VOC Emission Potential(%): 17.7

Note: Physical data are typical values, but may vary from sample to sample. A typical value should not be construed as a guaranteed analysis or as a specification.

10. STABILITY AND REACTIVITY

Reactivity: Not Reactive

Chemical Stability: This material is stable under normal handling and storage conditions.

Possibility of Hazardous Reactions: Will not occur.

Conditions to Avoid: Excessive heat. Do not store near heat or flame.

Incompatible Materials: Strong oxidizing agents: bases and acids.

Hazardous Decomposition Products: Under fire conditions may produce gases such as hydrogen chloride and oxides of carbon and nitrogen.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eye contact, Skin contact

Symptoms of Exposure:

Eye Contact: Causes severe irritation.

Skin Contact: Causes slight irritation.

Ingestion: Harmful if ingested. May cause nausea, vomiting, abdominal pain, decreased blood pressure, muscle weakness, muscle spasms.

Inhalation: Low toxicity if inhaled. May cause upper respiratory tract irritation.

Delayed, immediate and chronic effects of exposure: None reported.

Toxicological Data:

Except as noted, data from laboratory studies conducted on this product are summarized below:

Oral: Rat LD₅₀: 1,030 mg/kg (female) (estimated based on mortalities for doses tested)

Dermal: Rabbit LD₅₀: >5,000 mg/kg (data on similar product)

Inhalation: Rat 4-hr LC₅₀: >2.06 mg/L (no animals died at this dose)

Eye Irritation: Rabbit: Corrosive/severely irritating (data on similar product)

Skin Irritation: Rabbit: Slightly irritating (data on similar product)

Skin Sensitization: Guinea Pig: Not a contact sensitizer

Subchronic (Target Organ) Effects: Repeated overexposure to phenoxy herbicides may cause effects to liver, kidneys, blood chemistry, and gross motor function. Rare cases of peripheral nerve damage have been reported, but extensive animal studies have failed to substantiate these observations, even at high doses for prolonged periods.

Carcinogenicity / Chronic Health Effects: Various animal cancer tests have shown no reliably positive association between 2,4-D exposure and cancer. Epidemiology studies on herbicide use have been both positive and negative with the majority being negative.

Reproductive Toxicity: No impairment of reproductive function attributable to 2,4-D has been noted in laboratory animal studies.

Developmental Toxicity: Studies in laboratory animals with 2,4-D have shown decreased fetal body weights and delayed development in the offspring at doses toxic to mother animals.

Genotoxicity: There have been some positive and some negative studies, but the weight of evidence is that 2,4-D is not mutagenic.

Assessment Carcinogenicity:

This product contains substances that are considered to be probable or suspected human carcinogens as follows:

Component	Regulatory Agency Listing As Carcinogen			
	ACGIH	IARC	NTP	OSHA
Chlorophenoxy Herbicides	No	2B	No	No
Other Ingredients	No	No	No	No

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Data on 2,4-D Dimethylamine Salt:

96-hour LC₅₀ Bluegill:

524 mg/l

Bobwhite Quail Oral LD₅₀:

500 mg/kg

SAFETY DATA SHEET

Nufarm Weedar® 64 Broadleaf Herbicide

96-hour LC₅₀ Rainbow Trout:
48-hour EC₅₀ Daphnia:

250 mg/l
184 mg/l

Mallard Duck 8-day Dietary LC₅₀:

>5,620 ppm

Environmental Fate:

In laboratory and field studies, 2,4-D DMA salt rapidly dissociated to parent acid in the environment. The typical half-life of the resultant 2,4-D acid ranged from a few days to a few weeks.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law and may contaminate ground water. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Handling and Disposal:

Nonrefillable Containers 5 Gallons or Less: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. **Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

Nonrefillable containers larger than 5 gallons: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. **Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Refillable containers larger than 5 gallons: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water and, if possible, spray all sides while adding water. Agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

14. TRANSPORTATION INFORMATION

Follow the precautions indicated in Section 7: HANDLING AND STORAGE of this SDS.

DOT:

<25 gallons per completed package

Non Regulated

≥ 25 gallons per completed package

UN 3082, Environmentally hazardous substance, liquid, n.o.s. (2,4-D Salt), 9, III, RQ

IMDG:

Non Regulated

IATA:

Non Regulated

15. REGULATORY INFORMATION

SAFETY DATA SHEET

Nufarm Weedar® 64 Broadleaf Herbicide

EPA FIFRA INFORMATION

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

DANGER. Corrosive. Causes irreversible eye damage. Harmful if swallowed. Avoid breathing vapors or spray mist. Do not get in eyes, on skin, or on clothing.

U.S. FEDERAL REGULATIONS

TSCA Inventory: This product is exempted from TSCA because it is solely for FIFRA regulated use.

SARA Hazard Notification/Reporting:

Hazard Categories Under Criteria of SARA Title III Rules (40 CFR Part 370.66):

Immediate and Delayed

Section 313 Toxic Chemical(s):

None Listed

Reportable Quantity (RQ) under U.S. CERCLA:

Acetic Acid, (2,4-Dichlorophenoxy)- (CAS No. 94-75-7) 100 pounds

RCRA Waste Code:

Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste.

State Information:

Other state regulations may apply. Check individual state requirements.

California Proposition 65: Not Listed.

16. OTHER INFORMATION

National Fire Protection Association (NFPA) Hazard Rating:

Rating for this product: Health: 3 Flammability: 1 Reactivity: 0

Hazards Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-ACCEPTED PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course.

Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of Federal law to use a pesticide product in any manner not prescribed on the EPA-accepted label.

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, Nufarm Americas Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will Nufarm Americas Inc. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon Information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS AND ALL SUCH WARRANTIES ARE HEREBY SPECIFICALLY DISCLAIMED.

Date of Issue: May 6, 2020

Supersedes:

June 21, 2016

Weedar is a registered trademark of Nufarm Americas Inc.